

Prior Authorization Request Form Fax Back To: (866) 940-7328

Phone: (800) 310-6826

## **Specialty Medication Prior Authorization Cover Sheet**

(This cover sheet should be submitted along with a Pharmacy Prior Authorization Medication Fax Request Form. Please refer to <a href="https://www.uhcprovider.com">www.uhcprovider.com</a> for medication fax request forms.)

Patient Information			
Patient's Name:			
Insurance ID:	Date of Birth:	Height:	Weight:
Address:		Apartment #:	
City:	State:	Zip Code:	
Phone Number:	Alternate Phone:	Sex: Male	☐ Female
Provider Information			
Provider's Name:	Provider ID Number:		
Address:	City:	State: Zip C	ode:
Suite Number:	Building Number:		
Phone Number:	Fax number:		
Provider's Specialty:			
Medication Information			
Medication:	Quantity:	ICD10 Code:	
Directions:	Diagnosis:	Refills:	
Physician Signature**:		Initial here if DAW	<i>l</i> :
Physician Signature**: By signing above, the parties that can be used to facilitate the dispensing are			
Medication Instructions			
Has the patient been instructed on how to Se	elf-Administer?	☐ Yes ☐ No	
Is this medication a <b>New Start</b> ?		☐ Yes ☐ No	
If continuation please provide the following	g: Initiation Date: / /	Date of Last Dos	e: / /
Is there documentation of positive clinical	response to current therapy?	☐ Yes ☐ No	
**Please attach any pertinent clinical infor Additional clinical information may be need previously tried and failed. Delivery Instructions	-		
,	nicion Cianature" chave and ser	nnlata	
Note: Delivery coordination requires a "Physe "Provider Information" and "Patient Note: All necessary ancillary supplies are presented in the supplier of the	Information"	•	verv
Ship to: Physician's Office  Patient's A	address  Date medication is	needed: / /	vory





## PRIOR AUTHORIZATION REQUEST FORM

Please complete this entire form and fax it to: 866-940-7328. If you have questions, please call 800-310-6826.

This form contains multiple pages. Please complete all pages to avoid a delay in our decision.

Allow at least 24 hours for review.

Section A - Member Inform	ation					
First Name:	Last Name:		1	Member ID:		
Address:						
City:	State:			ZIP Code:		
Phone:		DOB:		,	Allergies:	
Primary Insurance Information:				1		
Is the requested medication	n □ New or □ C	Continuation	on of Therapy? If co	ontinuation, list	start date:	
Is this patient currently hos	-	Yes □ No	If recently dischar	rged, list discha	rge date:	
Section B - Provider Inform	nation					
First Name:			Last Name:			M.D./D.O.
Address:			City:	\$	State:	ZIP code:
Phone:	Fax:		NPI #:	;	Specialty:	•
Office Contact Name / Fax at	ttention to:					
Section C - Medical Information:	ation				Strength:	
Directions for use:					Quantity:	
Diagnosis (Please be specif	ic & provide as	much info	rmation as possible)	:	ICD-10 COD	DE:
Is this member pregnant?		If yes	, what is this memb	per's due date?		
Section D - Previous Medic	cation Trials					on for failure /
	cation Trials	If yes	p, what is this member Directions	per's due date?  Dates of Ther	apy Reaso	on for failure /
Section D - Previous Medic	cation Trials				apy Reaso	
Section D - Previous Medic	cation Trials				apy Reaso	
Section D - Previous Medic	cation Trials				apy Reaso	
Section D - Previous Medic	cation Trials				apy Reaso	
Section D – Previous Medications	Stre	ngth	Directions	Dates of Ther	apy Reaso	continuation
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:
Section D – Previous Medications  Medications  Section E – Additional inform	cation Trials Stre	ngth	Directions  of why preferred m	Dates of Ther	apy Reaso	e patient's needs:



Member Firs	t name: Member Last name:	Member DOB:				
Clinical and Drug Specific Information						
	ALL REQUESTS					
□ Yes □ No	Does the patient have any of the following diagnoses? (If yes, check which applies)  □ Moderate or severe asthma □ Chronic idiopathic urticaria					
□ Yes □ No	Is Xolair prescribed by or in consultation with one of the following specialist?  (If yes, check which applies)  □ Allergist-immunologist □ Dermatologist □ Pulmonologist					
□ Yes □ No	Is the Xolair dosing for moderate to severe persistent asthma in accordance with the United States Food and Drug Administration approved labeling?  If no, list reason:					
□ Yes □ No Is the Xolair dosing for chronic urticaria in accordance with the United States Food and Drug Administration approved labeling?  If no, list reason:						
	MODERATE OR SEVERE ASTHMA					
□ Yes □ No	Is the patient's asthma classified as uncontrolled or inadequately controlled as defined by any of the following? (If yes, check which applies)  □ Poor symptom control (e.g., Asthma Control Questionnaire [ACQ] score consistently greater than 1.5 or Asthma Control Test [ACT] score consistently less than 20)  □ Two or more bursts of systemic corticosteroids for at least 3 days each in the previous 12 months  □ Asthma-related emergency treatment (e.g., emergency room visit, hospital admission, or unscheduled physician's office visit for nebulizer or other urgent treatment)  □ Airflow limitation (e.g., after appropriate bronchodilator withhold forced expiratory volume in 1 second [FEV1] less than 80 percent predicted [in the face of reduced FEV1-forced vital capacity [FVC] defined as less than the lower limit of normal])					
□ Yes □ No	Is the patient currently dependent on oral corticosteroids for the treatment of asthma?					
□ Yes □ No	Is the natient's baseline (pre-omalizuman treatment) serum total immunoglobulin F (IgF) level greater					
□ Yes □ No	Does the patient have a positive skin test or in vitro reactivity to a perennial aeroallergen?					
□ Yes □ No	Will the patient use Xolair with one maximally-dosed (appropriately adjusted for age) combination inhaled corticosteroid (ICS)/long-acting beta2-agonist (LABA) product [e.g., fluticasone propionate/salmeterol (Advair), budesonide/formoterol (Symbicort)]?  If yes, list medication:					
□ Yes □ No	Will the patient use Xolair with combination therapy including both of the following?  □ One high-dose (appropriately adjusted for age) inhaled corticosteroid (ICS) product [e.g., ciclesonide (Alvesco), mometasone furoate (Asmanex), beclomethasone dipropionate (QVAR)]  □ One additional asthma controller medication [e.g., LABA - olodaterol (Striverdi) or indacaterol (Arcapta); leukotriene receptor antagonist – montelukast (Singulair); theophylline]  If yes, list combination therapy:					
□ Yes □ No	Will the patient receive Xolair in combination with any of the following? (If yes, check which applies)  □ Anti-interleukin 4 therapy [e.g. Dupixent (dupilumab)]  □ Anti-interleukin 5 therapy [e.g. Nucala (mepolizumab), Cinqair (resilizumab), Fasenra (benralizumab)]					
CHRONIC IDIOPATHIC URTICARIA (Continued on next page)						
□ Yes □ No	Does the patient remain symptomatic despite at least a 2-week to rintolerance to, two H1-antihistamines [e.g., Allegra (fexofenace Claritin (loratadine)]? (If yes, complete Section D above)					







Member Firs	t name:	Member Last name:	Member DOB:			
□ Yes □ No	Does the patient remain symptomatic despite at least a 2-week trial of, or history of contraindication or intolerance to BOTH of the following taken in combination?  (If yes, check which applies and complete Section D above)  □ Second generation H1-antihistamine [e.g., Allegra (fexofenadine), Claritin (loratadine), Zyrtec (cetirizine)]  □ ONE of the following:  - Different second generation H1-antihistamine [e.g., Allegra (fexofenadine), Claritin (loratadine), Zyrtec (cetirizine)]  - First generation H1-antihistamine [e.g., Benadryl (diphenhydramine), Chlor-Trimeton (chlorpheniramine), Vistaril (hydroxyzine)]*  - H2-antihistamine [e.g., Pepcid (famotidine), Tagamet HB (cimetidine), Zantac (ranitidine)]  - Leukotriene modifier [e.g., Singulair (montelukast)]					
	CONTINUATION OF THERAPY - ASTHMA					
□ Yes □ No	<ul> <li>(If yes, check which applie</li> <li>□ Reduction in frequency</li> <li>□ Decreased utilization of</li> <li>□ Increase in percent preduction</li> </ul>	of exacerbations	nd (FEV1) from pretreatment baseline			
□ Yes □ No	Is the patient using Xola If yes, list medication:	r in combination with an ICS-containing	g controller medication?			
□ Yes □ No	□ Anti-interleukin 4 therap	olair in combination with any of the folloy [e.g. Dupixent (dupilumab)] by [e.g. Nucala (mepolizumab), Cinqair (re				
CONTINUATION OF THERAPY - CHRONIC URTICARIA						
□ Yes □ No	Is there documentation of hives) to Xolair therapy?  If yes, list response:	of positive clinical response (e.g., reduc	ction in exacerbations, itch severity,			

Physician Signature: \_\_\_\_\_\_ Date: \_\_\_\_\_

**Confidentiality Notice:** This transmission contains confidential information belonging to the sender and UnitedHealthcare. This information is intended only for the use of UnitedHealthcare. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action involving the contents of this document is prohibited. If you have received this telecopy in error, please notify the sender immediately.