Mental health penetration measure billing codes

UnitedHealthcare Community Plan of Washington

The Washington State Department of Social and Health Services developed mental health penetration measure to determine the percentage of members with a need for mental health treatment who received qualifying mental health treatment in the measurement year.

When a member has a **mental health treatment need**, you can help improve member outcomes on this measure by using the appropriate billing code when delivering a **qualifying mental health treatment service**.



A mental health service need is when the patient is:

- Diagnosed with mental illness
- Prescribed psychotropic medication
- Receiving qualifying mental health treatment services



You deliver a qualifying mental health service when the patient:

- Is receiving specified outpatient services
- Is receiving management of a mental health condition in primary care setting



Closing the measure

- Provide mental health treatment after a mental health diagnosis, even during treatment for non-mental health care
- If you don't provide mental health services to the patient after a related diagnosis, refer them to a qualified BH provider
 - We can help you with referrals or coordination of care call us at the behavioral health number on the member's ID card or search for a local behavioral health care professional at **UHCprovider.com/findprovider**
- For this measure, prescribing psychotropic medications doesn't count as mental health treatment



Eligible billing codes

To help you understand how the state is using billing codes to track that a **qualifying mental health service** is being delivered, we're including 5 sample scenarios from the state based on the types of services being delivered. The codes for the services that are eligible and included in this measure are listed in:

- Appendix A (taxonomy codes)
- Appendix B (Procedure codes: MCG 4947)
- Appendix C (Procedure codes: Proc3 MCG 3117)
- Appendix D (diagnosis codes: MI-diagnosis 7MCG)



| SCENARIO 1 Receipt of an outpatient service with one of the following Procedure codes | |
|--|---|
| Outpatient visit codes | |
| СРТ®/СРТ II | 90785, 90791–92, 90832–34, 90836–40, 90845–47, 90849, 90853, 90857, 90863, 90875, 90899, 96101–03, 96116, 96118–21, 96127, 96130–33, 96136–39, 99354–55 |
| HCPCS | H0031–32, H0035–40, H1011, H2011–28, H2030–31, H2033, Q5008, S9480, S9482, S9484– 85, T1025–26, T2038, T2048 |

SCENARIO 2

Receipt of an outpatient service with one of the following servicing provider taxonomy codes **AND** one of the following Procedure codes **AND** one of the following primary diagnosis codes

| Applicable codes | |
|--------------------|--|
| Taxonomy codes | See "Appendix A" for the full list of applicable servicing provider taxonomy codes |
| Procedure codes | See "Appendix B" and "Appendix C" for the full list of applicable procedure codes |
| MH diagnosis codes | See "Appendix D" for the full list of applicable diagnosis codes |

SCENARIO 3

Receipt of an outpatient service with 1 of the following Procedure codes **AND** any of the following diagnosis codes (does not need to be primary) **Outpatient visits**

| Procedure codes 96110, 96111, H0004, H0023 | |
|--|--|
| Diagnosis codes | See "Appendix D" for the full list of applicable diagnosis codes |

| SCENARIO 4 Receipt of an outpatient service with one of the following taxonomy codes AND any diagnosis code in the MH-diagnosis value set | |
|--|--|
| Applicable codes | |
| Taxonomy codes | See "Appendix A" for the full list of applicable servicing provider taxonomy codes |
| Procedure codes | 99211-99215 |
| Diagnosis codes | See "Appendix D" for the full list of applicable diagnosis codes |

SCENARIO 5

Receipt of an outpatient service with one of the following Procedure codes AND a primary diagnosis code in the MH-Diagnosis value set

| Outpatient visits | |
|-------------------|--|
| Procedure codes | See "Appendix C" for the full list of applicable procedure codes |
| Diagnosis codes | See "Appendix D" for the full list of applicable diagnosis codes |



CPT® is a registered trademark of the American Medical Association.

Appendix A

Taxonomy codes from the Washington State Department of Social and Health Services

| Taxonomy code | Code description |
|---------------|---|
| 101Y00000X | A provider who is trained and educated in the performance of behavior health services through interpersonal communications and analysis. Training and education at the specialty level usually requires a master's degree and clinical experience and supervision for licensure or certification. |
| 101Y99999L | Counselors with licensure not recognized under FFS |
| 101YM0800X | Definition pending state update |
| 101YP1600X | Definition pending state update |
| 101YP2500X | Definition pending state update |
| 101YS0200X | Definition pending state update |
| 102L00000X | Psychoanalysis is a comprehensive, theoretical framework which, when applied to a treatment process, consists of an intensive verbal, therapeutic relationship between an analyst and an analysand, which aims for symptom relief, emotional growth and personal integration. The psychoanalytic treatment process includes, but is not limited to, the recognition of unconscious processes and conflicts; the significance of developmental influences; and the impact of resistances, defenses, transference and countertransference phenomena. Treatment is enhanced by an understanding developed in the analyst's training and personal analysis of unconscious manifestations, such as dreams, slips of the tongue, fantasies and day dreams. Psychoanalytic technique varies in relation to theoretical orientation. |
| 103G00000X | A clinical psychologist who applies principles of assessment and intervention based upon the scientific study of human behavior as it relates to normal and abnormal functioning of the central nervous system. The specialty is dedicated to enhancing the understanding of brain-behavior relationships and the application of such knowledge to human problems. |
| 103GC0700X | Behavioral Health & Social Service Providers - Clinical Neuropsychologist - Clinical |
| 103K00000X | A behavior analyst is qualified by at least a master's degree and Behavior Analyst Certification Board certification and/or a state-issued credential (such as a license) to practice behavior analysis independently. Behavior analysts provide the required supervision to assistant behavior analysts and behavior technicians. A behavior analyst delivers services consistent with the dimensions of applied behavior analysis. Common services may include, but are not limited to, conducting behavioral assessments, analyzing data, writing and revising behavior-analytic treatment plans, training others to implement components of treatment plans, and overseeing implementation of treatment plans. |
| 103T00000X | A psychologist is an individual who is licensed to practice psychology, which is defined as the observation, description, evaluation, interpretation and modification of human behavior by the application of psychological principles, methods and procedures, for the purpose of preventing or eliminating symptomatic, maladaptive or undesired behavior and of enhancing interpersonal relationships, work and life adjustment, personal effectiveness, behavioral health and mental health. The practice of psychology includes, but is not limited to, psychological testing and the evaluation or assessment of personal characteristics, such as intelligence, personality, abilities, interests, aptitudes and neuropsychological functioning; counseling, psychoanalysis, psychotherapy, hypnosis, biofeedback and behavior analysis and therapy; diagnosis and treatment of mental and emotional disorder or disability, alcoholism and substance abuse, disorders of habit or conduct, as well as of the psychological aspects of physical illness, accident, injury, or disability; and psych-educational evaluation, therapy, remediation and consultation. Psychological services may be rendered to individuals, families, groups and the public. |



| Taxonomy code | Code description |
|---------------|--|
| 103TA0700X | A psychologist who specializes in geropsychology, which applies the knowledge and methods of psychology to understanding and helping older persons and their families to maintain well-being, overcome problems and achieve maximum potential during later life. Professional geropsychology appreciates the wide diversity among older adults, the complex ethical issues that can arise in geriatric practice and the importance of interdisciplinary models of care. |
| 103TB0200X | A psychologist who reflects an experimental-clinical approach distinguished by use of principles of human learning and development and theories of cognitive processing to promote meaningful change in maladaptive human behavior and thinking. |
| 103TC0700X | A psychologist who provides continuing and comprehensive mental and behavioral health care for individuals and families; consultation to agencies and communities; training, education and supervision; and research-based practice. It is a specialty in breadth — one that is broadly inclusive of severe psychopathology — and marked by comprehensiveness and integration of knowledge and skill from a broad array of disciplines within and outside of psychology proper. The scope of clinical psychology encompasses all ages, multiple diversities and varied systems. |
| 103TC1900X | A psychologist who specializes in general practice and health service. It focuses on how people function both personally and in their relationships at all ages. Counseling psychology addresses the emotional, social, work, school and physical health concerns people may have at different stages in their lives, focusing on typical life stresses and more severe issues with which people may struggle as individuals and as a part of families, groups and organizations. Counseling psychologists help people with physical, emotional and mental health issues improve their sense of well-being, alleviate feelings of distress and resolve crises. They also provide assessment, diagnosis and treatment of more severe psychological symptoms. |
| 103TC2200X | A psychologist who develops and applies scientific knowledge to the delivery of psychological services to infants, toddlers, children and adolescents within their social context. Of particular importance to the specialty of clinical child psychology is an understanding of the basic psychological needs of children and adolescents, and how the family and other social contexts influence the socio-emotional adjustment, cognitive development, behavioral adaptation and health status of children and adolescents. |
| 103TE1000X | Behavioral Health & Social Service Providers - Psychologist - Educational |
| 103TF0000X | A psychologist whose specialty is founded on principles of systems theory with the interpersonal system of the family the focus of assessment, intervention and research. |
| 103TF0200X | A psychologist whose specialty is characterized by activities primarily intended to provide professional psychological expertise within the judicial and legal systems. |
| 103TH0004X | A psychologist who specializes in clinical health psychology that investigates and implements clinical services across diverse populations and settings to promote health and well-being and to prevent, treat, and manage illness and disability. Clinical health psychology sees health as the confluence of psychological, social, cultural and biological factors, and applies this understanding to professional activities including: Research clinical service, consulting with, educating and supervising other health care providers and psychologists, Advising organizations, institutions, the public and policymakers. |
| 103TH0100X | A psychologist, certified/licensed at the independent practice level in his/her state, who is duly trained and experienced in the delivery of direct, preventative, assessment and therapeutic intervention services to individuals whose growth, adjustment or functioning is actually impaired or is demonstrably at high risk of impairment (1974). |
| 103TM1700X | Behavioral health & social service providers - psychologist - men & masculinity |
| 103TM1800X | Definition pending state update |



| Taxonomy code | Code description |
|---------------|---|
| 103TP0016X | A licensed, doctoral-level psychologist authorized to prescribe and has undergone specialized education and training in preparation for prescriptive practice and has passed an examination accepted by the state board of psychology relevant to establishing competence for prescribing and has received from the state board of psychology a current certificate granting prescriptive authority, which has not been revoked or suspended. |
| 103TP0814X | A psychologist whose specialty is distinguished from other specialties by its body of knowledge and its intensive treatment approaches. It aims at structural changes and modifications of a person's personality. Psychoanalysis promotes awareness of unconscious, maladaptive and habitually recurrent patterns of emotion and behavior, allowing previously unconscious aspects of the self to become integrated and promoting optimal functioning, healing and creative expression. |
| 103TP2700X | Behavioral health & social service providers – psychologist – psychotherapy |
| 103TR0400X | A psychologist who specializes in the study and application of psychological principles on behalf of persons who have disability due to injury or illness. Rehabilitation psychologists, often within teams, assess and treat cognitive, emotional and functional difficulties, and help people to overcome barriers to participation in life activities. Rehabilitation psychologists are involved in practice, research and advocacy, with the broad goal of fostering independence and opportunity for people with disabilities. |
| 103TS0200X | A psychologist whose specialty is concerned with the science and practice of psychology with children, youth, families; learners of all ages; and the schooling process. The basic education and training of school psychologists prepares them to provide a range of psychological diagnosis, assessment, intervention, prevention, health promotion, and program development and evaluation services with a special focus on the developmental processes of children and youth within the context of schools, families and other systems. School psychologists are prepared to intervene at the individual and system level, and develop, implement and evaluate preventive programs. In these efforts, they conduct ecologically valid assessments and intervene to promote positive learning environments within which children and youth from diverse backgrounds to ensure that all have equal access to effective educational and psychological services that promote healthy development. |
| 103TW0100X | Behavioral health & social service providers - psychologist - women |
| 104100000X | A social worker is a person who is qualified by a Social Work degree, and licensed, certified or registered by the state as a social worker to practice within the scope of that license. A social worker provides assistance and counseling to clients and their families who are dealing with social, emotional and environmental problems. Social work services may be rendered to individuals, families, groups and the public. |
| 104199999L | Social workers with licensure not recognized under FFS |
| 1041C0700X | A social worker who holds a master's or doctoral degree in social work from an accredited school of social work in addition to at least 2 years of post-master's supervised experience in a clinical setting. The social worker must be licensed, certified or registered at the clinical level in the jurisdiction of practice. A clinical social worker provides direct services, including interventions focused on interpersonal interactions, intrapsychic dynamics and life management issues. Clinical social work services are based on bio-psychosocial perspectives. Services consist of assessment, diagnosis, treatment (including psychotherapy and counseling), client-centered advocacy, consultation, evaluation, and prevention of mental illness, emotional or behavioral disturbances. |
| 1041S0200X | Definition pending state update |



| Taxonomy code | Code description |
|---------------|--|
| 106E00000X | An assistant behavior analyst is qualified by Behavior Analyst Certification Board certification and/ or a state-issued license or credential in behavior analysis to practice under the supervision of an appropriately credentialed professional behavior analyst. An assistant behavior analyst delivers services consistent with the dimensions of applied behavior analysis and supervision requirements defined in state laws or regulations and/or national certification standards. Common services may include, but are not limited to, conducting behavioral assessments, analyzing data, writing behavior-analytic treatment plans, training and supervising others in implementation of components of treatment plans and direct implementation of treatment plans. |
| 106H00000X | A marriage and family therapist is a person with a master's degree in marriage and family therapy, or a master's or doctoral degree in a related mental health field with substantially equivalent coursework in marriage and family therapy, who receives supervised clinical experience, or a person who meets the state requirements to practice as a marriage and family therapist. A marriage and family therapist treats mental and emotional disorders within the context of marriage and family systems. A marriage and family therapist provides mental health and counseling services to individuals, couples, families and groups. |
| 106H99999L | Marriage and family therapists with licensure not recognized under FFS |
| 106S00000X | The behavior technician is a paraprofessional who practices under the close, ongoing supervision of a behavior analyst or assistant behavior analyst certified by the Behavior Analyst Certification Board and/ or credentialed by a state (such as through licensure). The behavior technician is primarily responsible for the implementation of components of behavior-analytic treatment plans developed by the supervisor. That may include collecting data on treatment targets and conducting certain types of behavioral assessments (e.g., stimulus preference assessments). The behavior technician does not design treatment or assessment plans or procedures but provides services as assigned by the supervisor responsible for his or her work. |
| 163WP0807X | Definition pending state update |
| 163WP0808X | Definition pending state update |
| 163WP0809X | Definition pending state update |
| 167G00000X | An individual licensed by the state board as a psychiatric technician based upon completion of a prescribed course of theory and clinical practice, with two-thirds of the clinical practice time focused on mental and developmental disorders. The psychiatric technician practices under the direct supervision of a physician, psychologist, registered nurse or other professional to provide care to patients with mental disorders and developmental disabilities. |
| 1835P1300X | A licensed pharmacist who has demonstrated specialized knowledge and skill in optimizing care of patients with psychiatric illness by assessing and monitoring patients, recognizing drug-induced problems and recommending appropriate treatment plans. |
| 2080P0006X | A developmental-behavioral specialist is a pediatrician with special training and experience who aims to foster understanding and promotion of optimal development of children and families through research, education, clinical care and advocacy efforts. This physician assists in the prevention, diagnosis, and management of developmental difficulties and problematic behaviors in children and in the family dysfunctions that compromise children's development. |
| 2084A0401X | A doctor of osteopathy board eligible/certified in the field of psychiatry by the American Osteopathic Board of Neurology and Psychiatry is able to obtain a Certificate of Added Qualifications in the field of addiction medicine. |
| 2084B0040X | Behavioral neurology and neuropsychiatry is a medical subspecialty involving the diagnosis and treatment of neurologically based behavioral issues. |



| Taxonomy code | Code description |
|---------------|--|
| 2084F0202X | Forensic psychiatry is a subspecialty with psychiatric focus on interrelationships with civil, criminal and administrative law, evaluation and specialized treatment of individuals involved with the legal system, incarcerated in jails, prisons and forensic psychiatry hospitals. |
| 2084N0400X | A neurologist specializes in the diagnosis and treatment of diseases or impaired function of the brain, spinal cord, peripheral nerves, muscles, autonomic nervous system and blood vessels that relate to these structures. |
| 2084N0402X | A child neurologist specializes in neurology with special skills in diagnosis and treatment of neurologic disorders of the neonatal period, infancy, early childhood and adolescence. |
| 2084N0600X | Clinical neurophysiology is a subspecialty with psychiatric or neurologic expertise in the diagnosis and management of central, peripheral and autonomic nervous system disorders using combined clinical evaluation and electrophysiologic testing such as electroencephalography (EEG), electromyography (EMG) and nerve conduction studies (NCS). |
| 2084P0015X | Psychosomatic medicine is a subspecialty in the diagnosis and treatment of psychiatric disorders and symptoms in complex medically ill patients. This subspecialty includes treatment of patients with acute or chronic medical, neurological, obstetrical or surgical illness in which psychiatric illness is affecting their medical care and/or quality of life such as HIV infection, organ transplantation, heart disease, renal failure, cancer, stroke, traumatic brain injury, high-risk pregnancy and COPD, among others. Patients also may be those who have a psychiatric disorder that is the direct consequence of a primary medical condition, or a somatoform disorder or psychological factors affecting a general medical condition. Psychiatrists specializing in psychosomatic medicine provide consultation-liaison services in general medical hospitals, attend on medical psychiatry inpatient units, and provide collaborative care in primary care and other outpatient settings. |
| 2084P0301X | A brain injury medicine physician specializes in disorders of brain function due to injury and disease. These disorders encompass a range of medical, physical, neurologic, cognitive, sensory and behavioral disorders that result in psychosocial, educational and vocational consequences. |
| 2084P0800X | A psychiatrist specializes in the prevention, diagnosis and treatment of mental disorders, emotional disorders, psychotic disorders, mood disorders, anxiety disorders, substance-related disorders, sexual and gender identity disorders and adjustment disorders. Biologic, psychological and social components of illnesses are explored and understood in treatment of the whole person. Tools used may include diagnostic laboratory tests, prescribed medications, evaluation and treatment of psychological and interpersonal problems with individuals and families, and intervention for coping with stress, crises and other problems. |
| 2084P0802X | Addiction psychiatry is a subspecialty of psychiatry that focuses on evaluation and treatment of individuals with alcohol, drug, or other substance-related disorders, and of individuals with dual diagnosis of substance-related and other psychiatric disorders. |
| 2084P0804X | Child and adolescent psychiatry is a subspecialty of psychiatry with additional skills and training in the diagnosis and treatment of developmental, behavioral, emotional and mental disorders of childhood and adolescence. |
| 2084P0805X | Geriatric psychiatry is a subspecialty with psychiatric expertise in prevention, evaluation, diagnosis and treatment of mental and emotional disorders in the elderly, and improvement of psychiatric care for healthy and ill elderly patients. |
| 2084P2900X | A neurologist, child neurologist or psychiatrist who provides a high level of care, either as a primary physician or consultant, for patients experiencing problems with acute, chronic or cancer pain in both hospital and ambulatory settings. Patient care needs may also be coordinated with other specialists. |



| Taxonomy code | Code description |
|---------------|---|
| 2084S0012X | A psychiatrist or neurologist who practices sleep medicine is certified in the subspecialty of sleep medicine and specializes in the clinical assessment, physiologic testing, diagnosis, management and prevention of sleep and circadian rhythm disorders. Sleep specialists treat patients of any age and use multidisciplinary approaches. Disorders managed by sleep specialists include, but are not limited to, sleep related breathing disorders, insomnia, hypersomnia, circadian rhythm sleep disorders, parasomnias and sleep-related movement disorders. |
| 2084V0102X | Vascular neurology is a subspecialty in the evaluation, prevention, treatment and recovery from vascular diseases of the nervous system. This subspecialty includes the diagnosis and treatment of vascular events of arterial or venous origin from a large number of causes that affect the brain or spinal cord such as ischemic stroke, intracranial hemorrhage, spinal cord ischemia and spinal cord hemorrhage. |
| 225XM0800X | Occupational therapists provide treatment for people recovering from a mental or physical illness to regain their independence and stability and to engage in normal daily occupations (work, home, family life, school, leisure). Occupational therapists provide particular emphasis on interventions that result in improved quality of life and decrease hospitalization. |
| 251S00000X | A private or public agency usually under local government jurisdiction, responsible for assuring the delivery of community based mental health, intellectual disabilities, substance abuse and/or behavioral health services to individuals with those disabilities. Services may range from companion care, respite, transportation, community integration, crisis intervention and stabilization, supported employment, day support, prevocational services, residential support, therapeutic and supportive consultation, environmental modifications, intensive in-home therapy and day treatment, in addition to traditional mental health and behavioral treatment. |
| 261QM0801X | Definition pending state update |
| 261QM0850X | An entity, facility or distinct part of a facility providing diagnostic, treatment and prescriptive services related to mental and behavioral disorders in adults. |
| 261QM0855X | An entity, facility or distinct part of a facility providing diagnostic, treatment and prescriptive services related to mental and behavioral disorders in children and adolescents. Services may be provided to parents and family members of the patient in the form of conjoint, group or individual therapy and education and/or training. |
| 273R00000X | In general, a distinct unit of a hospital that provides acute or long-term care to emotionally disturbed patients, including patients admitted for diagnosis and those admitted for treatment of psychiatric problems on the basis of physicians' orders and approved nursing care plans. Long-term care may include intensive supervision to the chronically mentally ill, mentally disordered or other mentally incompetent persons; (2) For Medicare, a distinct part of a general acute care hospital admitting only patients whose admission to the unit is required for active treatment, whose treatment is of an intensity that can be provided only in an inpatient hospital setting, and whose condition is described by a psychiatric principal diagnosis contained in the Third Edition of the American Psychiatric Association Diagnostic and Statistical Manual or in Chapter 5 (Mental Disorders) of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM). The unit must furnish, through the use of qualified personnel, psychological services, social work services, psychiatric nursing, occupational therapy and recreational therapy. The unit must maintain medical records that permit determination of the degree and intensity of treatment provided to individuals who are furnished services in the unit; the unit must meet special staff requirements in that the unit must have adequate numbers of qualified professional and supportive staff to evaluate inpatients, formulate written, individualized, comprehensive treatment plans, provide active treatment measures and engage in discharge planning. |
| 283Q00000X | An organization including a physical plant and personnel that provides multidisciplinary diagnostic and treatment mental health services to patients requiring the safety, security and shelter of the inpatient or partial hospitalization settings. |



| Taxonomy code | Code description |
|---------------|--|
| 3104A0625X | A facility providing supportive services to individuals who can function independently in most areas of activity, but need special guidance, assistance and/or monitoring as the result of a psychiatric problem. This type of facility requires a staff with special training in mental health training and dealing with psychiatric emergencies. |
| 3104A0630X | A facility providing supportive services to individuals who can function independently in most areas of activity but exhibit abnormal behavioral responses and habits and therefore need special guidance, assistance and/or monitoring to assure safety and well-being. This type of facility requires a staff with special training in dealing with and redirecting negative, violent or destructive behaviors. |
| 310500000X | A nursing facility that provides an intermediate level of nursing care to individuals whose functional abilities are significantly compromised by mental illness. |
| 320800000X | A home-like residential facility providing psychiatric treatment and psycho/social rehabilitative services to individuals diagnosed with mental illness. |
| 323P00000X | A residential treatment facility (RTF) is a facility or distinct part of a facility that provides to children and adolescents, a total, 24-hour, therapeutically planned group living and learning situation where distinct and individualized psychotherapeutic interventions can take place. Residential treatment is a specific level of care to be differentiated from acute, intermediate and long-term hospital care, when the least restrictive environment is maintained to allow for normalization of the patient's surroundings. The RTF must be both physically and programmatically distinct if it is a part or sub-unit of a larger treatment program. An RTF is organized and professionally staffed to provide residential to respond to active treatment (that is, for whom it can reasonably be assumed that treatment of the mental disorder will result in an improved ability to function outside the RTF) for whom outpatient treatment, partial hospitalization or protected and structured environment is medically or psychologically necessary. |
| 363LP0808X | Definition pending state update |
| 364SP0807X | Definition pending state update |
| 364SP0808X | Definition pending state update |
| 364SP0809X | Definition pending state update |
| 364SP0810X | Definition pending state update |
| 364SP0811X | Definition pending state update |
| 364SP0812X | Definition pending state update |
| 364SP0813X | Definition pending state update |
| 385HR2055X | A facility or distinct part of a facility that provides short-term, residential care to children, diagnosed with mental illness, as respite for the regular caregivers. |



Appendix B

Procedure codes (MCG 4947) from the Washington State Department of Social and Health Services

| Procedure code | Code description |
|----------------|---|
| 20552 | Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s) |
| 36415 | Insertion of needle into vein for collection of blood sample |
| 36416 | Collection of capillary blood specimen (e.g., finger, heel, ear stick) |
| 64405 | Injection of anesthetic agent and/or steroid into greater occipital nerve of upper neck and back of head |
| 70551 | Magnetic resonance (e.g., proton) imaging, brain (including brain stem); without contrast material |
| 70553 | Magnetic resonance (e.g., proton) imaging, brain (including brain stem); without contrast material, followed by contrast material(s) and further sequences |
| 80048 | Blood test, basic group of blood chemicals (calcium, total) |
| 80050 | General health panel |
| 80053 | Blood test, comprehensive group of blood chemicals |
| 80061 | Blood test, lipids (cholesterol and triglycerides) |
| 80076 | Liver function blood test panel |
| 80364 | Opioids levels, 5 or more |
| 81001 | Manual urinalysis test with examination using microscope, automated |
| 81002 | Urinalysis, manual test |
| 81003 | Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, ph, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy |
| 81025 | Urine pregnancy test, by visual color comparison methods |
| 82150 | Amylase |
| 82306 | Vitamin D; 25 hydroxy, includes fraction(s), if performed |
| 82570 | Creatinine; other source |
| 82607 | Cyanocobalamin (vitamin B-12); |
| 82746 | Folic acid level, serum |
| 82947 | Glucose; quantitative, blood (except reagent strip) |
| 82962 | Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use |
| 83036 | Hemoglobin; glycosylated (A1C) |
| 83037 | Hemoglobin A1C level, by device for home use |
| 83540 | Iron |
| 83550 | Iron binding capacity |
| 83655 | Lead |
| 83690 | Lipase |
| 83721 | Lipoprotein, direct measurement; LDL cholesterol |
| 84146 | Prolactin |
| 84436 | Thyroxine (thyroid chemical), total |
| 84439 | Thyroxine (thyroid chemical), free |



| Procedure code | Code description |
|----------------|---|
| 84443 | Blood test, thyroid stimulating hormone (TSH) |
| 84480 | Thyroid hormone, T3 measurement, total |
| 84481 | Thyroid hormone, T3 measurement, free |
| 85025 | Complete blood cell count (red cells, white blood cell, platelets), automated test and automated differential white blood cell count |
| 85027 | Complete blood cell count (red cells, white blood cell, platelets), automated test |
| 85610 | Blood test, clotting time |
| 85651 | Red blood cell sedimentation rate, to detect inflammation, non-automated |
| 86140 | C-reactive protein; |
| 86580 | Skin test; tuberculosis, intradermal |
| 90471 | Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid) |
| 90472 | Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (list separately in addition to code for primary procedure) |
| 90649 | Vaccine for human papilloma virus quadrivalent (3-dose schedule) injection into muscle |
| 90651 | Vaccine for human papilloma virus nonavalent (3-dose schedule) injection into muscle |
| 90656 | Vaccine for influenza for administration into muscle, 0.5 ml dosage, preservative free |
| 90658 | Vaccine for influenza for administration into muscle, 0.5 ml dosage |
| 90660 | Vaccine for influenza for nasal administration |
| 90672 | Vaccine for influenza for nasal administration, quadrivalent |
| 90686 | Vaccine for influenza for administration into muscle, 0.5 ml dosage, quadrivalent, preservation free |
| 90688 | Vaccine for influenza for administration into muscle, 0.5 ml dosage, quadrivalent |
| 90746 | Vaccine for hepatitis B adult dosage (3-dose schedule) injection into muscle |
| 90868 | Transcranial magnetic stimulation treatment (stimulates nerve cells in brain to improve symptoms of depression), subsequent delivery and management, per session |
| 90870 | Electroconvulsive therapy (includes necessary monitoring) |
| 90882 | Environmental intervention for management of medical conditions |
| 90885 | Psychiatric evaluation of hospital records, reports, testing, or data for diagnosis |
| 90887 | Explanation of psychiatric, medical examinations, procedures and data to other than patient |
| 90901 | Biofeedback training by any modality |
| 93000 | Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report |
| 93005 | Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report |
| 93010 | Electrocardiogram, routine ECG with at least 12 leads; interpretation and report only |
| 95810 | Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a technologist |
| 95812 | Measurement of brain wave (EEG) activity, 41-60 minutes |
| 95813 | Measurement of brain wave activity (EEG) extended monitoring, 61-119 minutes |
| 95816 | Measurement and recording of brain wave (EEG) activity, awake and drowsy |



| Procedure code | Code description |
|----------------|--|
| 95819 | Measurement and recording of brain wave (EEG) activity, awake and asleep |
| 95822 | Measurement and recording of brain wave (EEG) activity, in coma or asleep |
| 95957 | Digital analysis of electroencephalogram (EEG) (e.g., for epileptic spike analysis) |
| 97803 | Medical nutrition therapy re-assessment and intervention, each 15 minutes |
| 99000 | Handling and/or conveyance of specimen for transfer from the office to a laboratory |
| 99080 | Special reports such as insurance forms, more than the information conveyed in the usual medical communications or standard reporting form |
| 99217 | Hospital observation care on day of discharge |
| 99218 | Hospital observation care, typically 30 minutes |
| 99219 | Hospital observation care, typically 50 minutes |
| 99220 | Hospital observation care, typically 70 minutes |
| 99221 | Initial hospital inpatient care, typically 30 minutes per day |
| 99222 | Initial hospital inpatient care, typically 50 minutes per day |
| 99223 | Initial hospital inpatient care, typically 70 minutes per day |
| 99224 | Subsequent observation care, typically 15 minutes per day |
| 99225 | Subsequent observation care, typically 25 minutes per day |
| 99226 | Subsequent observation care, typically 35 minutes per day |
| 99231 | Subsequent hospital inpatient care, typically 15 minutes per day |
| 99232 | Subsequent hospital inpatient care, typically 25 minutes per day |
| 99233 | Subsequent hospital inpatient care, typically 35 minutes per day |
| 99234 | Hospital observation or inpatient care low severity, 40 minutes per day |
| 99235 | Hospital observation or inpatient care moderate severity, 50 minutes per day |
| 99236 | Hospital observation or inpatient care high severity, 55 minutes per day |
| 99238 | Hospital discharge day management, 30 minutes or less |
| 99239 | Hospital discharge day management, more than 30 minutes |
| 99281 | Emergency department visit, self limited or minor problem |
| 99282 | Emergency department visit, low to moderately severe problem |
| 99283 | Emergency department visit, moderately severe problem |
| 99284 | Emergency department visit, problem of high severity |
| 99285 | Emergency department visit, problem with significant threat to life or function |
| 99291 | Critical care delivery critically ill or injured patient, first 30-74 minutes |
| 99315 | Nursing facility discharge day management, 30 minutes or less |
| 99316 | Nursing facility discharge management, more than 30 minutes |
| 99356 | Prolonged inpatient or observation hospital service, first hour |
| 99357 | Prolonged inpatient or observation hospital service each 30 minutes beyond first hour |



| Procedure code | Code description |
|----------------|--|
| 99367 | Medical team conference with physician, 30 minutes or more |
| 99393 | Established patient periodic preventive medicine examination, age 5 through 11 years |
| 99402 | Preventive medicine counseling, approximately 30 minutes |
| 99404 | Preventive medicine counseling, approximately 60 minutes |
| 99408 | Alcohol and/or substance abuse screening and intervention, 15-30 minutes |
| 99409 | Alcohol and/or substance abuse screening and intervention, greater than 30 minutes |
| 99490 | Chronic care management services, first 20 minutes of clinical staff time per calendar month |
| G0177 | Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more) |
| G0408 | Follow-up inpatient telehealth consultation, complex, physicians typically spend 35 minutes or more communicating with the patient via telehealth |
| G0467 | Federally qualified health center (FQHC) visit, established patient; a medically necessary, face-to-face encounter (1-on-1) between an established patient and a FQHC practitioner during which time 1 or more FQHC services are rendered and includes a typical bundle of Medicare-covered services that would be furnished per diem to a patient receiving a FQHC visit |
| G0469 | Federally qualified health center (FQHC) visit, mental health, new patient; a medically necessary, face-to- face mental health encounter (1-on-1) between a new patient and a FQHC practitioner during which time 1 or more FQHC services are rendered and includes a typical bundle of Medicare-covered services that would be furnished per diem to a patient receiving a mental health visit |
| G0470 | Federally qualified health center (FQHC) visit, mental health, established patient; a medically necessary, face-to-face mental health encounter (1-on-1) between an established patient and a FQHC practitioner during which time 1 or more FQHC services are rendered and includes a typical bundle of Medicare-covered services that would be furnished per diem to a patient receiving a mental health visit |
| G0481 | Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8–14 drug class(es), including metabolite(s) if performed |
| H0001 | Alcohol and/or drug assessment |
| H0002 | Behavioral health screening to determine eligibility for admission to treatment program |
| J0401 | Injection, aripiprazole, extended release, 1 mg |
| J0585 | Injection, onabotulinumtoxina, 1 unit |
| J1050 | Injection, medroxyprogesterone acetate, 1 mg |
| J2426 | Injection, paliperidone palmitate extended release, 1 mg |
| J2794 | Injection, risperidone (risperdal consta), 0.5 mg |
| Q3014 | Telehealth originating site facility fee |
| S5111 | Home care training, family; per session |
| T1013 | Sign language or oral interpretive services, per 15 minutes |
| T1015 | Clinic visit/encounter, all-inclusive |
| T1017 | Targeted case management, each 15 minutes |



Appendix C

Procedure codes (Proc3 MCG 3117) from the Washington State Department of Social and Health Services

| Procedure code | Code description |
|----------------|---|
| 96372 | Injection beneath the skin or into muscle for therapy, diagnosis, or prevention |
| 97530 | Therapeutic activities to improve function, with 1-on-1 contact between patient and provider, each 15 minutes |
| 98966 | Telephone assessment and management service, 5–10 minutes of medical discussion |
| 98967 | Telephone assessment and management service, 11-20 minutes of medical discussion |
| 98968 | Telephone assessment and management service, 21-30 minutes of medical discussion |
| 99202 | New patient outpatient visit, total time 15-29 minutes |
| 99203 | New patient outpatient visit, total time 30-44 minutes |
| 99204 | New patient outpatient visit, total time 45-59 minutes |
| 99205 | New patient outpatient visit, total time 60-74 minutes |
| 99211 | Established patient outpatient visit, minimal presenting problem |
| 99212 | Established patient outpatient visit, total time 10-19 minutes |
| 99213 | Established patient outpatient visit, total time 20-29 minutes |
| 99214 | Established patient outpatient visit, total time 30-39 minutes |
| 99215 | Established patient outpatient visit, total time 40-54 minutes |
| 99241 | Patient office consultation, typically 15 minutes |
| 99242 | Patient office consultation, typically 30 minutes |
| 99243 | Patient office consultation, typically 40 minutes |
| 99244 | Patient office consultation, typically 60 minutes |
| 99245 | Patient office consultation, typically 80 minutes |
| 99251 | Inpatient hospital consultation, typically 20 minutes |
| 99252 | Inpatient hospital consultation, typically 40 minutes |
| 99253 | Inpatient hospital consultation, typically 55 minutes |
| 99254 | Inpatient hospital consultation, typically 80 minutes |
| 99255 | Inpatient hospital consultation, typically 110 minutes |
| 99304 | Initial nursing facility visit, typically 25 minutes per day |
| 99305 | Initial nursing facility visit, typically 35 minutes per day |
| 99306 | Initial nursing facility visit, typically 45 minutes per day |
| 99307 | Subsequent nursing facility visit, typically 10 minutes per day |
| 99308 | Subsequent nursing facility visit, typically 15 minutes per day |
| 99309 | Subsequent nursing facility visit, typically 25 minutes per day |
| 99310 | Subsequent nursing facility visit, typically 35 minutes per day |
| 99324 | New patient assisted living visit, typically 20 minutes |
| 99325 | New patient assisted living visit, typically 30 minutes |
| 99326 | New patient assisted living visit, typically 45 minutes |



| Procedure code | Code description |
|----------------|---|
| 99327 | New patient assisted living visit, typically 60 minutes |
| 99328 | New patient assisted living visit, typically 75 minutes |
| 99334 | Established patient assisted living visit, typically 15 minutes |
| 99335 | Established patient assisted living visit, typically 25 minutes |
| 99336 | Established patient assisted living visit, typically 40 minutes |
| 99337 | Established patient assisted living visit, typically 60 minutes |
| 99341 | New patient home visit, typically 20 minutes |
| 99342 | New patient home visit, typically 30 minutes |
| 99343 | New patient home visit, typically 45 minutes |
| 99344 | New patient home visit, typically 60 minutes |
| 99345 | New patient home visit, typically 75 minutes |
| 99347 | Established patient home visit, typically 15 minutes |
| 99348 | Established patient home visit, typically 25 minutes |
| 99349 | Established patient home visit, typically 40 minutes |
| 99350 | Established patient home visit, typically 60 minutes |
| 99441 | Physician telephone patient service, 5–10 minutes of medical discussion |
| 99442 | Physician telephone patient service, 11–20 minutes of medical discussion |
| 99443 | Physician telephone patient service, 21–30 minutes of medical discussion |
| H0018 | Behavioral health; short-term residential (non-hospital residential treatment program), without room and board, per diem |
| H0019 | Behavioral health; long-term residential (non-medical, non-acute care in a residential treatment program where stay is typically longer than 30 days), without room and board, per diem |
| H0023 | Behavioral health outreach service (planned approach to reach a targeted population) |
| H0024 | Behavioral health prevention information dissemination service (one-way direct or non-direct contact with service audiences to affect knowledge and attitude) |
| H0025 | Behavioral health prevention education service (delivery of services with target population to affect knowledge, attitude and/or behavior) |
| H0030 | Behavioral health hotline service |
| H0033 | Oral medication administration, direct observation |
| H0034 | Medication training and support, per 15 minutes |
| H0043 | Supported housing, per diem |
| H0045 | Respite care services, not in the home, per diem |
| H2025 | Ongoing support to maintain employment, per 15 minutes |
| S9125 | Respite care, in the home, per diem |
| S9446 | Patient education, not otherwise classified, non-physician provider, group, per session |
| T1001 | Nursing assessment / evaluation |
| T1005 | Respite care services, up to 15 minutes |
| T1016 | Case management, each 15 minutes |
| T1023 | Screening to determine the appropriateness of consideration of an individual for participation in a specified program, project or treatment protocol, per encounter |



Appendix D

Diagnosis codes (MI-Diagnosis 7MCG) from the Washington State Department of Social and Health Services

| Diagnosis code | Code description |
|----------------|---|
| 314 | Hyperkinetic syndrome of childhood |
| 3140 | Attention-deficit disorder |
| 31400 | Attention-deficit disorder without mention of hyperactivity |
| 31401 | Attention-deficit disorder with hyperactivity |
| 3141 | Hyperkinesis with developmental delay |
| 3142 | Hyperkinetic conduct disorder |
| 3148 | Other specified manifestations of hyperkinetic syndrome |
| 3149 | Unspecified hyperkinetic syndrome |
| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |
| 309 | Adjustment reaction |
| 3090 | Adjustment disorder with depressed mood |
| 3091 | Prolonged depressive reaction |
| 3092 | Adjust react/w/predomin oth emotion |
| 30924 | Adjustment disorder with anxiety |
| 30928 | Adjustment disorder with mixed anxiety and depressed mood |
| 30929 | Other adjustment reactions with predominant disturbance of other emotions |
| 3093 | Adjustment disorder with disturbance of conduct |
| 3094 | Adjustment disorder with mixed disturbance of emotions and conduct |
| 3098 | Other specified adjustment reactions |
| 3099 | Unspecified adjustment reaction |
| F4320 | Adjustment disorder, unspecified |
| F4321 | Adjustment disorder with depressed mood |
| F4322 | Adjustment disorder with anxiety |
| F4323 | Adjustment disorder with mixed anxiety and depressed mood |
| F4324 | Adjustment disorder with disturbance of conduct |
| F4325 | Adjustment disorder with mixed disturbance of emotions and conduct |
| F4329 | Adjustment disorder with other symptoms |
| 29384 | Anxiety disorder in conditions classified elsewhere |
| 3000 | Anxiety states |
| 30000 | Anxiety state, unspecified |



| Diagnosis code | Code description |
|----------------|--|
| 30001 | Panic disorder without agoraphobia |
| 30002 | Generalized anxiety disorder |
| 30009 | Other anxiety states |
| 3002 | Phobic disorders |
| 30020 | Phobia, unspecified |
| 30021 | Agoraphobia with panic disorder |
| 30022 | Agoraphobia without mention of panic attacks |
| 30023 | Social phobia |
| 30029 | Other isolated or specific phobias |
| 3003 | Obsessive-compulsive disorders |
| 308 | Acute reaction to stress |
| 3080 | Predominant disturbance of emotions |
| 3081 | Predominant disturbance of consciousness |
| 3082 | Predominant psychomotor disturbance |
| 3083 | Other acute reactions to stress |
| 3084 | Mixed disorders as reaction to stress |
| 3089 | Unspecified acute reaction to stress |
| 30921 | Separation anxiety disorder |
| 30922 | Emancipation disorder of adolescence and early adult life |
| 30923 | Specific academic or work inhibition |
| 30981 | Post-traumatic stress disorder |
| 30982 | Adjustment reaction with physical symptoms |
| 30983 | Adjustment reaction with withdrawal |
| 30989 | Other specified adjustment reactions |
| 3130 | Overanxious disorder specific to childhood and adolescence |
| 31323 | Selective mutism |
| 6984 | Dermatitis factitia [artefacta] |
| F064 | Anxiety disorder due to known physiological condition |
| F4000 | Agoraphobia, unspecified |
| F4001 | Agoraphobia with panic disorder |
| F4002 | Agoraphobia without panic disorder |
| F4010 | Social phobia, unspecified |
| F4011 | Social phobia, generalized |
| F40210 | Arachnophobia |



| Diagnosis code | Code description |
|----------------|--|
| F40218 | Other animal type phobia |
| F40220 | Fear of thunderstorms |
| F40228 | Other natural environment type phobia |
| F40230 | Fear of blood |
| F40231 | Fear of injections and transfusions |
| F40232 | Fear of other medical care |
| F40233 | Fear of injury |
| F40240 | Claustrophobia |
| F40241 | Acrophobia |
| F40242 | Fear of bridges |
| F40243 | Fear of flying |
| F40248 | Other situational type phobia |
| F40290 | Androphobia |
| F40291 | Gynephobia |
| F40298 | Other specified phobia |
| F408 | Other phobic anxiety disorders |
| F409 | Phobic anxiety disorder, unspecified |
| F410 | Panic disorder [episodic paroxysmal anxiety] |
| F411 | Generalized anxiety disorder |
| F413 | Other mixed anxiety disorders |
| F418 | Other specified anxiety disorders |
| F419 | Anxiety disorder, unspecified |
| F42 | Obsessive-compulsive disorder |
| F422 | Mixed obsessional thoughts and acts |
| F423 | Hoarding disorder |
| F424 | Excoriation (skin-picking) disorder |
| F428 | Other obsessive-compulsive disorder |
| F429 | Obsessive-compulsive disorder, unspecified |
| F430 | Acute stress reaction |
| F4310 | Post-traumatic stress disorder, unspecified |
| F4311 | Post-traumatic stress disorder, acute |
| F4312 | Post-traumatic stress disorder, chronic |
| F438 | Other reactions to severe stress |
| F439 | Reaction to severe stress, unspecified |



| Diagnosis code | Code description |
|----------------|---|
| F930 | Separation anxiety disorder of childhood |
| F940 | Selective mutism |
| F941 | Reactive attachment disorder of childhood |
| F942 | Disinhibited attachment disorder of childhood |
| F948 | Other childhood disorders of social functioning |
| F949 | Childhood disorder of social functioning, unspecified |
| L981 | Factitial dermatitis |
| 29383 | Mood disorder in conditions classified elsewhere |
| 2962 | Major depressive disorder, single episode |
| 29620 | Major depressive affective disorder, single episode, unspecified |
| 29621 | Major depressive affective disorder, single episode, mild |
| 29622 | Major depressive affective disorder, single episode, moderate |
| 29623 | Major depressive affective disorder, single episode, severe, without mention of psychotic behavior |
| 29624 | Major depressive affective disorder, single episode, severe, specified as with psychotic behavior |
| 29625 | Major depressive affective disorder, single episode, in partial or unspecified remission |
| 29626 | Major depressive affective disorder, single episode, in full remission |
| 2963 | Major depressive disorder, recurrent episode |
| 29630 | Major depressive affective disorder, recurrent episode, unspecified |
| 29631 | Major depressive affective disorder, recurrent episode, mild |
| 29632 | Major depressive affective disorder, recurrent episode, moderate |
| 29633 | Major depressive affective disorder, recurrent episode, severe, without mention of psychotic behavior |
| 29634 | Major depressive affective disorder, recurrent episode, severe, specified as with psychotic behavior |
| 29635 | Major depressive affective disorder, recurrent episode, in partial or unspecified remission |
| 29636 | Major depressive affective disorder, recurrent episode, in full remission |
| 3004 | Dysthymic disorder |
| 3005 | Neurasthenia |
| 311 | Depressive disorder, not elsewhere classified |
| 6254 | Premenstrual tension syndromes |
| E950 | Suicide and self-inflicted poisoning by solid or liquid substances |
| E9500 | Suicide and self-inflicted poisoning by analgesics, antipyretics and antirheumatics |
| E9501 | Suicide and self-inflicted poisoning by barbiturates |
| E9502 | Suicide and self-inflicted poisoning by other sedatives and hypnotics |
| E9503 | Suicide and self-inflicted poisoning by tranquilizers and other psychotropic agents |
| E9504 | Suicide and self-inflicted poisoning by other specified drugs and medicinal substances |



| Diagnosis code | Code description |
|----------------|--|
| E9505 | Suicide and self-inflicted poisoning by unspecified drug or medicinal substance |
| E9506 | Suicide and self-inflicted poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers |
| E9507 | Suicide and self-inflicted poisoning by corrosive and caustic substances |
| E9508 | Suicide and self-inflicted poisoning by arsenic and its compounds |
| E9509 | Suicide and self-inflicted poisoning by other and unspecified solid and liquid substances |
| E951 | Suicide and self-inflicted poisoning by gases in domestic use |
| E9510 | Suicide and self-inflicted poisoning by gas distributed by pipeline |
| E9511 | Suicide and self-inflicted poisoning by liquefied petroleum gas distributed in mobile containers |
| E9518 | Suicide and self-inflicted poisoning by other utility gas |
| E952 | Suicide and self-inflicted poisoning by other gases and vapors |
| E9520 | Suicide and self-inflicted poisoning by motor vehicle exhaust gas |
| E9521 | Suicide and self-inflicted poisoning by other carbon monoxide |
| E9528 | Suicide and self-inflicted poisoning by other specified gases and vapors |
| E9529 | Suicide and self-inflicted poisoning by unspecified gases and vapors |
| E953 | Suicide and self-inflicted injury by hanging, strangulation, and suffocation |
| E9530 | Suicide and self-inflicted injury by hanging |
| E9531 | Suicide and self-inflicted injury by suffocation by plastic bag |
| E9538 | Suicide and self-inflicted injury by other specified means |
| E9539 | Suicide and self-inflicted injury by unspecified means |
| E954 | Suicide and self-inflicted injury by submersion [drowning] |
| E955 | Suicide and self-inflicted injury by firearms, air guns and explosives |
| E9550 | Suicide and self-inflicted injury by handgun |
| E9551 | Suicide and self-inflicted injury by shotgun |
| E9552 | Suicide and self-inflicted injury by hunting rifle |
| E9553 | Suicide and self-inflicted injury by military firearms |
| E9554 | Suicide and self-inflicted injury by other and unspecified firearm |
| E9555 | Suicide and self-inflicted injury by explosives |
| E9556 | Suicide and self-inflicted injury by air gun |
| E9557 | Suicide and self-inflicted injury by paintball gun |
| E9559 | Suicide and self-inflicted injury by firearms and explosives, unspecified |
| E956 | Suicide and self-inflicted injury by cutting and piercing instrument |
| E957 | Suicide and self-inflicted injuries by jumping from high place |
| E9570 | Suicide and self-inflicted injuries by jumping from residential premises |
| E9571 | Suicide and self-inflicted injuries by jumping from other man-made structures |



| Diagnosis code | Code description |
|----------------|---|
| E9572 | Suicide and self-inflicted injuries by jumping from natural sites |
| E9579 | Suicide and self-inflicted injuries by jumping from unspecified site |
| E958 | Suicide and self-inflicted injury by other and unspecified means |
| E9580 | Suicide and self-inflicted injury by jumping or lying before moving object |
| E9581 | Suicide and self-inflicted injury by burns, fire |
| E9582 | Suicide and self-inflicted injury by scald |
| E9583 | Suicide and self-inflicted injury by extremes of cold |
| E9584 | Suicide and self-inflicted injury by electrocution |
| E9585 | Suicide and self-inflicted injury by crashing of motor vehicle |
| E9586 | Suicide and self-inflicted injury by crashing of aircraft |
| E9587 | Suicide and self-inflicted injury by caustic substances, except poisoning |
| E9588 | Suicide and self-inflicted injury by other specified means |
| E9589 | Suicide and self-inflicted injury by unspecified means |
| E959 | Late effects of self-inflicted injury |
| F0630 | Mood disorder due to known physiological condition, unspecified |
| F0631 | Mood disorder due to known physiological condition with depressive features |
| F0632 | Mood disorder due to known physiological condition with major depressive-like episode |
| F320 | Major depressive disorder, single episode, mild |
| F321 | Major depressive disorder, single episode, moderate |
| F322 | Major depressive disorder, single episode, severe without psychotic features |
| F323 | Major depressive disorder, single episode, severe with psychotic features |
| F324 | Major depressive disorder, single episode, in partial remission |
| F325 | Major depressive disorder, single episode, in full remission |
| F328 | Other depressive episodes |
| F3281 | Premenstrual dysphoric disorder |
| F3289 | Other specified depressive episodes |
| F329 | Major depressive disorder, single episode, unspecified |
| F330 | Major depressive disorder, recurrent, mild |
| F331 | Major depressive disorder, recurrent, moderate |
| F332 | Major depressive disorder, recurrent severe without psychotic features |
| F333 | Major depressive disorder, recurrent, severe with psychotic symptoms |
| F3340 | Major depressive disorder, recurrent, in remission, unspecified |
| F3341 | Major depressive disorder, recurrent, in partial remission |
| F3342 | Major depressive disorder, recurrent, in full remission |



| Diagnosis code | Code description |
|----------------|--|
| F338 | Other recurrent depressive disorders |
| F339 | Major depressive disorder, recurrent, unspecified |
| F341 | Dysthymic disorder |
| F348 | Other persistent mood [affective] disorders |
| F3481 | Disruptive mood dysregulation disorder |
| F3489 | Other specified persistent mood disorders |
| F349 | Persistent mood [affective] disorder, unspecified |
| F39 | Unspecified mood [affective] disorder |
| F530 | Postpartum depression |
| N943 | Premenstrual tension syndrome |
| R45851 | Suicidal ideations |
| T1491 | Suicide attempt |
| T1491XA | Suicide attempt, initial encounter |
| T1491XD | Suicide attempt, subsequent encounter |
| T1491XS | Suicide attempt, sequela |
| T360X2A | Poisoning by penicillins, intentional self-harm, initial encounter |
| T360X2D | Poisoning by penicillins, intentional self-harm, subsequent encounter |
| T360X2S | Poisoning by penicillins, intentional self-harm, sequela |
| T361X2A | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter |
| T361X2D | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter |
| T361X2S | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela |
| T362X2A | Poisoning by chloramphenicol group, intentional self-harm, initial encounter |
| T362X2D | Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter |
| T362X2S | Poisoning by chloramphenicol group, intentional self-harm, sequela |
| T363X2A | Poisoning by macrolides, intentional self-harm, initial encounter |
| T363X2D | Poisoning by macrolides, intentional self-harm, subsequent encounter |
| T363X2S | Poisoning by macrolides, intentional self-harm, sequela |
| T364X2A | Poisoning by tetracyclines, intentional self-harm, initial encounter |
| T364X2D | Poisoning by tetracyclines, intentional self-harm, subsequent encounter |
| T364X2S | Poisoning by tetracyclines, intentional self-harm, sequela |
| T365X2A | Poisoning by aminoglycosides, intentional self-harm, initial encounter |
| T365X2D | Poisoning by aminoglycosides, intentional self-harm, subsequent encounter |
| T365X2S | Poisoning by aminoglycosides, intentional self-harm, sequela |
| T366X2A | Poisoning by rifampicins, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| T366X2D | Poisoning by rifampicins, intentional self-harm, subsequent encounter |
| T366X2S | Poisoning by rifampicins, intentional self-harm, sequela |
| T367X2A | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter |
| T367X2D | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter |
| T367X2S | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela |
| T368X2A | Poisoning by other systemic antibiotics, intentional self-harm, initial encounter |
| T368X2D | Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter |
| T368X2S | Poisoning by other systemic antibiotics, intentional self-harm, sequela |
| T3692XA | Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter |
| T3692XD | Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter |
| T3692XS | Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela |
| T370X2A | Poisoning by sulfonamides, intentional self-harm, initial encounter |
| T370X2D | Poisoning by sulfonamides, intentional self-harm, subsequent encounter |
| T370X2S | Poisoning by sulfonamides, intentional self-harm, sequela |
| T371X2A | Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter |
| T371X2D | Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter |
| T371X2S | Poisoning by antimycobacterial drugs, intentional self-harm, sequela |
| T372X2A | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter |
| T372X2D | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter |
| T372X2S | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela |
| T373X2A | Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter |
| T373X2D | Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter |
| T373X2S | Poisoning by other antiprotozoal drugs, intentional self-harm, sequela |
| T374X2A | Poisoning by anthelminthics, intentional self-harm, initial encounter |
| T374X2D | Poisoning by anthelminthics, intentional self-harm, subsequent encounter |
| T374X2S | Poisoning by anthelminthics, intentional self-harm, sequela |
| T375X2A | Poisoning by antiviral drugs, intentional self-harm, initial encounter |
| T375X2D | Poisoning by antiviral drugs, intentional self-harm, subsequent encounter |
| T375X2S | Poisoning by antiviral drugs, intentional self-harm, sequela |
| T378X2A | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter |
| T378X2D | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter |
| T378X2S | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela |
| T3792XA | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter |
| T3792XD | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|--|
| T3792XS | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela |
| T380X2A | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter |
| T380X2D | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter |
| T380X2S | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela |
| T381X2A | Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter |
| T381X2D | Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter |
| T381X2S | Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela |
| T382X2A | Poisoning by antithyroid drugs, intentional self-harm, initial encounter |
| T382X2D | Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter |
| T382X2S | Poisoning by antithyroid drugs, intentional self-harm, sequela |
| T383X2A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter |
| T383X2D | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter |
| T383X2S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela |
| T384X2A | Poisoning by oral contraceptives, intentional self-harm, initial encounter |
| T384X2D | Poisoning by oral contraceptives, intentional self-harm, subsequent encounter |
| T384X2S | Poisoning by oral contraceptives, intentional self-harm, sequela |
| T385X2A | Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter |
| T385X2D | Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter |
| T385X2S | Poisoning by other estrogens and progestogens, intentional self-harm, sequela |
| T386X2A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter |
| T386X2D | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter |
| T386X2S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela |
| T387X2A | Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter |
| T387X2D | Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter |
| T387X2S | Poisoning by androgens and anabolic congeners, intentional self-harm, sequela |
| T38802A | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter |
| T38802D | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter |
| T38802S | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela |
| T38812A | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter |
| T38812D | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter |
| T38812S | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela |
| T38892A | Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter |
| T38892D | Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter |
| T38892S | Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|---|
| T38902A | Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter |
| T38902D | Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter |
| T38902S | Poisoning by unspecified hormone antagonists, intentional self-harm, sequela |
| T38992A | Poisoning by other hormone antagonists, intentional self-harm, initial encounter |
| T38992D | Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter |
| T38992S | Poisoning by other hormone antagonists, intentional self-harm, sequela |
| T39012A | Poisoning by aspirin, intentional self-harm, initial encounter |
| T39012D | Poisoning by aspirin, intentional self-harm, subsequent encounter |
| T39012S | Poisoning by aspirin, intentional self-harm, sequela |
| T39092A | Poisoning by salicylates, intentional self-harm, initial encounter |
| T39092D | Poisoning by salicylates, intentional self-harm, subsequent encounter |
| T39092S | Poisoning by salicylates, intentional self-harm, sequela |
| T391X2A | Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter |
| T391X2D | Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter |
| T391X2S | Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela |
| T392X2A | Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter |
| T392X2D | Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter |
| T392X2S | Poisoning by pyrazolone derivatives, intentional self-harm, sequela |
| T39312A | Poisoning by propionic acid derivatives, intentional self-harm, initial encounter |
| T39312D | Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter |
| T39312S | Poisoning by propionic acid derivatives, intentional self-harm, sequela |
| T39392A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter |
| T39392D | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter |
| T39392S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela |
| T394X2A | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter |
| T394X2D | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter |
| T394X2S | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela |
| T398X2A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter |
| T398X2D | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter |
| T398X2S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela |
| T3992XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter |
| T3992XD | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter |
| T3992XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela |
| T400X2A | Poisoning by opium, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|--|
| T400X2D | Poisoning by opium, intentional self-harm, subsequent encounter |
| T400X2S | Poisoning by opium, intentional self-harm, sequela |
| T401X2A | Poisoning by heroin, intentional self-harm, initial encounter |
| T401X2D | Poisoning by heroin, intentional self-harm, subsequent encounter |
| T401X2S | Poisoning by heroin, intentional self-harm, sequela |
| T402X2A | Poisoning by other opioids, intentional self-harm, initial encounter |
| T402X2D | Poisoning by other opioids, intentional self-harm, subsequent encounter |
| T402X2S | Poisoning by other opioids, intentional self-harm, sequela |
| T403X2A | Poisoning by methadone, intentional self-harm, initial encounter |
| T403X2D | Poisoning by methadone, intentional self-harm, subsequent encounter |
| T403X2S | Poisoning by methadone, intentional self-harm, sequela |
| T40412A | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter |
| T40412D | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter |
| T40412S | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela |
| T40422A | Poisoning by tramadol, intentional self-harm, initial encounter |
| T40422D | Poisoning by tramadol, intentional self-harm, subsequent encounter |
| T40422S | Poisoning by tramadol, intentional self-harm, sequela |
| T40492A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter |
| T40492D | Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter |
| T40492S | Poisoning by other synthetic narcotics, intentional self-harm, sequela |
| T404X2A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter |
| T404X2D | Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter |
| T404X2S | Poisoning by other synthetic narcotics, intentional self-harm, sequela |
| T405X2A | Poisoning by cocaine, intentional self-harm, initial encounter |
| T405X2D | Poisoning by cocaine, intentional self-harm, subsequent encounter |
| T405X2S | Poisoning by cocaine, intentional self-harm, sequela |
| T40602A | Poisoning by unspecified narcotics, intentional self-harm, initial encounter |
| T40602D | Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter |
| T40602S | Poisoning by unspecified narcotics, intentional self-harm, sequela |
| T40692A | Poisoning by other narcotics, intentional self-harm, initial encounter |
| T40692D | Poisoning by other narcotics, intentional self-harm, subsequent encounter |
| T40692S | Poisoning by other narcotics, intentional self-harm, sequela |
| T407X2A | Poisoning by cannabis (derivatives), intentional self-harm, initial encounter |
| T407X2D | Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|--|
| T407X2S | Poisoning by cannabis (derivatives), intentional self-harm, sequela |
| T408X2A | Poisoning by lysergide [LSD], intentional self-harm, initial encounter |
| T408X2D | Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter |
| T408X2S | Poisoning by lysergide [LSD], intentional self-harm, sequela |
| T40902A | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter |
| T40902D | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter |
| T40902S | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela |
| T40992A | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter |
| T40992D | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter |
| T40992S | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela |
| T410X2A | Poisoning by inhaled anesthetics, intentional self-harm, initial encounter |
| T410X2D | Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter |
| T410X2S | Poisoning by inhaled anesthetics, intentional self-harm, sequela |
| T411X2A | Poisoning by intravenous anesthetics, intentional self-harm, initial encounter |
| T411X2D | Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter |
| T411X2S | Poisoning by intravenous anesthetics, intentional self-harm, sequela |
| T41202A | Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter |
| T41202D | Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter |
| T41202S | Poisoning by unspecified general anesthetics, intentional self-harm, sequela |
| T41292A | Poisoning by other general anesthetics, intentional self-harm, initial encounter |
| T41292D | Poisoning by other general anesthetics, intentional self-harm, subsequent encounter |
| T41292S | Poisoning by other general anesthetics, intentional self-harm, sequela |
| T413X2A | Poisoning by local anesthetics, intentional self-harm, initial encounter |
| T413X2D | Poisoning by local anesthetics, intentional self-harm, subsequent encounter |
| T413X2S | Poisoning by local anesthetics, intentional self-harm, sequela |
| T4142XA | Poisoning by unspecified anesthetic, intentional self-harm, initial encounter |
| T4142XD | Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter |
| T4142XS | Poisoning by unspecified anesthetic, intentional self-harm, sequela |
| T415X2A | Poisoning by therapeutic gases, intentional self-harm, initial encounter |
| T415X2D | Poisoning by therapeutic gases, intentional self-harm, subsequent encounter |
| T415X2S | Poisoning by therapeutic gases, intentional self-harm, sequela |
| T420X2A | Poisoning by hydantoin derivatives, intentional self-harm, initial encounter |
| T420X2D | Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter |
| T420X2S | Poisoning by hydantoin derivatives, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|--|
| T421X2A | Poisoning by iminostilbenes, intentional self-harm, initial encounter |
| T421X2D | Poisoning by iminostilbenes, intentional self-harm, subsequent encounter |
| T421X2S | Poisoning by iminostilbenes, intentional self-harm, sequela |
| T422X2A | Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter |
| T422X2D | Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter |
| T422X2S | Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela |
| T423X2A | Poisoning by barbiturates, intentional self-harm, initial encounter |
| T423X2D | Poisoning by barbiturates, intentional self-harm, subsequent encounter |
| T423X2S | Poisoning by barbiturates, intentional self-harm, sequela |
| T424X2A | Poisoning by benzodiazepines, intentional self-harm, initial encounter |
| T424X2D | Poisoning by benzodiazepines, intentional self-harm, subsequent encounter |
| T424X2S | Poisoning by benzodiazepines, intentional self-harm, sequela |
| T425X2A | Poisoning by mixed antiepileptics, intentional self-harm, initial encounter |
| T425X2D | Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter |
| T425X2S | Poisoning by mixed antiepileptics, intentional self-harm, sequela |
| T426X2A | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter |
| T426X2D | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter |
| T426X2S | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela |
| T4272XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter |
| T4272XD | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter |
| T4272XS | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela |
| T428X2A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter |
| T428X2D | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter |
| T428X2S | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela |
| T43012A | Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter |
| T43012D | Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter |
| T43012S | Poisoning by tricyclic antidepressants, intentional self-harm, sequela |
| T43022A | Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter |
| T43022D | Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter |
| T43022S | Poisoning by tetracyclic antidepressants, intentional self-harm, sequela |
| T431X2A | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter |
| T431X2D | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter |
| T431X2S | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela |
| T43202A | Poisoning by unspecified antidepressants, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|--|
| T43202D | Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter |
| T43202S | Poisoning by unspecified antidepressants, intentional self-harm, sequela |
| T43212A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter |
| T43212D | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter |
| T43212S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela |
| T43222A | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter |
| T43222D | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter |
| T43222S | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela |
| T43292A | Poisoning by other antidepressants, intentional self-harm, initial encounter |
| T43292D | Poisoning by other antidepressants, intentional self-harm, subsequent encounter |
| T43292S | Poisoning by other antidepressants, intentional self-harm, sequela |
| T433X2A | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter |
| T433X2D | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter |
| T433X2S | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela |
| T434X2A | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter |
| T434X2D | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter |
| T434X2S | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela |
| T43502A | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter |
| T43502D | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter |
| T43502S | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela |
| T43592A | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter |
| T43592D | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter |
| T43592S | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela |
| T43602A | Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter |
| T43602D | Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter |
| T43602S | Poisoning by unspecified psychostimulants, intentional self-harm, sequela |
| T43612A | Poisoning by caffeine, intentional self-harm, initial encounter |
| T43612D | Poisoning by caffeine, intentional self-harm, subsequent encounter |
| T43612S | Poisoning by caffeine, intentional self-harm, sequela |
| T43622A | Poisoning by amphetamines, intentional self-harm, initial encounter |
| T43622D | Poisoning by amphetamines, intentional self-harm, subsequent encounter |
| T43622S | Poisoning by amphetamines, intentional self-harm, sequela |
| T43632A | Poisoning by methylphenidate, intentional self-harm, initial encounter |
| T43632D | Poisoning by methylphenidate, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|--|
| T43632S | Poisoning by methylphenidate, intentional self-harm, sequela |
| T43642A | Poisoning by ecstasy, intentional self-harm, initial encounter |
| T43642D | Poisoning by ecstasy, intentional self-harm, subsequent encounter |
| T43642S | Poisoning by ecstasy, intentional self-harm, sequela |
| T43692A | Poisoning by other psychostimulants, intentional self-harm, initial encounter |
| T43692D | Poisoning by other psychostimulants, intentional self-harm, subsequent encounter |
| T43692S | Poisoning by other psychostimulants, intentional self-harm, sequela |
| T438X2A | Poisoning by other psychotropic drugs, intentional self-harm, initial encounter |
| T438X2D | Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter |
| T438X2S | Poisoning by other psychotropic drugs, intentional self-harm, sequela |
| T4392XA | Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter |
| T4392XD | Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter |
| T4392XS | Poisoning by unspecified psychotropic drug, intentional self-harm, sequela |
| T440X2A | Poisoning by anticholinesterase agents, intentional self-harm, initial encounter |
| T440X2D | Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter |
| T440X2S | Poisoning by anticholinesterase agents, intentional self-harm, sequela |
| T441X2A | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter |
| T441X2D | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter |
| T441X2S | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela |
| T442X2A | Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter |
| T442X2D | Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter |
| T442X2S | Poisoning by ganglionic blocking drugs, intentional self-harm, sequela |
| T443X2A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter |
| T443X2D | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter |
| T443X2S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela |
| T444X2A | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter |
| T444X2D | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter |
| T444X2S | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela |
| T445X2A | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter |
| T445X2D | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter |
| T445X2S | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela |
| T446X2A | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter |
| T446X2D | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter |
| T446X2S | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|--|
| T447X2A | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter |
| T447X2D | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter |
| T447X2S | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela |
| T448X2A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter |
| T448X2D | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter |
| T448X2S | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela |
| T44902A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter |
| T44902D | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter |
| T44902S | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela |
| T44992A | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter |
| T44992D | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter |
| T44992S | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela |
| T450X2A | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter |
| T450X2D | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter |
| T450X2S | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela |
| T451X2A | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter |
| T451X2D | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter |
| T451X2S | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela |
| T452X2A | Poisoning by vitamins, intentional self-harm, initial encounter |
| T452X2D | Poisoning by vitamins, intentional self-harm, subsequent encounter |
| T452X2S | Poisoning by vitamins, intentional self-harm, sequela |
| T453X2A | Poisoning by enzymes, intentional self-harm, initial encounter |
| T453X2D | Poisoning by enzymes, intentional self-harm, subsequent encounter |
| T453X2S | Poisoning by enzymes, intentional self-harm, sequela |
| T454X2A | Poisoning by iron and its compounds, intentional self-harm, initial encounter |
| T454X2D | Poisoning by iron and its compounds, intentional self-harm, subsequent encounter |
| T454X2S | Poisoning by iron and its compounds, intentional self-harm, sequela |
| T45512A | Poisoning by anticoagulants, intentional self-harm, initial encounter |
| T45512D | Poisoning by anticoagulants, intentional self-harm, subsequent encounter |
| T45512S | Poisoning by anticoagulants, intentional self-harm, sequela |
| T45522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter |
| T45522D | Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter |
| T45522S | Poisoning by antithrombotic drugs, intentional self-harm, sequela |
| T45602A | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter |

| Diagnosis code | Code description |
|----------------|---|
| T45602D | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter |
| T45602S | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela |
| T45612A | Poisoning by thrombolytic drug, intentional self-harm, initial encounter |
| T45612D | Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter |
| T45612S | Poisoning by thrombolytic drug, intentional self-harm, sequela |
| T45622A | Poisoning by hemostatic drug, intentional self-harm, initial encounter |
| T45622D | Poisoning by hemostatic drug, intentional self-harm, subsequent encounter |
| T45622S | Poisoning by hemostatic drug, intentional self-harm, sequela |
| T45692A | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter |
| T45692D | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter |
| T45692S | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela |
| T457X2A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter |
| T457X2D | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter |
| T457X2S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela |
| T458X2A | Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter |
| T458X2D | Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter |
| T458X2S | Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela |
| T4592XA | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter |
| T4592XD | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter |
| T4592XS | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela |
| T460X2A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter |
| T460X2D | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter |
| T460X2S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela |
| T461X2A | Poisoning by calcium-channel blockers, intentional self-harm, initial encounter |
| T461X2D | Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter |
| T461X2S | Poisoning by calcium-channel blockers, intentional self-harm, sequela |
| T462X2A | Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter |
| T462X2D | Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter |
| T462X2S | Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela |
| T463X2A | Poisoning by coronary vasodilators, intentional self-harm, initial encounter |
| T463X2D | Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter |
| T463X2S | Poisoning by coronary vasodilators, intentional self-harm, sequela |
| T464X2A | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter |
| T464X2D | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|--|
| T464X2S | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela |
| T465X2A | Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter |
| T465X2D | Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter |
| T465X2S | Poisoning by other antihypertensive drugs, intentional self-harm, sequela |
| T466X2A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter |
| T466X2D | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter |
| T466X2S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela |
| T467X2A | Poisoning by peripheral vasodilators, intentional self-harm, initial encounter |
| T467X2D | Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter |
| T467X2S | Poisoning by peripheral vasodilators, intentional self-harm, sequela |
| T468X2A | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter |
| T468X2D | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter |
| T468X2S | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela |
| T46902A | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter |
| T46902D | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter |
| T46902S | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela |
| T46992A | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter |
| T46992D | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter |
| T46992S | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela |
| T470X2A | Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter |
| T470X2D | Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter |
| T470X2S | Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela |
| T471X2A | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter |
| T471X2D | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter |
| T471X2S | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela |
| T472X2A | Poisoning by stimulant laxatives, intentional self-harm, initial encounter |
| T472X2D | Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter |
| T472X2S | Poisoning by stimulant laxatives, intentional self-harm, sequela |
| T473X2A | Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter |
| T473X2D | Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter |
| T473X2S | Poisoning by saline and osmotic laxatives, intentional self-harm, sequela |
| T474X2A | Poisoning by other laxatives, intentional self-harm, initial encounter |
| T474X2D | Poisoning by other laxatives, intentional self-harm, subsequent encounter |
| T474X2S | Poisoning by other laxatives, intentional self-harm, sequela |

| Diagnosis code | Code description |
|----------------|--|
| T475X2A | Poisoning by digestants, intentional self-harm, initial encounter |
| T475X2D | Poisoning by digestants, intentional self-harm, subsequent encounter |
| T475X2S | Poisoning by digestants, intentional self-harm, sequela |
| T476X2A | Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter |
| T476X2D | Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter |
| T476X2S | Poisoning by antidiarrheal drugs, intentional self-harm, sequela |
| T477X2A | Poisoning by emetics, intentional self-harm, initial encounter |
| T477X2D | Poisoning by emetics, intentional self-harm, subsequent encounter |
| T477X2S | Poisoning by emetics, intentional self-harm, sequela |
| T478X2A | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter |
| T478X2D | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter |
| T478X2S | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela |
| T4792XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter |
| T4792XD | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter |
| T4792XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela |
| T480X2A | Poisoning by oxytocic drugs, intentional self-harm, initial encounter |
| T480X2D | Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter |
| T480X2S | Poisoning by oxytocic drugs, intentional self-harm, sequela |
| T481X2A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter |
| T481X2D | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter |
| T481X2S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela |
| T48202A | Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter |
| T48202D | Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter |
| T48202S | Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela |
| T48292A | Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter |
| T48292D | Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter |
| T48292S | Poisoning by other drugs acting on muscles, intentional self-harm, sequela |
| T483X2A | Poisoning by antitussives, intentional self-harm, initial encounter |
| T483X2D | Poisoning by antitussives, intentional self-harm, subsequent encounter |
| T483X2S | Poisoning by antitussives, intentional self-harm, sequela |
| T484X2A | Poisoning by expectorants, intentional self-harm, initial encounter |
| T484X2D | Poisoning by expectorants, intentional self-harm, subsequent encounter |
| T484X2S | Poisoning by expectorants, intentional self-harm, sequela |
| T485X2A | Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| T485X2D | Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter |
| T485X2S | Poisoning by other anti-common-cold drugs, intentional self-harm, sequela |
| T486X2A | Poisoning by antiasthmatics, intentional self-harm, initial encounter |
| T486X2D | Poisoning by antiasthmatics, intentional self-harm, subsequent encounter |
| T486X2S | Poisoning by antiasthmatics, intentional self-harm, sequela |
| T48902A | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter |
| T48902D | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter |
| T48902S | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela |
| T48992A | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter |
| T48992D | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter |
| T48992S | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela |
| T490X2A | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter |
| T490X2D | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter |
| T490X2S | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela |
| T491X2A | Poisoning by antipruritics, intentional self-harm, initial encounter |
| T491X2D | Poisoning by antipruritics, intentional self-harm, subsequent encounter |
| T491X2S | Poisoning by antipruritics, intentional self-harm, sequela |
| T492X2A | Poisoning by local astringents and local detergents, intentional self-harm, initial encounter |
| T492X2D | Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter |
| T492X2S | Poisoning by local astringents and local detergents, intentional self-harm, sequela |
| T493X2A | Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter |
| T493X2D | Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter |
| T493X2S | Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela |
| T494X2A | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter |
| T494X2D | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter |
| T494X2S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela |
| T495X2A | Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter |
| T495X2D | Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter |
| T495X2S | Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela |
| T496X2A | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter |
| T496X2D | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter |
| T496X2S | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela |
| T497X2A | Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter |
| T497X2D | Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter |

| Diagnosis code | Code description |
|----------------|--|
| T497X2S | Poisoning by dental drugs, topically applied, intentional self-harm, sequela |
| T498X2A | Poisoning by other topical agents, intentional self-harm, initial encounter |
| T498X2D | Poisoning by other topical agents, intentional self-harm, subsequent encounter |
| T498X2S | Poisoning by other topical agents, intentional self-harm, sequela |
| T4992XA | Poisoning by unspecified topical agent, intentional self-harm, initial encounter |
| T4992XD | Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter |
| T4992XS | Poisoning by unspecified topical agent, intentional self-harm, sequela |
| T500X2A | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter |
| T500X2D | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter |
| T500X2S | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela |
| T501X2A | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter |
| T501X2D | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter |
| T501X2S | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela |
| T502X2A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self- harm, initial encounter |
| T502X2D | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self- harm, subsequent encounter |
| T502X2S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self- harm, sequela |
| T503X2A | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter |
| T503X2D | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter |
| T503X2S | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela |
| T504X2A | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter |
| T504X2D | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter |
| T504X2S | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela |
| T505X2A | Poisoning by appetite depressants, intentional self-harm, initial encounter |
| T505X2D | Poisoning by appetite depressants, intentional self-harm, subsequent encounter |
| T505X2S | Poisoning by appetite depressants, intentional self-harm, sequela |
| T506X2A | Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter |
| T506X2D | Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter |
| T506X2S | Poisoning by antidotes and chelating agents, intentional self-harm, sequela |
| T507X2A | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter |
| T507X2D | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter |
| T507X2S | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela |
| T508X2A | Poisoning by diagnostic agents, intentional self-harm, initial encounter |
| T508X2D | Poisoning by diagnostic agents, intentional self-harm, subsequent encounter |
| T508X2S | Poisoning by diagnostic agents, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|--|
| T50902A | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter |
| T50902D | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter |
| T50902S | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela |
| T50992A | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter |
| T50992D | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter |
| T50992S | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela |
| T50A12A | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self- harm, initial encounter |
| T50A12D | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self- harm, subsequent encounter |
| T50A12S | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela |
| T50A22A | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter |
| T50A22D | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter |
| T50A22S | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela |
| T50A92A | Poisoning by other bacterial vaccines, intentional self-harm, initial encounter |
| T50A92D | Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter |
| T50A92S | Poisoning by other bacterial vaccines, intentional self-harm, sequela |
| T50B12A | Poisoning by smallpox vaccines, intentional self-harm, initial encounter |
| T50B12D | Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter |
| T50B12S | Poisoning by smallpox vaccines, intentional self-harm, sequela |
| T50B92A | Poisoning by other viral vaccines, intentional self-harm, initial encounter |
| T50B92D | Poisoning by other viral vaccines, intentional self-harm, subsequent encounter |
| T50B92S | Poisoning by other viral vaccines, intentional self-harm, sequela |
| T50Z12A | Poisoning by immunoglobulin, intentional self-harm, initial encounter |
| T50Z12D | Poisoning by immunoglobulin, intentional self-harm, subsequent encounter |
| T50Z12S | Poisoning by immunoglobulin, intentional self-harm, sequela |
| T50Z92A | Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter |
| T50Z92D | Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter |
| T50Z92S | Poisoning by other vaccines and biological substances, intentional self-harm, sequela |
| T510X2A | Toxic effect of ethanol, intentional self-harm, initial encounter |
| T510X2D | Toxic effect of ethanol, intentional self-harm, subsequent encounter |
| T510X2S | Toxic effect of ethanol, intentional self-harm, sequela |
| T511X2A | Toxic effect of methanol, intentional self-harm, initial encounter |
| T511X2D | Toxic effect of methanol, intentional self-harm, subsequent encounter |
| T511X2S | Toxic effect of methanol, intentional self-harm, sequela |
| T512X2A | Toxic effect of 2-Propanol, intentional self-harm, initial encounter |

| Diagnosis code | Code description |
|----------------|--|
| T512X2D | Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter |
| T512X2S | Toxic effect of 2-Propanol, intentional self-harm, sequela |
| T513X2A | Toxic effect of fusel oil, intentional self-harm, initial encounter |
| T513X2D | Toxic effect of fusel oil, intentional self-harm, subsequent encounter |
| T513X2S | Toxic effect of fusel oil, intentional self-harm, sequela |
| T518X2A | Toxic effect of other alcohols, intentional self-harm, initial encounter |
| T518X2D | Toxic effect of other alcohols, intentional self-harm, subsequent encounter |
| T518X2S | Toxic effect of other alcohols, intentional self-harm, sequela |
| T5192XA | Toxic effect of unspecified alcohol, intentional self-harm, initial encounter |
| T5192XD | Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter |
| T5192XS | Toxic effect of unspecified alcohol, intentional self-harm, sequela |
| T520X2A | Toxic effect of petroleum products, intentional self-harm, initial encounter |
| T520X2D | Toxic effect of petroleum products, intentional self-harm, subsequent encounter |
| T520X2S | Toxic effect of petroleum products, intentional self-harm, sequela |
| T521X2A | Toxic effect of benzene, intentional self-harm, initial encounter |
| T521X2D | Toxic effect of benzene, intentional self-harm, subsequent encounter |
| T521X2S | Toxic effect of benzene, intentional self-harm, sequela |
| T522X2A | Toxic effect of homologues of benzene, intentional self-harm, initial encounter |
| T522X2D | Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter |
| T522X2S | Toxic effect of homologues of benzene, intentional self-harm, sequela |
| T523X2A | Toxic effect of glycols, intentional self-harm, initial encounter |
| T523X2D | Toxic effect of glycols, intentional self-harm, subsequent encounter |
| T523X2S | Toxic effect of glycols, intentional self-harm, sequela |
| T524X2A | Toxic effect of ketones, intentional self-harm, initial encounter |
| T524X2D | Toxic effect of ketones, intentional self-harm, subsequent encounter |
| T524X2S | Toxic effect of ketones, intentional self-harm, sequela |
| T528X2A | Toxic effect of other organic solvents, intentional self-harm, initial encounter |
| T528X2D | Toxic effect of other organic solvents, intentional self-harm, subsequent encounter |
| T528X2S | Toxic effect of other organic solvents, intentional self-harm, sequela |
| T5292XA | Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter |
| T5292XD | Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter |
| T5292XS | Toxic effect of unspecified organic solvent, intentional self-harm, sequela |
| T530X2A | Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter |
| T530X2D | Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|---|
| T530X2S | Toxic effect of carbon tetrachloride, intentional self-harm, sequela |
| T531X2A | Toxic effect of chloroform, intentional self-harm, initial encounter |
| T531X2D | Toxic effect of chloroform, intentional self-harm, subsequent encounter |
| T531X2S | Toxic effect of chloroform, intentional self-harm, sequela |
| T532X2A | Toxic effect of trichloroethylene, intentional self-harm, initial encounter |
| T532X2D | Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter |
| T532X2S | Toxic effect of trichloroethylene, intentional self-harm, sequela |
| T533X2A | Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter |
| T533X2D | Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter |
| T533X2S | Toxic effect of tetrachloroethylene, intentional self-harm, sequela |
| T534X2A | Toxic effect of dichloromethane, intentional self-harm, initial encounter |
| T534X2D | Toxic effect of dichloromethane, intentional self-harm, subsequent encounter |
| T534X2S | Toxic effect of dichloromethane, intentional self-harm, sequela |
| T535X2A | Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter |
| T535X2D | Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter |
| T535X2S | Toxic effect of chlorofluorocarbons, intentional self-harm, sequela |
| T536X2A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter |
| T536X2D | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter |
| T536X2S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela |
| T537X2A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter |
| T537X2D | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter |
| T537X2S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela |
| T5392XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter |
| T5392XD | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter |
| T5392XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequel |
| T540X2A | Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter |
| T540X2D | Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter |
| T540X2S | Toxic effect of phenol and phenol homologues, intentional self-harm, sequela |
| T541X2A | Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter |
| T541X2D | Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter |
| T541X2S | Toxic effect of other corrosive organic compounds, intentional self-harm, sequela |
| T542X2A | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter |
| T542X2D | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter |
| T542X2S | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|---|
| T543X2A | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter |
| T543X2D | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter |
| T543X2S | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela |
| T5492XA | Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter |
| T5492XD | Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter |
| T5492XS | Toxic effect of unspecified corrosive substance, intentional self-harm, sequela |
| T550X2A | Toxic effect of soaps, intentional self-harm, initial encounter |
| T550X2D | Toxic effect of soaps, intentional self-harm, subsequent encounter |
| T550X2S | Toxic effect of soaps, intentional self-harm, sequela |
| T551X2A | Toxic effect of detergents, intentional self-harm, initial encounter |
| T551X2D | Toxic effect of detergents, intentional self-harm, subsequent encounter |
| T551X2S | Toxic effect of detergents, intentional self-harm, sequela |
| T560X2A | Toxic effect of lead and its compounds, intentional self-harm, initial encounter |
| T560X2D | Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter |
| T560X2S | Toxic effect of lead and its compounds, intentional self-harm, sequela |
| T561X2A | Toxic effect of mercury and its compounds, intentional self-harm, initial encounter |
| T561X2D | Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter |
| T561X2S | Toxic effect of mercury and its compounds, intentional self-harm, sequela |
| T562X2A | Toxic effect of chromium and its compounds, intentional self-harm, initial encounter |
| T562X2D | Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter |
| T562X2S | Toxic effect of chromium and its compounds, intentional self-harm, sequela |
| T563X2A | Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter |
| T563X2D | Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter |
| T563X2S | Toxic effect of cadmium and its compounds, intentional self-harm, sequela |
| T564X2A | Toxic effect of copper and its compounds, intentional self-harm, initial encounter |
| T564X2D | Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter |
| T564X2S | Toxic effect of copper and its compounds, intentional self-harm, sequela |
| T565X2A | Toxic effect of zinc and its compounds, intentional self-harm, initial encounter |
| T565X2D | Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter |
| T565X2S | Toxic effect of zinc and its compounds, intentional self-harm, sequela |
| T566X2A | Toxic effect of tin and its compounds, intentional self-harm, initial encounter |
| T566X2D | Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter |
| T566X2S | Toxic effect of tin and its compounds, intentional self-harm, sequela |
| T567X2A | Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| T567X2D | Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter |
| T567X2S | Toxic effect of beryllium and its compounds, intentional self-harm, sequela |
| T56812A | Toxic effect of thallium, intentional self-harm, initial encounter |
| T56812D | Toxic effect of thallium, intentional self-harm, subsequent encounter |
| T56812S | Toxic effect of thallium, intentional self-harm, sequela |
| T56892A | Toxic effect of other metals, intentional self-harm, initial encounter |
| T56892D | Toxic effect of other metals, intentional self-harm, subsequent encounter |
| T56892S | Toxic effect of other metals, intentional self-harm, sequela |
| T5692XA | Toxic effect of unspecified metal, intentional self-harm, initial encounter |
| T5692XD | Toxic effect of unspecified metal, intentional self-harm, subsequent encounter |
| T5692XS | Toxic effect of unspecified metal, intentional self-harm, sequela |
| T570X2A | Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter |
| T570X2D | Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter |
| T570X2S | Toxic effect of arsenic and its compounds, intentional self-harm, sequela |
| T571X2A | Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter |
| T571X2D | Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter |
| T571X2S | Toxic effect of phosphorus and its compounds, intentional self-harm, sequela |
| T572X2A | Toxic effect of manganese and its compounds, intentional self-harm, initial encounter |
| T572X2D | Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter |
| T572X2S | Toxic effect of manganese and its compounds, intentional self-harm, sequela |
| T573X2A | Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter |
| T573X2D | Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter |
| T573X2S | Toxic effect of hydrogen cyanide, intentional self-harm, sequela |
| T578X2A | Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter |
| T578X2D | Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter |
| T578X2S | Toxic effect of other specified inorganic substances, intentional self-harm, sequela |
| T5792XA | Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter |
| T5792XD | Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter |
| T5792XS | Toxic effect of unspecified inorganic substance, intentional self-harm, sequela |
| T5802XA | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter |
| T5802XD | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter |
| T5802XS | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela |
| T5812XA | Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter |
| T5812XD | Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|---|
| T5812XS | Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela |
| T582X2A | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self- harm, initial encounter |
| T582X2D | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self- harm, subsequent encounter |
| T582X2S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self- harm, sequela |
| T588X2A | Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter |
| T588X2D | Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter |
| T588X2S | Toxic effect of carbon monoxide from other source, intentional self-harm, sequela |
| T5892XA | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter |
| T5892XD | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter |
| T5892XS | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela |
| T590X2A | Toxic effect of nitrogen oxides, intentional self-harm, initial encounter |
| T590X2D | Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter |
| T590X2S | Toxic effect of nitrogen oxides, intentional self-harm, sequela |
| T591X2A | Toxic effect of sulfur dioxide, intentional self-harm, initial encounter |
| T591X2D | Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter |
| T591X2S | Toxic effect of sulfur dioxide, intentional self-harm, sequela |
| T592X2A | Toxic effect of formaldehyde, intentional self-harm, initial encounter |
| T592X2D | Toxic effect of formaldehyde, intentional self-harm, subsequent encounter |
| T592X2S | Toxic effect of formaldehyde, intentional self-harm, sequela |
| T593X2A | Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter |
| T593X2D | Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter |
| T593X2S | Toxic effect of lacrimogenic gas, intentional self-harm, sequela |
| T594X2A | Toxic effect of chlorine gas, intentional self-harm, initial encounter |
| T594X2D | Toxic effect of chlorine gas, intentional self-harm, subsequent encounter |
| T594X2S | Toxic effect of chlorine gas, intentional self-harm, sequela |
| T595X2A | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter |
| T595X2D | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter |
| T595X2S | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela |
| T596X2A | Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter |
| T596X2D | Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter |
| T596X2S | Toxic effect of hydrogen sulfide, intentional self-harm, sequela |
| T597X2A | Toxic effect of carbon dioxide, intentional self-harm, initial encounter |
| T597X2D | Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter |
| T597X2S | Toxic effect of carbon dioxide, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|---|
| T59812A | Toxic effect of smoke, intentional self-harm, initial encounter |
| T59812D | Toxic effect of smoke, intentional self-harm, subsequent encounter |
| T59812S | Toxic effect of smoke, intentional self-harm, sequela |
| T59892A | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter |
| T59892D | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter |
| T59892S | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela |
| T5992XA | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter |
| T5992XD | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter |
| T5992XS | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela |
| T600X2A | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter |
| T600X2D | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter |
| T600X2S | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela |
| T601X2A | Toxic effect of halogenated insecticides, intentional self-harm, initial encounter |
| T601X2D | Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter |
| T601X2S | Toxic effect of halogenated insecticides, intentional self-harm, sequela |
| T602X2A | Toxic effect of other insecticides, intentional self-harm, initial encounter |
| T602X2D | Toxic effect of other insecticides, intentional self-harm, subsequent encounter |
| T602X2S | Toxic effect of other insecticides, intentional self-harm, sequela |
| T603X2A | Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter |
| T603X2D | Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter |
| T603X2S | Toxic effect of herbicides and fungicides, intentional self-harm, sequela |
| T604X2A | Toxic effect of rodenticides, intentional self-harm, initial encounter |
| T604X2D | Toxic effect of rodenticides, intentional self-harm, subsequent encounter |
| T604X2S | Toxic effect of rodenticides, intentional self-harm, sequela |
| T608X2A | Toxic effect of other pesticides, intentional self-harm, initial encounter |
| T608X2D | Toxic effect of other pesticides, intentional self-harm, subsequent encounter |
| T608X2S | Toxic effect of other pesticides, intentional self-harm, sequela |
| T6092XA | Toxic effect of unspecified pesticide, intentional self-harm, initial encounter |
| T6092XD | Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter |
| T6092XS | Toxic effect of unspecified pesticide, intentional self-harm, sequela |
| T6102XA | Ciguatera fish poisoning, intentional self-harm, initial encounter |
| T6102XD | Ciguatera fish poisoning, intentional self-harm, subsequent encounter |
| T6102XS | Ciguatera fish poisoning, intentional self-harm, sequela |
| T6112XA | Scombroid fish poisoning, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| T6112XD | Scombroid fish poisoning, intentional self-harm, subsequent encounter |
| T6112XS | Scombroid fish poisoning, intentional self-harm, sequela |
| T61772A | Other fish poisoning, intentional self-harm, initial encounter |
| T61772D | Other fish poisoning, intentional self-harm, subsequent encounter |
| T61772S | Other fish poisoning, intentional self-harm, sequela |
| T61782A | Other shellfish poisoning, intentional self-harm, initial encounter |
| T61782D | Other shellfish poisoning, intentional self-harm, subsequent encounter |
| T61782S | Other shellfish poisoning, intentional self-harm, sequela |
| T618X2A | Toxic effect of other seafood, intentional self-harm, initial encounter |
| T618X2D | Toxic effect of other seafood, intentional self-harm, subsequent encounter |
| T618X2S | Toxic effect of other seafood, intentional self-harm, sequela |
| T6192XA | Toxic effect of unspecified seafood, intentional self-harm, initial encounter |
| T6192XD | Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter |
| T6192XS | Toxic effect of unspecified seafood, intentional self-harm, sequela |
| T620X2A | Toxic effect of ingested mushrooms, intentional self-harm, initial encounter |
| T620X2D | Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter |
| T620X2S | Toxic effect of ingested mushrooms, intentional self-harm, sequela |
| T621X2A | Toxic effect of ingested berries, intentional self-harm, initial encounter |
| T621X2D | Toxic effect of ingested berries, intentional self-harm, subsequent encounter |
| T621X2S | Toxic effect of ingested berries, intentional self-harm, sequela |
| T622X2A | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter |
| T622X2D | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter |
| T622X2S | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela |
| T628X2A | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter |
| T628X2D | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter |
| T628X2S | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela |
| T6292XA | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter |
| T6292XD | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter |
| T6292XS | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela |
| T63002A | Toxic effect of unspecified snake venom, intentional self-harm, initial encounter |
| T63002D | Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter |
| T63002S | Toxic effect of unspecified snake venom, intentional self-harm, sequela |
| T63012A | Toxic effect of rattlesnake venom, intentional self-harm, initial encounter |
| T63012D | Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|--|
| T63012S | Toxic effect of rattlesnake venom, intentional self-harm, sequela |
| T63022A | Toxic effect of coral snake venom, intentional self-harm, initial encounter |
| T63022D | Toxic effect of coral snake venom, intentional self-harm, subsequent encounter |
| T63022S | Toxic effect of coral snake venom, intentional self-harm, sequela |
| T63032A | Toxic effect of taipan venom, intentional self-harm, initial encounter |
| T63032D | Toxic effect of taipan venom, intentional self-harm, subsequent encounter |
| T63032S | Toxic effect of taipan venom, intentional self-harm, sequela |
| T63042A | Toxic effect of cobra venom, intentional self-harm, initial encounter |
| T63042D | Toxic effect of cobra venom, intentional self-harm, subsequent encounter |
| T63042S | Toxic effect of cobra venom, intentional self-harm, sequela |
| T63062A | Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter |
| T63062D | Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter |
| T63062S | Toxic effect of venom of other North and South American snake, intentional self-harm, sequela |
| T63072A | Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter |
| T63072D | Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter |
| T63072S | Toxic effect of venom of other Australian snake, intentional self-harm, sequela |
| T63082A | Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter |
| T63082D | Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter |
| T63082S | Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela |
| T63092A | Toxic effect of venom of other snake, intentional self-harm, initial encounter |
| T63092D | Toxic effect of venom of other snake, intentional self-harm, subsequent encounter |
| T63092S | Toxic effect of venom of other snake, intentional self-harm, sequela |
| T63112A | Toxic effect of venom of gila monster, intentional self-harm, initial encounter |
| T63112D | Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter |
| T63112S | Toxic effect of venom of gila monster, intentional self-harm, sequela |
| T63122A | Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter |
| T63122D | Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter |
| T63122S | Toxic effect of venom of other venomous lizard, intentional self-harm, sequela |
| T63192A | Toxic effect of venom of other reptiles, intentional self-harm, initial encounter |
| T63192D | Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter |
| T63192S | Toxic effect of venom of other reptiles, intentional self-harm, sequela |
| T632X2A | Toxic effect of venom of scorpion, intentional self-harm, initial encounter |
| T632X2D | Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter |
| T632X2S | Toxic effect of venom of scorpion, intentional self-harm, sequela |



| Diagnosis code | Code description |
|----------------|--|
| T63302A | Toxic effect of unspecified spider venom, intentional self-harm, initial encounter |
| T63302D | Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter |
| T63302S | Toxic effect of unspecified spider venom, intentional self-harm, sequela |
| T63312A | Toxic effect of venom of black widow spider, intentional self-harm, initial encounter |
| T63312D | Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter |
| T63312S | Toxic effect of venom of black widow spider, intentional self-harm, sequela |
| T63322A | Toxic effect of venom of tarantula, intentional self-harm, initial encounter |
| T63322D | Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter |
| T63322S | Toxic effect of venom of tarantula, intentional self-harm, sequela |
| T63332A | Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter |
| T63332D | Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter |
| T63332S | Toxic effect of venom of brown recluse spider, intentional self-harm, sequela |
| T63392A | Toxic effect of venom of other spider, intentional self-harm, initial encounter |
| T63392D | Toxic effect of venom of other spider, intentional self-harm, subsequent encounter |
| T63392S | Toxic effect of venom of other spider, intentional self-harm, sequela |
| T63412A | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter |
| T63412D | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter |
| T63412S | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela |
| T63422A | Toxic effect of venom of ants, intentional self-harm, initial encounter |
| T63422D | Toxic effect of venom of ants, intentional self-harm, subsequent encounter |
| T63422S | Toxic effect of venom of ants, intentional self-harm, sequela |
| T63432A | Toxic effect of venom of caterpillars, intentional self-harm, initial encounter |
| T63432D | Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter |
| T63432S | Toxic effect of venom of caterpillars, intentional self-harm, sequela |
| T63442A | Toxic effect of venom of bees, intentional self-harm, initial encounter |
| T63442D | Toxic effect of venom of bees, intentional self-harm, subsequent encounter |
| T63442S | Toxic effect of venom of bees, intentional self-harm, sequela |
| T63452A | Toxic effect of venom of hornets, intentional self-harm, initial encounter |
| T63452D | Toxic effect of venom of hornets, intentional self-harm, subsequent encounter |
| T63452S | Toxic effect of venom of hornets, intentional self-harm, sequela |
| T63462A | Toxic effect of venom of wasps, intentional self-harm, initial encounter |
| T63462D | Toxic effect of venom of wasps, intentional self-harm, subsequent encounter |
| T63462S | Toxic effect of venom of wasps, intentional self-harm, sequela |
| T63482A | Toxic effect of venom of other arthropod, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| T63482D | Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter |
| T63482S | Toxic effect of venom of other arthropod, intentional self-harm, sequela |
| T63512A | Toxic effect of contact with stingray, intentional self-harm, initial encounter |
| T63512D | Toxic effect of contact with stingray, intentional self-harm, subsequent encounter |
| T63512S | Toxic effect of contact with stingray, intentional self-harm, sequela |
| T63592A | Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter |
| T63592D | Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter |
| T63592S | Toxic effect of contact with other venomous fish, intentional self-harm, sequela |
| T63612A | Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter |
| T63612D | Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter |
| T63612S | Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela |
| T63622A | Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter |
| T63622D | Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter |
| T63622S | Toxic effect of contact with other jellyfish, intentional self-harm, sequela |
| T63632A | Toxic effect of contact with sea anemone, intentional self-harm, initial encounter |
| T63632D | Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter |
| T63632S | Toxic effect of contact with sea anemone, intentional self-harm, sequela |
| T63692A | Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter |
| T63692D | Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter |
| T63692S | Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela |
| T63712A | Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter |
| T63712D | Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter |
| T63712S | Toxic effect of contact with venomous marine plant, intentional self-harm, sequela |
| T63792A | Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter |
| T63792D | Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter |
| T63792S | Toxic effect of contact with other venomous plant, intentional self-harm, sequela |
| T63812A | Toxic effect of contact with venomous frog, intentional self-harm, initial encounter |
| T63812D | Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter |
| T63812S | Toxic effect of contact with venomous frog, intentional self-harm, sequela |
| T63822A | Toxic effect of contact with venomous toad, intentional self-harm, initial encounter |
| T63822D | Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter |
| T63822S | Toxic effect of contact with venomous toad, intentional self-harm, sequela |
| T63832A | Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter |
| T63832D | Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter |



| Diagnosis code | Code description |
|----------------|--|
| T655X2A | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter |
| T655X2D | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter |
| T655X2S | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela |
| T656X2A | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter |
| T656X2D | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter |
| T656X2S | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela |
| T65812A | Toxic effect of latex, intentional self-harm, initial encounter |
| T65812D | Toxic effect of latex, intentional self-harm, subsequent encounter |
| T65812S | Toxic effect of latex, intentional self-harm, sequela |
| T65822A | Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter |
| T65822D | Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter |
| T65822S | Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela |
| T65832A | Toxic effect of fiberglass, intentional self-harm, initial encounter |
| T65832D | Toxic effect of fiberglass, intentional self-harm, subsequent encounter |
| T65832S | Toxic effect of fiberglass, intentional self-harm, sequela |
| T65892A | Toxic effect of other specified substances, intentional self-harm, initial encounter |
| T65892D | Toxic effect of other specified substances, intentional self-harm, subsequent encounter |
| T65892S | Toxic effect of other specified substances, intentional self-harm, sequela |
| T6592XA | Toxic effect of unspecified substance, intentional self-harm, initial encounter |
| T6592XD | Toxic effect of unspecified substance, intentional self-harm, subsequent encounter |
| T6592XS | Toxic effect of unspecified substance, intentional self-harm, sequela |
| T71112A | Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter |
| T71112D | Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter |
| T71112S | Asphyxiation due to smothering under pillow, intentional self-harm, sequela |
| T71122A | Asphyxiation due to plastic bag, intentional self-harm, initial encounter |
| T71122D | Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter |
| T71122S | Asphyxiation due to plastic bag, intentional self-harm, sequela |
| T71132A | Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter |
| T71132D | Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter |
| T71132S | Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela |
| T71152A | Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter |
| T71152D | Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter |
| T71152S | Asphyxiation due to smothering in furniture, intentional self-harm, sequela |
| T71162A | Asphyxiation due to hanging, intentional self-harm, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| T71162D | Asphyxiation due to hanging, intentional self-harm, subsequent encounter |
| T71162S | Asphyxiation due to hanging, intentional self-harm, sequela |
| T71192A | Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter |
| T71192D | Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter |
| T71192S | Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela |
| T71222A | Asphyxiation due to being trapped in a car trunk, intentaional self-harm, initial encounter |
| T71222D | Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter |
| T71222S | Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela |
| T71232A | Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter |
| T71232D | Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter |
| T71232S | Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela |
| V6284 | Suicidal ideation |
| X710XXA | Intentional self-harm by drowning and submersion while in bathtub, initial encounter |
| X710XXD | Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter |
| X710XXS | Intentional self-harm by drowning and submersion while in bathtub, sequela |
| X711XXA | Intentional self-harm by drowning and submersion while in swimming pool, initial encounter |
| X711XXD | Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter |
| X711XXS | Intentional self-harm by drowning and submersion while in swimming pool, sequela |
| X712XXA | Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter |
| X712XXD | Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter |
| X712XXS | Intentional self-harm by drowning and submersion after jump into swimming pool, sequela |
| X713XXA | Intentional self-harm by drowning and submersion in natural water, initial encounter |
| X713XXD | Intentional self-harm by drowning and submersion in natural water, subsequent encounter |
| X713XXS | Intentional self-harm by drowning and submersion in natural water, sequela |
| X718XXA | Other intentional self-harm by drowning and submersion, initial encounter |
| X718XXD | Other intentional self-harm by drowning and submersion, subsequent encounter |
| X718XXS | Other intentional self-harm by drowning and submersion, sequela |
| X719XXA | Intentional self-harm by drowning and submersion, unspecified, initial encounter |
| X719XXD | Intentional self-harm by drowning and submersion, unspecified, subsequent encounter |
| X719XXS | Intentional self-harm by drowning and submersion, unspecified, sequela |
| X72XXXA | Intentional self-harm by handgun discharge, initial encounter |
| X72XXXD | Intentional self-harm by handgun discharge, subsequent encounter |
| X72XXXS | Intentional self-harm by handgun discharge, sequela |
| X730XXA | Intentional self-harm by shotgun discharge, initial encounter |



| Diagnosis code | Code description |
|----------------|--|
| X730XXD | Intentional self-harm by shotgun discharge, subsequent encounter |
| X730XXS | Intentional self-harm by shotgun discharge, sequela |
| X731XXA | Intentional self-harm by hunting rifle discharge, initial encounter |
| X731XXD | Intentional self-harm by hunting rifle discharge, subsequent encounter |
| X731XXS | Intentional self-harm by hunting rifle discharge, sequela |
| X732XXA | Intentional self-harm by machine gun discharge, initial encounter |
| X732XXD | Intentional self-harm by machine gun discharge, subsequent encounter |
| X732XXS | Intentional self-harm by machine gun discharge, sequela |
| X738XXA | Intentional self-harm by other larger firearm discharge, initial encounter |
| X738XXD | Intentional self-harm by other larger firearm discharge, subsequent encounter |
| X738XXS | Intentional self-harm by other larger firearm discharge, sequela |
| X739XXA | Intentional self-harm by unspecified larger firearm discharge, initial encounter |
| X739XXD | Intentional self-harm by unspecified larger firearm discharge, subsequent encounter |
| X739XXS | Intentional self-harm by unspecified larger firearm discharge, sequela |
| X7401XA | Intentional self-harm by airgun, initial encounter |
| X7401XD | Intentional self-harm by airgun, subsequent encounter |
| X7401XS | Intentional self-harm by airgun, sequela |
| X7402XA | Intentional self-harm by paintball gun, initial encounter |
| X7402XD | Intentional self-harm by paintball gun, subsequent encounter |
| X7402XS | Intentional self-harm by paintball gun, sequela |
| X7409XA | Intentional self-harm by other gas, air or spring-operated gun, initial encounter |
| X7409XD | Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter |
| X7409XS | Intentional self-harm by other gas, air or spring-operated gun, sequela |
| X748XXA | Intentional self-harm by other firearm discharge, initial encounter |
| X748XXD | Intentional self-harm by other firearm discharge, subsequent encounter |
| X748XXS | Intentional self-harm by other firearm discharge, sequela |
| X749XXA | Intentional self-harm by unspecified firearm discharge, initial encounter |
| X749XXD | Intentional self-harm by unspecified firearm discharge, subsequent encounter |
| X749XXS | Intentional self-harm by unspecified firearm discharge, sequela |
| X75XXXA | Intentional self-harm by explosive material, initial encounter |
| X75XXXD | Intentional self-harm by explosive material, subsequent encounter |
| X75XXXS | Intentional self-harm by explosive material, sequela |
| X76XXXA | Intentional self-harm by smoke, fire and flames, initial encounter |
| X76XXXD | Intentional self-harm by smoke, fire and flames, subsequent encounter |



| Diagnosis code | Code description |
|----------------|---|
| X76XXXS | Intentional self-harm by smoke, fire and flames, sequela |
| X770XXA | Intentional self-harm by steam or hot vapors, initial encounter |
| X770XXD | Intentional self-harm by steam or hot vapors, subsequent encounter |
| X770XXS | Intentional self-harm by steam or hot vapors, sequela |
| X771XXA | Intentional self-harm by hot tap water, initial encounter |
| X771XXD | Intentional self-harm by hot tap water, subsequent encounter |
| X771XXS | Intentional self-harm by hot tap water, sequela |
| X772XXA | Intentional self-harm by other hot fluids, initial encounter |
| X772XXD | Intentional self-harm by other hot fluids, subsequent encounter |
| X772XXS | Intentional self-harm by other hot fluids, sequela |
| X773XXA | Intentional self-harm by hot household appliances, initial encounter |
| X773XXD | Intentional self-harm by hot household appliances, subsequent encounter |
| X773XXS | Intentional self-harm by hot household appliances, sequela |
| X778XXA | Intentional self-harm by other hot objects, initial encounter |
| X778XXD | Intentional self-harm by other hot objects, subsequent encounter |
| X778XXS | Intentional self-harm by other hot objects, sequela |
| X779XXA | Intentional self-harm by unspecified hot objects, initial encounter |
| X779XXD | Intentional self-harm by unspecified hot objects, subsequent encounter |
| X779XXS | Intentional self-harm by unspecified hot objects, sequela |
| X780XXA | Intentional self-harm by sharp glass, initial encounter |
| X780XXD | Intentional self-harm by sharp glass, subsequent encounter |
| X780XXS | Intentional self-harm by sharp glass, sequela |
| X781XXA | Intentional self-harm by knife, initial encounter |
| X781XXD | Intentional self-harm by knife, subsequent encounter |
| X781XXS | Intentional self-harm by knife, sequela |
| X782XXA | Intentional self-harm by sword or dagger, initial encounter |
| X782XXD | Intentional self-harm by sword or dagger, subsequent encounter |
| X782XXS | Intentional self-harm by sword or dagger, sequela |
| X788XXA | Intentional self-harm by other sharp object, initial encounter |
| X788XXD | Intentional self-harm by other sharp object, subsequent encounter |
| X788XXS | Intentional self-harm by other sharp object, sequela |
| X789XXA | Intentional self-harm by unspecified sharp object, initial encounter |
| X789XXD | Intentional self-harm by unspecified sharp object, subsequent encounter |
| X789XXS | Intentional self-harm by unspecified sharp object, sequela |



| Diagnosis code | Code description |
|----------------|---|
| X79XXXA | Intentional self-harm by blunt object, initial encounter |
| X79XXXD | Intentional self-harm by blunt object, subsequent encounter |
| X79XXXS | Intentional self-harm by blunt object, sequela |
| X80XXXA | Intentional self-harm by jumping from a high place, initial encounter |
| X80XXXD | Intentional self-harm by jumping from a high place, subsequent encounter |
| X80XXXS | Intentional self-harm by jumping from a high place, sequela |
| X810XXA | Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter |
| X810XXD | Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter |
| X810XXS | Intentional self-harm by jumping or lying in front of motor vehicle, sequela |
| X811XXA | Intentional self-harm by jumping or lying in front of (subway) train, initial encounter |
| X811XXD | Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter |
| X811XXS | Intentional self-harm by jumping or lying in front of (subway) train, sequela |
| X818XXA | Intentional self-harm by jumping or lying in front of other moving object, initial encounter |
| X818XXD | Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter |
| X818XXS | Intentional self-harm by jumping or lying in front of other moving object, sequela |
| X820XXA | Intentional collision of motor vehicle with other motor vehicle, initial encounter |
| X820XXD | Intentional collision of motor vehicle with other motor vehicle, subsequent encounter |
| X820XXS | Intentional collision of motor vehicle with other motor vehicle, sequela |
| X821XXA | Intentional collision of motor vehicle with train, initial encounter |
| X821XXD | Intentional collision of motor vehicle with train, subsequent encounter |
| X821XXS | Intentional collision of motor vehicle with train, sequela |
| X822XXA | Intentional collision of motor vehicle with tree, initial encounter |
| X822XXD | Intentional collision of motor vehicle with tree, subsequent encounter |
| X822XXS | Intentional collision of motor vehicle with tree, sequela |
| X828XXA | Other intentional self-harm by crashing of motor vehicle, initial encounter |
| X828XXD | Other intentional self-harm by crashing of motor vehicle, subsequent encounter |
| X828XXS | Other intentional self-harm by crashing of motor vehicle, sequela |
| X830XXA | Intentional self-harm by crashing of aircraft, initial encounter |
| X830XXD | Intentional self-harm by crashing of aircraft, subsequent encounter |
| X830XXS | Intentional self-harm by crashing of aircraft, sequela |
| X831XXA | Intentional self-harm by electrocution, initial encounter |
| X831XXD | Intentional self-harm by electrocution, subsequent encounter |
| X831XXS | Intentional self-harm by electrocution, sequela |
| X832XXA | Intentional self-harm by exposure to extremes of cold, initial encounter |



| Diagnosis code | Code description |
|----------------|---|
| X832XXD | Intentional self-harm by exposure to extremes of cold, subsequent encounter |
| X832XXS | Intentional self-harm by exposure to extremes of cold, sequela |
| X838XXA | Intentional self-harm by other specified means, initial encounter |
| X838XXD | Intentional self-harm by other specified means, subsequent encounter |
| X838XXS | Intentional self-harm by other specified means, sequela |
| 312 | Conduct disturbance NEC |
| 3120 | Unsocialized conduct disorder aggressive |
| 31200 | Undersocialized conduct disorder, aggressive type, unspecified |
| 31201 | Undersocialized conduct disorder, aggressive type, mild |
| 31202 | Undersocialized conduct disorder, aggressive type, moderate |
| 31203 | Undersocialized conduct disorder, aggressive type, severe |
| 3121 | Unsocialized, unaggressive |
| 31210 | Undersocialized conduct disorder, unaggressive type, unspecified |
| 31211 | Undersocialized conduct disorder, unaggressive type, mild |
| 31212 | Undersocialized conduct disorder, unaggressive type, moderate |
| 31213 | Undersocialized conduct disorder, unaggressive type, severe |
| 3122 | Socialized conduct disorder |
| 31220 | Socialized conduct disorder, unspecified |
| 31221 | Socialized conduct disorder, mild |
| 31222 | Socialized conduct disorder, moderate |
| 31223 | Socialized conduct disorder, severe |
| 3123 | Impulse control disorders NEC |
| 31230 | Impulse control disorder, unspecified |
| 31231 | Pathological gambling |
| 31232 | Kleptomania |
| 31233 | Pyromania |
| 31234 | Intermittent explosive disorder |
| 31235 | Isolated explosive disorder |
| 31239 | Other disorders of impulse control |
| 3124 | Mixed disturbance of conduct and emotions |
| 3128 | Other spec conduct disturbance |
| 31281 | Conduct disorder, childhood onset type |
| 31282 | Conduct disorder, adolescent onset type |
| 31289 | Other conduct disorder |



| Diagnosis code | Code description |
|----------------|--|
| 3129 | Unspecified disturbance of conduct |
| 31381 | Oppositional defiant disorder |
| F630 | Pathological gambling |
| F631 | Pyromania |
| F632 | Kleptomania |
| F633 | Trichotillomania |
| F6381 | Intermittent explosive disorder |
| F6389 | Other impulse disorders |
| F639 | Impulse disorder, unspecified |
| F910 | Conduct disorder confined to family context |
| F911 | Conduct disorder, childhood-onset type |
| F912 | Conduct disorder, adolescent-onset type |
| F913 | Oppositional defiant disorder |
| F918 | Other conduct disorders |
| F919 | Conduct disorder, unspecified |
| 296 | Episodic mood disorders |
| 2960 | Bipolar i disorder, single manic episode |
| 29600 | Bipolar I disorder, single manic episode, unspecified |
| 29601 | Bipolar I disorder, single manic episode, mild |
| 29602 | Bipolar I disorder, single manic episode, moderate |
| 29603 | Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior |
| 29604 | Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior |
| 29605 | Bipolar I disorder, single manic episode, in partial or unspecified remission |
| 29606 | Bipolar I disorder, single manic episode, in full remission |
| 2961 | Manic disorders, recurrent episode |
| 29610 | Manic affective disorder, recurrent episode, unspecified |
| 29611 | Manic affective disorder, recurrent episode, mild |
| 29612 | Manic affective disorder, recurrent episode, moderate |
| 29613 | Manic affective disorder, recurrent episode, severe, without mention of psychotic behavior |
| 29614 | Manic affective disorder, recurrent episode, severe, specified as with psychotic behavior |
| 29615 | Manic affective disorder, recurrent episode, in partial or unspecified remission |
| 29616 | Manic affective disorder, recurrent episode, in full remission |
| 2964 | Bipolar i disorder, cur episod manic |
| 29640 | Bipolar I disorder, most recent episode (or current) manic, unspecified |



| Diagnosis code | Code description |
|----------------|---|
| 29641 | Bipolar I disorder, most recent episode (or current) manic, mild |
| 29642 | Bipolar I disorder, most recent episode (or current) manic, moderate |
| 29643 | Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior |
| 29644 | Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior |
| 29645 | Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission |
| 29646 | Bipolar I disorder, most recent episode (or current) manic, in full remission |
| 2965 | Bipolar i disorder, cur epis depressed |
| 29650 | Bipolar I disorder, most recent episode (or current) depressed, unspecified |
| 29651 | Bipolar I disorder, most recent episode (or current) depressed, mild |
| 29652 | Bipolar I disorder, most recent episode (or current) depressed, moderate |
| 29653 | Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior |
| 29654 | Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior |
| 29655 | Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission |
| 29656 | Bipolar I disorder, most recent episode (or current) depressed, in full remission |
| 2966 | Bipolar i disorder, mixed |
| 29660 | Bipolar I disorder, most recent episode (or current) mixed, unspecified |
| 29661 | Bipolar I disorder, most recent episode (or current) mixed, mild |
| 29662 | Bipolar I disorder, most recent episode (or current) mixed, moderate |
| 29663 | Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior |
| 29664 | Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior |
| 29665 | Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission |
| 29666 | Bipolar I disorder, most recent episode (or current) mixed, in full remission |
| 2967 | Bipolar I disorder, most recent episode (or current) unspecified |
| 2968 | Other & unspecified bipolar disorders |
| 29680 | Bipolar disorder, unspecified |
| 29681 | Atypical manic disorder |
| 29682 | Atypical depressive disorder |
| 29689 | Other bipolar disorders |
| 2969 | Other & unspec episodic mood disorder |
| 29690 | Unspecified episodic mood disorder |
| 29699 | Other specified episodic mood disorder |
| 30113 | Cyclothymic disorder |
| F0633 | Mood disorder due to known physiological condition with manic features |
| F0634 | Mood disorder due to known physiological condition with mixed features |



| Diagnosis code | Code description |
|----------------|---|
| F3010 | Manic episode without psychotic symptoms, unspecified |
| F3011 | Manic episode without psychotic symptoms, mild |
| F3012 | Manic episode without psychotic symptoms, moderate |
| F3013 | Manic episode, severe, without psychotic symptoms |
| F302 | Manic episode, severe with psychotic symptoms |
| F303 | Manic episode in partial remission |
| F304 | Manic episode in full remission |
| F308 | Other manic episodes |
| F309 | Manic episode, unspecified |
| F310 | Bipolar disorder, current episode hypomanic |
| F3110 | Bipolar disorder, current episode manic without psychotic features, unspecified |
| F3111 | Bipolar disorder, current episode manic without psychotic features, mild |
| F3112 | Bipolar disorder, current episode manic without psychotic features, moderate |
| F3113 | Bipolar disorder, current episode manic without psychotic features, severe |
| F312 | Bipolar disorder, current episode manic severe with psychotic features |
| F3130 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| F3131 | Bipolar disorder, current episode depressed, mild |
| F3132 | Bipolar disorder, current episode depressed, moderate |
| F314 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| F315 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| F3160 | Bipolar disorder, current episode mixed, unspecified |
| F3161 | Bipolar disorder, current episode mixed, mild |
| F3162 | Bipolar disorder, current episode mixed, moderate |
| F3163 | Bipolar disorder, current episode mixed, severe, without psychotic features |
| F3164 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| F3170 | Bipolar disorder, currently in remission, most recent episode unspecified |
| F3171 | Bipolar disorder, in partial remission, most recent episode hypomanic |
| F3172 | Bipolar disorder, in full remission, most recent episode hypomanic |
| F3173 | Bipolar disorder, in partial remission, most recent episode manic |
| F3174 | Bipolar disorder, in full remission, most recent episode manic |
| F3175 | Bipolar disorder, in partial remission, most recent episode depressed |
| F3176 | Bipolar disorder, in full remission, most recent episode depressed |
| F3177 | Bipolar disorder, in partial remission, most recent episode mixed |
| F3178 | Bipolar disorder, in full remission, most recent episode mixed |



| Diagnosis code | Code description |
|----------------|---|
| F3181 | Bipolar II disorder |
| F3189 | Other bipolar disorder |
| F319 | Bipolar disorder, unspecified |
| F340 | Cyclothymic disorder |
| 29381 | Psychotic disorder with delusions in conditions classified elsewhere |
| 29382 | Psychotic disorder with hallucinations in conditions classified elsewhere |
| 295 | Schizophrenic disorders |
| 2950 | Simple schizophrenia |
| 29500 | Simple type schizophrenia, unspecified |
| 29501 | Simple type schizophrenia, subchronic |
| 29502 | Simple type schizophrenia, chronic |
| 29503 | Simple type schizophrenia, subchronic with acute exacerbation |
| 29504 | Simple type schizophrenia, chronic with acute exacerbation |
| 29505 | Simple type schizophrenia, in remission |
| 2951 | Schizophrenic disorders-disorganized type |
| 29510 | Disorganized type schizophrenia, unspecified |
| 29511 | Disorganized type schizophrenia, subchronic |
| 29512 | Disorganized type schizophrenia, chronic |
| 29513 | Disorganized type schizophrenia, subchronic with acute exacerbation |
| 29514 | Disorganized type schizophrenia, chronic with acute exacerbation |
| 29515 | Disorganized type schizophrenia, in remission |
| 2952 | Catatonic schizophrenia |
| 29520 | Catatonic type schizophrenia, unspecified |
| 29521 | Catatonic type schizophrenia, subchronic |
| 29522 | Catatonic type schizophrenia, chronic |
| 29523 | Catatonic type schizophrenia, subchronic with acute exacerbation |
| 29524 | Catatonic type schizophrenia, chronic with acute exacerbation |
| 29525 | Catatonic type schizophrenia, in remission |
| 2953 | Paranoid schizophrenia |
| 29530 | Paranoid type schizophrenia, unspecified |
| 29531 | Paranoid type schizophrenia, subchronic |
| 29532 | Paranoid type schizophrenia, chronic |
| 29533 | Paranoid type schizophrenia, subchronic with acute exacerbation |
| 29534 | Paranoid type schizophrenia, chronic with acute exacerbation |



| Diagnosis code | Code description |
|----------------|--|
| 29535 | Paranoid type schizophrenia, in remission |
| 2954 | Schizophreniform disorder |
| 29540 | Schizophreniform disorder, unspecified |
| 29541 | Schizophreniform disorder, subchronic |
| 29542 | Schizophreniform disorder, chronic |
| 29543 | Schizophreniform disorder, subchronic with acute exacerbation |
| 29544 | Schizophreniform disorder, chronic with acute exacerbation |
| 29545 | Schizophreniform disorder, in remission |
| 2955 | Latent schizophrenia |
| 29550 | Latent schizophrenia, unspecified |
| 29551 | Latent schizophrenia, subchronic |
| 29552 | Latent schizophrenia, chronic |
| 29553 | Latent schizophrenia, subchronic with acute exacerbation |
| 29554 | Latent schizophrenia, chronic with acute exacerbation |
| 29555 | Latent schizophrenia, in remission |
| 2956 | Schizophreniform, residual type |
| 29560 | Schizophrenic disorders, residual type, unspecified |
| 29561 | Schizophrenic disorders, residual type, subchronic |
| 29562 | Schizophrenic disorders, residual type, chronic |
| 29563 | Schizophrenic disorders, residual type, subchronic with acute exacerbation |
| 29564 | Schizophrenic disorders, residual type, chronic with acute exacerbation |
| 29565 | Schizophrenic disorders, residual type, in remission |
| 2957 | Schizoaffective disorder |
| 29570 | Schizoaffective disorder, unspecified |
| 29571 | Schizoaffective disorder, subchronic |
| 29572 | Schizoaffective disorder, chronic |
| 29573 | Schizoaffective disorder, subchronic with acute exacerbation |
| 29574 | Schizoaffective disorder, chronic with acute exacerbation |
| 29575 | Schizoaffective disorder, in remission |
| 2958 | Schizophrenia NEC |
| 29580 | Other specified types of schizophrenia, unspecified |
| 29581 | Other specified types of schizophrenia, subchronic |
| 29582 | Other specified types of schizophrenia, chronic |
| 29583 | Other specified types of schizophrenia, subchronic with acute exacerbation |



| Diagnosis code | Code description |
|----------------|---|
| 29584 | Other specified types of schizophrenia, chronic with acute exacerbation |
| 29585 | Other specified types of schizophrenia, in remission |
| 2959 | Schizophrenia NOS |
| 29590 | Unspecified schizophrenia, unspecified |
| 29591 | Unspecified schizophrenia, subchronic |
| 29592 | Unspecified schizophrenia, chronic |
| 29593 | Unspecified schizophrenia, subchronic with acute exacerbation |
| 29594 | Unspecified schizophrenia, chronic with acute exacerbation |
| 29595 | Unspecified schizophrenia, in remission |
| 297 | Delusional disorders |
| 2970 | Paranoid state, simple |
| 2971 | Delusional disorder |
| 2972 | Paraphrenia |
| 2973 | Shared psychotic disorder |
| 2978 | Other specified paranoid states |
| 2979 | Unspecified paranoid state |
| 298 | OTH nonorganic psychoses |
| 2980 | Depressive type psychosis |
| 2981 | Excitative type psychosis |
| 2983 | Acute paranoid reaction |
| 2984 | Psychogenic paranoid psychosis |
| 2988 | Other and unspecified reactive psychosis |
| 2989 | Unspecified psychosis |
| 30122 | Schizotypal personality disorder |
| F060 | Psychotic disorder with hallucinations due to known physiological condition |
| F061 | Catatonic disorder due to known physiological condition |
| F062 | Psychotic disorder with delusions due to known physiological condition |
| F200 | Paranoid schizophrenia |
| F201 | Disorganized schizophrenia |
| F202 | Catatonic schizophrenia |
| F203 | Undifferentiated schizophrenia |
| F205 | Residual schizophrenia |
| F2081 | Schizophreniform disorder |
| F2089 | Other schizophrenia |



| Diagnosis code | Code description |
|----------------|--|
| F209 | Schizophrenia, unspecified |
| F21 | Schizotypal disorder |
| F22 | Delusional disorders |
| F23 | Brief psychotic disorder |
| F24 | Shared psychotic disorder |
| F250 | Schizoaffective disorder, bipolar type |
| F251 | Schizoaffective disorder, depressive type |
| F258 | Other schizoaffective disorders |
| F259 | Schizoaffective disorder, unspecified |
| F28 | Other psychotic disorder not due to a substance or known physiological condition |
| F29 | Unspecified psychosis not due to a substance or known physiological condition |
| F53 | Puerperal psychosis |
| F531 | Puerperal psychosis |
| 96110 | Developmental screening |
| 96111 | Developmental testing, (includes assessment of motor, language, social, adaptive, and/or cognitive functioning by standardized developmental instruments) with interpretation and report |
| H0004 | Behavioral health counseling and therapy, per 15 minutes |
| H0023 | Behavioral health outreach service (planned approach to reach a targeted population) |



CPT® is a registered trademark of the American Medical Association.