

# Mental health penetration measure billing codes

UnitedHealthcare Community Plan of Washington

The Washington State Department of Social and Health Services developed this mental health penetration measure to report the percentage of members with a need for mental health services who receive qualifying mental health services in the measurement year.

When a member has a **mental health service need**, you can help improve member outcomes on this measure by using the appropriate billing code when delivering a **qualifying mental health service**.



## A mental health service need is when the patient is:

- Diagnosed with mental illness
- Prescribed psychotropic medication
- Receiving qualifying mental health services



## You deliver a qualifying mental health service when the patient:

- Is receiving specified outpatient services
- Is receiving management of a mental health condition in primary care setting



## Closing the measure

- Provide mental health treatment after a mental health diagnosis, even during treatment for non-mental health care
- If you don't provide mental health services to the patient after a related diagnosis, refer them to a qualified behavioral health provider
  - We can help you with referrals or coordination of care – call us at the behavioral health number on the member's ID card or search for a local behavioral health care professional at [UHCprovider.com/findprovider](https://UHCprovider.com/findprovider)
- For this measure, prescribing psychotropic medications doesn't count as mental health treatment



## Eligible billing codes

To help you understand how the state is using billing codes to track that a **qualifying mental health service** is being delivered, we're including 5 sample scenarios from the state based on the types of services being delivered. The codes for the services that are eligible and included in this measure are listed in:

- Appendix A (taxonomy codes)
- Appendix B (procedure codes: MCG 4947)
- Appendix C (procedure codes: Proc3 MCG 3117)
- Appendix D (diagnosis codes: MI-diagnosis 7MCG)

**SCENARIO 1**

Receipt of an outpatient service with 1 of the following procedure codes

**Outpatient visit codes**

<b>CPT®/CPT II</b>	90785, 90791-92, 90832-34, 90836-40, 90845-47, 90849, 90853, 90857, 90863, 90875, 90899, 96101-03, 96116, 96118-21, 96127, 96130-33, 96136-39, 99354-55
<b>HCPCS</b>	H0031-32, H0035-40, H1011, H2011-28, H2030-31, H2033, Q5008, S9480, S9482, S9484-85, T1025-26, T2038, T2048

**SCENARIO 2**

Receipt of an outpatient service with 1 of the following servicing provider taxonomy codes **AND** one of the following procedure codes **AND** 1 of the following primary diagnosis codes

**Applicable codes**

<b>Taxonomy codes</b>	See "Appendix A" for the full list of applicable servicing provider taxonomy codes
<b>Procedure codes</b>	See "Appendix B" and "Appendix C" for the full list of applicable procedure codes
<b>MH diagnosis codes</b>	See "Appendix D" for the full list of applicable diagnosis codes

**SCENARIO 3**

Receipt of an outpatient service with 1 of the following procedure codes **AND** any of the following diagnosis codes (does not need to be primary)

**Outpatient visits**

<b>Procedure codes</b>	96110, 96111, H0004, H0023
<b>Diagnosis codes</b>	See "Appendix D" for the full list of applicable diagnosis codes

**SCENARIO 4**

Receipt of an outpatient service with 1 of the following taxonomy codes **AND** any diagnosis code in the MH-diagnosis value set

**Applicable codes**

<b>Taxonomy codes</b>	See "Appendix A" for the full list of applicable servicing provider taxonomy codes
<b>Procedure codes</b>	99211-99215
<b>Diagnosis codes</b>	See "Appendix D" for the full list of applicable diagnosis codes

**SCENARIO 5**

Receipt of an outpatient service with 1 of the following procedure codes **AND** a primary diagnosis code in the MH-diagnosis value set

**Outpatient visits**

<b>Procedure codes</b>	See "Appendix C" for the full list of applicable procedure codes
<b>Diagnosis codes</b>	See "Appendix D" for the full list of applicable diagnosis codes

## Appendix A

### Taxonomy codes from the Washington State Department of Social and Health Services

Taxonomy code	Code description
101Y00000X	A provider who is trained and educated in the performance of behavior health services through interpersonal communications and analysis. Training and education at the specialty level usually requires a master's degree and clinical experience and supervision for licensure or certification.
101Y99999L	Counselors with licensure not recognized under FFS
101YM0800X	Definition pending state update
101YP1600X	Definition pending state update
101YP2500X	Definition pending state update
101YS0200X	Definition pending state update
102L00000X	Psychoanalysis is a comprehensive, theoretical framework which, when applied to a treatment process, consists of an intensive verbal, therapeutic relationship between an analyst and an analysand, which aims for symptom relief, emotional growth and personal integration. The psychoanalytic treatment process includes, but is not limited to, the recognition of unconscious processes and conflicts; the significance of developmental influences; and the impact of resistances, defenses, transference and countertransference phenomena. Treatment is enhanced by an understanding developed in the analyst's training and personal analysis of unconscious manifestations, such as dreams, slips of the tongue, fantasies and day dreams. Psychoanalytic technique varies in relation to theoretical orientation.
103G00000X	A clinical psychologist who applies principles of assessment and intervention based upon the scientific study of human behavior as it relates to normal and abnormal functioning of the central nervous system. The specialty is dedicated to enhancing the understanding of brain-behavior relationships and the application of such knowledge to human problems.
103GC0700X	Behavioral health & social service providers – clinical neuropsychologist – clinical
103K00000X	A behavior analyst is qualified by at least a master's degree and Behavior Analyst Certification Board certification and/or a state-issued credential (such as a license) to practice behavior analysis independently. Behavior analysts provide the required supervision to assistant behavior analysts and behavior technicians. A behavior analyst delivers services consistent with the dimensions of applied behavior analysis. Common services may include, but are not limited to, conducting behavioral assessments, analyzing data, writing and revising behavior-analytic treatment plans, training others to implement components of treatment plans, and overseeing implementation of treatment plans.
103T00000X	A psychologist is an individual who is licensed to practice psychology, which is defined as the observation, description, evaluation, interpretation and modification of human behavior by the application of psychological principles, methods and procedures, for the purpose of preventing or eliminating symptomatic, maladaptive or undesired behavior and of enhancing interpersonal relationships, work and life adjustment, personal effectiveness, behavioral health and mental health. The practice of psychology includes, but is not limited to, psychological testing and the evaluation or assessment of personal characteristics, such as intelligence, personality, abilities, interests, aptitudes and neuropsychological functioning; counseling, psychoanalysis, psychotherapy, hypnosis, biofeedback and behavior analysis and therapy; diagnosis and treatment of mental and emotional disorder or disability, alcoholism and substance abuse, disorders of habit or conduct, as well as of the psychological aspects of physical illness, accident, injury, or disability; and psych-educational evaluation, therapy, remediation and consultation. Psychological services may be rendered to individuals, families, groups and the public.

Taxonomy code	Code description
103TA0700X	A psychologist who specializes in geropsychology, which applies the knowledge and methods of psychology to understanding and helping older persons and their families to maintain well-being, overcome problems and achieve maximum potential during later life. Professional geropsychology appreciates the wide diversity among older adults, the complex ethical issues that can arise in geriatric practice and the importance of interdisciplinary models of care.
103TB0200X	A psychologist who reflects an experimental-clinical approach distinguished by use of principles of human learning and development and theories of cognitive processing to promote meaningful change in maladaptive human behavior and thinking.
103TC0700X	A psychologist who provides continuing and comprehensive mental and behavioral health care for individuals and families; consultation to agencies and communities; training, education and supervision; and research-based practice. It is a specialty in breadth – one that is broadly inclusive of severe psychopathology – and marked by comprehensiveness and integration of knowledge and skill from a broad array of disciplines within and outside of psychology proper. The scope of clinical psychology encompasses all ages, multiple diversities and varied systems.
103TC1900X	A psychologist who specializes in general practice and health service. It focuses on how people function both personally and in their relationships at all ages. Counseling psychology addresses the emotional, social, work, school and physical health concerns people may have at different stages in their lives, focusing on typical life stresses and more severe issues with which people may struggle as individuals and as a part of families, groups and organizations. Counseling psychologists help people with physical, emotional and mental health issues improve their sense of well-being, alleviate feelings of distress and resolve crises. They also provide assessment, diagnosis and treatment of more severe psychological symptoms.
103TC2200X	A psychologist who develops and applies scientific knowledge to the delivery of psychological services to infants, toddlers, children and adolescents within their social context. Of particular importance to the specialty of clinical child psychology is an understanding of the basic psychological needs of children and adolescents, and how the family and other social contexts influence the socio-emotional adjustment, cognitive development, behavioral adaptation and health status of children and adolescents.
103TE1000X	Behavioral health & social service providers – psychologist – educational
103TF0000X	A psychologist whose specialty is founded on principles of systems theory with the interpersonal system of the family the focus of assessment, intervention and research.
103TF0200X	A psychologist whose specialty is characterized by activities primarily intended to provide professional psychological expertise within the judicial and legal systems.
103TH0004X	A psychologist who specializes in clinical health psychology that investigates and implements clinical services across diverse populations and settings to promote health and well-being and to prevent, treat, and manage illness and disability. Clinical health psychology sees health as the confluence of psychological, social, cultural and biological factors, and applies this understanding to professional activities including: Research clinical service, consulting with, educating and supervising other health care providers and psychologists, Advising organizations, institutions, the public and policymakers.
103TH0100X	A psychologist, certified/licensed at the independent practice level in his/her state, who is duly trained and experienced in the delivery of direct, preventative, assessment and therapeutic intervention services to individuals whose growth, adjustment or functioning is actually impaired or is demonstrably at high risk of impairment (1974).
103TM1700X	Behavioral health & social service providers – psychologist – men & masculinity
103TM1800X	Definition pending state update

Taxonomy code	Code description
103TP0016X	A licensed, doctoral-level psychologist authorized to prescribe and has undergone specialized education and training in preparation for prescriptive practice and has passed an examination accepted by the state board of psychology relevant to establishing competence for prescribing and has received from the state board of psychology a current certificate granting prescriptive authority, which has not been revoked or suspended.
103TP0814X	A psychologist whose specialty is distinguished from other specialties by its body of knowledge and its intensive treatment approaches. It aims at structural changes and modifications of a person's personality. Psychoanalysis promotes awareness of unconscious, maladaptive and habitually recurrent patterns of emotion and behavior, allowing previously unconscious aspects of the self to become integrated and promoting optimal functioning, healing and creative expression.
103TP2700X	Behavioral health & social service providers – psychologist – psychotherapy
103TR0400X	A psychologist who specializes in the study and application of psychological principles on behalf of persons who have disability due to injury or illness. Rehabilitation psychologists, often within teams, assess and treat cognitive, emotional and functional difficulties, and help people to overcome barriers to participation in life activities. Rehabilitation psychologists are involved in practice, research and advocacy, with the broad goal of fostering independence and opportunity for people with disabilities.
103TS0200X	A psychologist whose specialty is concerned with the science and practice of psychology with children, youth, families; learners of all ages; and the schooling process. The basic education and training of school psychologists prepares them to provide a range of psychological diagnosis, assessment, intervention, prevention, health promotion, and program development and evaluation services with a special focus on the developmental processes of children and youth within the context of schools, families and other systems. School psychologists are prepared to intervene at the individual and system level, and develop, implement and evaluate preventive programs. In these efforts, they conduct ecologically valid assessments and intervene to promote positive learning environments within which children and youth from diverse backgrounds to ensure that all have equal access to effective educational and psychological services that promote healthy development.
103TW0100X	Behavioral health & social service providers – psychologist – women
104100000X	A social worker is a person who is qualified by a social work degree, and licensed, certified or registered by the state as a social worker to practice within the scope of that license. A social worker provides assistance and counseling to clients and their families who are dealing with social, emotional and environmental problems. Social work services may be rendered to individuals, families, groups and the public.
104199999L	Social workers with licensure not recognized under FFS
1041C0700X	A social worker who holds a master's or doctoral degree in social work from an accredited school of social work in addition to at least 2 years of post-master's supervised experience in a clinical setting. The social worker must be licensed, certified or registered at the clinical level in the jurisdiction of practice. A clinical social worker provides direct services, including interventions focused on interpersonal interactions, intrapsychic dynamics and life management issues. Clinical social work services are based on bio-psychosocial perspectives. Services consist of assessment, diagnosis, treatment (including psychotherapy and counseling), client-centered advocacy, consultation, evaluation, and prevention of mental illness, emotional or behavioral disturbances.
1041S0200X	Definition pending state update

Taxonomy code	Code description
<b>106E00000X</b>	An assistant behavior analyst is qualified by Behavior Analyst Certification Board certification and/or a state-issued license or credential in behavior analysis to practice under the supervision of an appropriately credentialed professional behavior analyst. An assistant behavior analyst delivers services consistent with the dimensions of applied behavior analysis and supervision requirements defined in state laws or regulations and/or national certification standards. Common services may include, but are not limited to, conducting behavioral assessments, analyzing data, writing behavior-analytic treatment plans, training and supervising others in implementation of components of treatment plans and direct implementation of treatment plans.
<b>106H00000X</b>	A marriage and family therapist is a person with a master's degree in marriage and family therapy, or a master's or doctoral degree in a related mental health field with substantially equivalent coursework in marriage and family therapy, who receives supervised clinical experience, or a person who meets the state requirements to practice as a marriage and family therapist. A marriage and family therapist treats mental and emotional disorders within the context of marriage and family systems. A marriage and family therapist provides mental health and counseling services to individuals, couples, families and groups.
<b>106H99999L</b>	Marriage and family therapists with licensure not recognized under FFS
<b>106S00000X</b>	The behavior technician is a paraprofessional who practices under the close, ongoing supervision of a behavior analyst or assistant behavior analyst certified by the Behavior Analyst Certification Board and/or credentialed by a state (such as through licensure). The behavior technician is primarily responsible for the implementation of components of behavior-analytic treatment plans developed by the supervisor. That may include collecting data on treatment targets and conducting certain types of behavioral assessments (e.g., stimulus preference assessments). The behavior technician does not design treatment or assessment plans or procedures but provides services as assigned by the supervisor responsible for his or her work.
<b>163WP0807X</b>	Definition pending state update
<b>163WP0808X</b>	Definition pending state update
<b>163WP0809X</b>	Definition pending state update
<b>167G00000X</b>	An individual licensed by the state board as a psychiatric technician based upon completion of a prescribed course of theory and clinical practice, with two-thirds of the clinical practice time focused on mental and developmental disorders. The psychiatric technician practices under the direct supervision of a physician, psychologist, registered nurse or other professional to provide care to patients with mental disorders and developmental disabilities.
<b>1835P1300X</b>	A licensed pharmacist who has demonstrated specialized knowledge and skill in optimizing care of patients with psychiatric illness by assessing and monitoring patients, recognizing drug-induced problems and recommending appropriate treatment plans.
<b>2080P0006X</b>	A developmental-behavioral specialist is a pediatrician with special training and experience who aims to foster understanding and promotion of optimal development of children and families through research, education, clinical care and advocacy efforts. This physician assists in the prevention, diagnosis, and management of developmental difficulties and problematic behaviors in children and in the family dysfunctions that compromise children's development.
<b>2084A0401X</b>	A doctor of osteopathy board eligible/certified in the field of psychiatry by the American Osteopathic Board of Neurology and Psychiatry is able to obtain a Certificate of Added Qualifications in the field of addiction medicine.
<b>2084B0040X</b>	Behavioral neurology and neuropsychiatry is a medical subspecialty involving the diagnosis and treatment of neurologically based behavioral issues.

Taxonomy code	Code description
2084F0202X	Forensic psychiatry is a subspecialty with psychiatric focus on interrelationships with civil, criminal and administrative law, evaluation and specialized treatment of individuals involved with the legal system, incarcerated in jails, prisons and forensic psychiatry hospitals.
2084N0400X	A neurologist specializes in the diagnosis and treatment of diseases or impaired function of the brain, spinal cord, peripheral nerves, muscles, autonomic nervous system and blood vessels that relate to these structures.
2084N0402X	A child neurologist specializes in neurology with special skills in diagnosis and treatment of neurologic disorders of the neonatal period, infancy, early childhood and adolescence.
2084N0600X	Clinical neurophysiology is a subspecialty with psychiatric or neurologic expertise in the diagnosis and management of central, peripheral and autonomic nervous system disorders using combined clinical evaluation and electrophysiologic testing such as electroencephalography (EEG), electromyography (EMG) and nerve conduction studies (NCS).
2084P0015X	Psychosomatic medicine is a subspecialty in the diagnosis and treatment of psychiatric disorders and symptoms in complex medically ill patients. This subspecialty includes treatment of patients with acute or chronic medical, neurological, obstetrical or surgical illness in which psychiatric illness is affecting their medical care and/or quality of life such as HIV infection, organ transplantation, heart disease, renal failure, cancer, stroke, traumatic brain injury, high-risk pregnancy and COPD, among others. Patients also may be those who have a psychiatric disorder that is the direct consequence of a primary medical condition, or a somatoform disorder or psychological factors affecting a general medical condition. Psychiatrists specializing in psychosomatic medicine provide consultation-liaison services in general medical hospitals, attend on medical psychiatry inpatient units, and provide collaborative care in primary care and other outpatient settings.
2084P0301X	A brain injury medicine physician specializes in disorders of brain function due to injury and disease. These disorders encompass a range of medical, physical, neurologic, cognitive, sensory and behavioral disorders that result in psychosocial, educational and vocational consequences.
2084P0800X	A psychiatrist specializes in the prevention, diagnosis and treatment of mental disorders, emotional disorders, psychotic disorders, mood disorders, anxiety disorders, substance-related disorders, sexual and gender identity disorders and adjustment disorders. Biologic, psychological and social components of illnesses are explored and understood in treatment of the whole person. Tools used may include diagnostic laboratory tests, prescribed medications, evaluation and treatment of psychological and interpersonal problems with individuals and families, and intervention for coping with stress, crises and other problems.
2084P0802X	Addiction psychiatry is a subspecialty of psychiatry that focuses on evaluation and treatment of individuals with alcohol, drug, or other substance-related disorders, and of individuals with dual diagnosis of substance-related and other psychiatric disorders.
2084P0804X	Child and adolescent psychiatry is a subspecialty of psychiatry with additional skills and training in the diagnosis and treatment of developmental, behavioral, emotional and mental disorders of childhood and adolescence.
2084P0805X	Geriatric psychiatry is a subspecialty with psychiatric expertise in prevention, evaluation, diagnosis and treatment of mental and emotional disorders in the elderly, and improvement of psychiatric care for healthy and ill elderly patients.
2084P2900X	A neurologist, child neurologist or psychiatrist who provides a high level of care, either as a primary physician or consultant, for patients experiencing problems with acute, chronic or cancer pain in both hospital and ambulatory settings. Patient care needs may also be coordinated with other specialists.

Taxonomy code	Code description
<b>2084S0012X</b>	A psychiatrist or neurologist who practices sleep medicine is certified in the subspecialty of sleep medicine and specializes in the clinical assessment, physiologic testing, diagnosis, management and prevention of sleep and circadian rhythm disorders. Sleep specialists treat patients of any age and use multidisciplinary approaches. Disorders managed by sleep specialists include, but are not limited to, sleep-related breathing disorders, insomnia, hypersomnia, circadian rhythm sleep disorders, parasomnias and sleep-related movement disorders.
<b>2084V0102X</b>	Vascular neurology is a subspecialty in the evaluation, prevention, treatment and recovery from vascular diseases of the nervous system. This subspecialty includes the diagnosis and treatment of vascular events of arterial or venous origin from a large number of causes that affect the brain or spinal cord such as ischemic stroke, intracranial hemorrhage, spinal cord ischemia and spinal cord hemorrhage.
<b>225XM0800X</b>	Occupational therapists provide treatment for people recovering from a mental or physical illness to regain their independence and stability and to engage in normal daily occupations (work, home, family life, school, leisure). Occupational therapists provide particular emphasis on interventions that result in improved quality of life and decrease hospitalization.
<b>251S00000X</b>	A private or public agency usually under local government jurisdiction, responsible for assuring the delivery of community based mental health, intellectual disabilities, substance abuse and/or behavioral health services to individuals with those disabilities. Services may range from companion care, respite, transportation, community integration, crisis intervention and stabilization, supported employment, day support, prevocational services, residential support, therapeutic and supportive consultation, environmental modifications, intensive in-home therapy and day treatment, in addition to traditional mental health and behavioral treatment.
<b>261QM0801X</b>	Definition pending state update
<b>261QM0850X</b>	An entity, facility or distinct part of a facility providing diagnostic, treatment and prescriptive services related to mental and behavioral disorders in adults.
<b>261QM0855X</b>	An entity, facility or distinct part of a facility providing diagnostic, treatment and prescriptive services related to mental and behavioral disorders in children and adolescents. Services may be provided to parents and family members of the patient in the form of conjoint, group or individual therapy and education and/or training.
<b>273R00000X</b>	In general, a distinct unit of a hospital that provides acute or long-term care to emotionally disturbed patients, including patients admitted for diagnosis and those admitted for treatment of psychiatric problems on the basis of physicians' orders and approved nursing care plans. Long-term care may include intensive supervision to the chronically mentally ill, mentally disordered or other mentally incompetent persons; (2) For Medicare, a distinct part of a general acute care hospital admitting only patients whose admission to the unit is required for active treatment, whose treatment is of an intensity that can be provided only in an inpatient hospital setting, and whose condition is described by a psychiatric principal diagnosis contained in the Third Edition of the American Psychiatric Association Diagnostic and Statistical Manual or in Chapter 5 (Mental Disorders) of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM). The unit must furnish, through the use of qualified personnel, psychological services, social work services, psychiatric nursing, occupational therapy and recreational therapy. The unit must maintain medical records that permit determination of the degree and intensity of treatment provided to individuals who are furnished services in the unit; the unit must meet special staff requirements in that the unit must have adequate numbers of qualified professional and supportive staff to evaluate inpatients, formulate written, individualized, comprehensive treatment plans, provide active treatment measures and engage in discharge planning.
<b>283Q00000X</b>	An organization including a physical plant and personnel that provides multidisciplinary diagnostic and treatment mental health services to patients requiring the safety, security and shelter of the inpatient or partial hospitalization settings.



Taxonomy code	Code description
<b>3104A0625X</b>	A facility providing supportive services to individuals who can function independently in most areas of activity, but need special guidance, assistance and/or monitoring as the result of a psychiatric problem. This type of facility requires a staff with special training in mental health training and dealing with psychiatric emergencies.
<b>3104A0630X</b>	A facility providing supportive services to individuals who can function independently in most areas of activity but exhibit abnormal behavioral responses and habits and therefore need special guidance, assistance and/or monitoring to assure safety and well-being. This type of facility requires a staff with special training in dealing with and redirecting negative, violent or destructive behaviors.
<b>310500000X</b>	A nursing facility that provides an intermediate level of nursing care to individuals whose functional abilities are significantly compromised by mental illness.
<b>320800000X</b>	A home-like residential facility providing psychiatric treatment and psycho/social rehabilitative services to individuals diagnosed with mental illness.
<b>323P00000X</b>	A residential treatment facility (RTF) is a facility or distinct part of a facility that provides to children and adolescents, a total, 24-hour, therapeutically planned group living and learning situation where distinct and individualized psychotherapeutic interventions can take place. Residential treatment is a specific level of care to be differentiated from acute, intermediate and long-term hospital care, when the least restrictive environment is maintained to allow for normalization of the patient's surroundings. The RTF must be both physically and programmatically distinct if it is a part or sub-unit of a larger treatment program. An RTF is organized and professionally staffed to provide residential treatment of mental disorders to children and adolescents who have sufficient intellectual potential to respond to active treatment (that is, for whom it can reasonably be assumed that treatment of the mental disorder will result in an improved ability to function outside the RTF) for whom outpatient treatment, partial hospitalization or protected and structured environment is medically or psychologically necessary.
<b>363LP0808X</b>	Definition pending state update
<b>364SP0807X</b>	Definition pending state update
<b>364SP0808X</b>	Definition pending state update
<b>364SP0809X</b>	Definition pending state update
<b>364SP0810X</b>	Definition pending state update
<b>364SP0811X</b>	Definition pending state update
<b>364SP0812X</b>	Definition pending state update
<b>364SP0813X</b>	Definition pending state update
<b>385HR2055X</b>	A facility or distinct part of a facility that provides short-term, residential care to children, diagnosed with mental illness, as respite for the regular caregivers.

## Appendix B

Procedure codes (MCG 4947) from the Washington State Department of Social and Health Services

Procedure code	Code description
20552	Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)
36415	Insertion of needle into vein for collection of blood sample
36416	Collection of capillary blood specimen (e.g., finger, heel, ear stick)
64405	Injection of anesthetic agent and/or steroid into greater occipital nerve of upper neck and back of head
70551	Magnetic resonance (e.g., proton) imaging, brain (including brain stem); without contrast material
70553	Magnetic resonance (e.g., proton) imaging, brain (including brain stem); without contrast material, followed by contrast material(s) and further sequences
80048	Blood test, basic group of blood chemicals (calcium, total)
80050	General health panel
80053	Blood test, comprehensive group of blood chemicals
80061	Blood test, lipids (cholesterol and triglycerides)
80076	Liver function blood test panel
80364	Opioids levels, 5 or more
81001	Manual urinalysis test with examination using microscope, automated
81002	Urinalysis, manual test
81003	Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, ph, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy
81025	Urine pregnancy test, by visual color comparison methods
82150	Amylase
82306	Vitamin D; 25 hydroxy, includes fraction(s), if performed
82570	Creatinine; other source
82607	Cyanocobalamin (vitamin B-12);
82746	Folic acid level, serum
82947	Glucose; quantitative, blood (except reagent strip)
82962	Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use
83036	Hemoglobin; glycosylated (A1C)
83037	Hemoglobin A1C level, by device for home use
83540	Iron
83550	Iron binding capacity
83655	Lead
83690	Lipase
83721	Lipoprotein, direct measurement; LDL cholesterol
84146	Prolactin
84436	Thyroxine (thyroid chemical), total
84439	Thyroxine (thyroid chemical), free

Procedure code	Code description
84443	Blood test, thyroid stimulating hormone (TSH)
84480	Thyroid hormone, T3 measurement, total
84481	Thyroid hormone, T3 measurement, free
85025	Complete blood cell count (red cells, white blood cell, platelets), automated test and automated differential white blood cell count
85027	Complete blood cell count (red cells, white blood cell, platelets), automated test
85610	Blood test, clotting time
85651	Red blood cell sedimentation rate, to detect inflammation, non-automated
86140	C-reactive protein;
86580	Skin test; tuberculosis, intradermal
90471	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)
90472	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (list separately in addition to code for primary procedure)
90649	Vaccine for human papilloma virus quadrivalent (3-dose schedule) injection into muscle
90651	Vaccine for human papilloma virus nonavalent (3-dose schedule) injection into muscle
90656	Vaccine for influenza for administration into muscle, 0.5 ml dosage, preservative free
90658	Vaccine for influenza for administration into muscle, 0.5 ml dosage
90660	Vaccine for influenza for nasal administration
90672	Vaccine for influenza for nasal administration, quadrivalent
90686	Vaccine for influenza for administration into muscle, 0.5 ml dosage, quadrivalent, preservation free
90688	Vaccine for influenza for administration into muscle, 0.5 ml dosage, quadrivalent
90746	Vaccine for hepatitis B adult dosage (3-dose schedule) injection into muscle
90868	Transcranial magnetic stimulation treatment (stimulates nerve cells in brain to improve symptoms of depression), subsequent delivery and management, per session
90870	Electroconvulsive therapy (includes necessary monitoring)
90882	Environmental intervention for management of medical conditions
90885	Psychiatric evaluation of hospital records, reports, testing, or data for diagnosis
90887	Explanation of psychiatric, medical examinations, procedures and data to other than patient
90901	Biofeedback training by any modality
93000	Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report
93005	Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report
93010	Electrocardiogram, routine ECG with at least 12 leads; interpretation and report only
95810	Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a technologist
95812	Measurement of brain wave (EEG) activity, 41–60 minutes
95813	Measurement of brain wave activity (EEG) extended monitoring, 61–119 minutes
95816	Measurement and recording of brain wave (EEG) activity, awake and drowsy

Procedure code	Code description
95819	Measurement and recording of brain wave (EEG) activity, awake and asleep
95822	Measurement and recording of brain wave (EEG) activity, in coma or asleep
95957	Digital analysis of electroencephalogram (EEG) (e.g., for epileptic spike analysis)
97803	Medical nutrition therapy re-assessment and intervention, each 15 minutes
99000	Handling and/or conveyance of specimen for transfer from the office to a laboratory
99080	Special reports such as insurance forms, more than the information conveyed in the usual medical communications or standard reporting form
99217	Hospital observation care on day of discharge
99218	Hospital observation care, typically 30 minutes
99219	Hospital observation care, typically 50 minutes
99220	Hospital observation care, typically 70 minutes
99221	Initial hospital inpatient care, typically 30 minutes per day
99222	Initial hospital inpatient care, typically 50 minutes per day
99223	Initial hospital inpatient care, typically 70 minutes per day
99224	Subsequent observation care, typically 15 minutes per day
99225	Subsequent observation care, typically 25 minutes per day
99226	Subsequent observation care, typically 35 minutes per day
99231	Subsequent hospital inpatient care, typically 15 minutes per day
99232	Subsequent hospital inpatient care, typically 25 minutes per day
99233	Subsequent hospital inpatient care, typically 35 minutes per day
99234	Hospital observation or inpatient care low severity, 40 minutes per day
99235	Hospital observation or inpatient care moderate severity, 50 minutes per day
99236	Hospital observation or inpatient care high severity, 55 minutes per day
99238	Hospital discharge day management, 30 minutes or less
99239	Hospital discharge day management, more than 30 minutes
99281	Emergency department visit, self limited or minor problem
99282	Emergency department visit, low to moderately severe problem
99283	Emergency department visit, moderately severe problem
99284	Emergency department visit, problem of high severity
99285	Emergency department visit, problem with significant threat to life or function
99291	Critical care delivery critically ill or injured patient, first 30–74 minutes
99315	Nursing facility discharge day management, 30 minutes or less
99316	Nursing facility discharge management, more than 30 minutes
99356	Prolonged inpatient or observation hospital service, first hour
99357	Prolonged inpatient or observation hospital service each 30 minutes beyond first hour

Procedure code	Code description
99367	Medical team conference with physician, 30 minutes or more
99393	Established patient periodic preventive medicine examination, age 5 through 11 years
99402	Preventive medicine counseling, approximately 30 minutes
99404	Preventive medicine counseling, approximately 60 minutes
99408	Alcohol and/or substance abuse screening and intervention, 15–30 minutes
99409	Alcohol and/or substance abuse screening and intervention, greater than 30 minutes
99490	Chronic care management services, first 20 minutes of clinical staff time per calendar month
G0177	Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more)
G0408	Follow-up inpatient telehealth consultation, complex, physicians typically spend 35 minutes or more communicating with the patient via telehealth
G0467	Federally qualified health center (FQHC) visit, established patient; a medically necessary, face-to-face encounter (1-on-1) between an established patient and a FQHC practitioner during which time 1 or more FQHC services are rendered and includes a typical bundle of Medicare-covered services that would be furnished per diem to a patient receiving a FQHC visit
G0469	Federally qualified health center (FQHC) visit, mental health, new patient; a medically necessary, face-to-face mental health encounter (1-on-1) between a new patient and a FQHC practitioner during which time 1 or more FQHC services are rendered and includes a typical bundle of Medicare-covered services that would be furnished per diem to a patient receiving a mental health visit
G0470	Federally qualified health center (FQHC) visit, mental health, established patient; a medically necessary, face-to-face mental health encounter (1-on-1) between an established patient and a FQHC practitioner during which time 1 or more FQHC services are rendered and includes a typical bundle of Medicare-covered services that would be furnished per diem to a patient receiving a mental health visit
G0481	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8–14 drug class(es), including metabolite(s) if performed
H0001	Alcohol and/or drug assessment
H0002	Behavioral health screening to determine eligibility for admission to treatment program
J0401	Injection, aripiprazole, extended release, 1 mg
J0585	Injection, onabotulinumtoxin, 1 unit
J1050	Injection, medroxyprogesterone acetate, 1 mg
J2426	Injection, paliperidone palmitate extended release, 1 mg
J2794	Injection, risperidone (risperdal consta), 0.5 mg
Q3014	Telehealth originating site facility fee
S5111	Home care training, family; per session
T1013	Sign language or oral interpretive services, per 15 minutes
T1015	Clinic visit/encounter, all-inclusive
T1017	Targeted case management, each 15 minutes

## Appendix C

Procedure codes (Proc3 MCG 3117) from the Washington State Department of Social and Health Services

Procedure code	Code description
96372	Injection beneath the skin or into muscle for therapy, diagnosis, or prevention
97530	Therapeutic activities to improve function, with 1-on-1 contact between patient and provider, each 15 minutes
98966	Telephone assessment and management service, 5–10 minutes of medical discussion
98967	Telephone assessment and management service, 11–20 minutes of medical discussion
98968	Telephone assessment and management service, 21–30 minutes of medical discussion
99202	New patient outpatient visit, total time 15–29 minutes
99203	New patient outpatient visit, total time 30–44 minutes
99204	New patient outpatient visit, total time 45–59 minutes
99205	New patient outpatient visit, total time 60–74 minutes
99211	Established patient outpatient visit, minimal presenting problem
99212	Established patient outpatient visit, total time 10–19 minutes
99213	Established patient outpatient visit, total time 20–29 minutes
99214	Established patient outpatient visit, total time 30–39 minutes
99215	Established patient outpatient visit, total time 40–54 minutes
99241	Patient office consultation, typically 15 minutes
99242	Patient office consultation, typically 30 minutes
99243	Patient office consultation, typically 40 minutes
99244	Patient office consultation, typically 60 minutes
99245	Patient office consultation, typically 80 minutes
99251	Inpatient hospital consultation, typically 20 minutes
99252	Inpatient hospital consultation, typically 40 minutes
99253	Inpatient hospital consultation, typically 55 minutes
99254	Inpatient hospital consultation, typically 80 minutes
99255	Inpatient hospital consultation, typically 110 minutes
99304	Initial nursing facility visit, typically 25 minutes per day
99305	Initial nursing facility visit, typically 35 minutes per day
99306	Initial nursing facility visit, typically 45 minutes per day
99307	Subsequent nursing facility visit, typically 10 minutes per day
99308	Subsequent nursing facility visit, typically 15 minutes per day
99309	Subsequent nursing facility visit, typically 25 minutes per day
99310	Subsequent nursing facility visit, typically 35 minutes per day
99324	New patient assisted living visit, typically 20 minutes
99325	New patient assisted living visit, typically 30 minutes
99326	New patient assisted living visit, typically 45 minutes

Procedure code	Code description
99327	New patient assisted living visit, typically 60 minutes
99328	New patient assisted living visit, typically 75 minutes
99334	Established patient assisted living visit, typically 15 minutes
99335	Established patient assisted living visit, typically 25 minutes
99336	Established patient assisted living visit, typically 40 minutes
99337	Established patient assisted living visit, typically 60 minutes
99341	New patient home visit, typically 20 minutes
99342	New patient home visit, typically 30 minutes
99343	New patient home visit, typically 45 minutes
99344	New patient home visit, typically 60 minutes
99345	New patient home visit, typically 75 minutes
99347	Established patient home visit, typically 15 minutes
99348	Established patient home visit, typically 25 minutes
99349	Established patient home visit, typically 40 minutes
99350	Established patient home visit, typically 60 minutes
99441	Physician telephone patient service, 5–10 minutes of medical discussion
99442	Physician telephone patient service, 11–20 minutes of medical discussion
99443	Physician telephone patient service, 21–30 minutes of medical discussion
H0018	Behavioral health; short-term residential (non-hospital residential treatment program), without room and board, per diem
H0019	Behavioral health; long-term residential (non-medical, non-acute care in a residential treatment program where stay is typically longer than 30 days), without room and board, per diem
H0023	Behavioral health outreach service (planned approach to reach a targeted population)
H0024	Behavioral health prevention information dissemination service (one-way direct or non-direct contact with service audiences to affect knowledge and attitude)
H0025	Behavioral health prevention education service (delivery of services with target population to affect knowledge, attitude and/or behavior)
H0030	Behavioral health hotline service
H0033	Oral medication administration, direct observation
H0034	Medication training and support, per 15 minutes
H0043	Supported housing, per diem
H0045	Respite care services, not in the home, per diem
H2025	Ongoing support to maintain employment, per 15 minutes
S9125	Respite care, in the home, per diem
S9446	Patient education, not otherwise classified, non-physician provider, group, per session
T1001	Nursing assessment / evaluation
T1005	Respite care services, up to 15 minutes
T1016	Case management, each 15 minutes
T1023	Screening to determine the appropriateness of consideration of an individual for participation in a specified program, project or treatment protocol, per encounter

## Appendix D

Diagnosis codes (MI-Diagnosis 7MCG) from the Washington State Department of Social and Health Services

Diagnosis code	Code description
314	Hyperkinetic syndrome of childhood
3140	Attention-deficit disorder
31400	Attention-deficit disorder without mention of hyperactivity
31401	Attention-deficit disorder with hyperactivity
3141	Hyperkinesis with developmental delay
3142	Hyperkinetic conduct disorder
3148	Other specified manifestations of hyperkinetic syndrome
3149	Unspecified hyperkinetic syndrome
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
309	Adjustment reaction
3090	Adjustment disorder with depressed mood
3091	Prolonged depressive reaction
3092	Adjust react/w/predomin oth emotion
30924	Adjustment disorder with anxiety
30928	Adjustment disorder with mixed anxiety and depressed mood
30929	Other adjustment reactions with predominant disturbance of other emotions
3093	Adjustment disorder with disturbance of conduct
3094	Adjustment disorder with mixed disturbance of emotions and conduct
3098	Other specified adjustment reactions
3099	Unspecified adjustment reaction
F4320	Adjustment disorder, unspecified
F4321	Adjustment disorder with depressed mood
F4322	Adjustment disorder with anxiety
F4323	Adjustment disorder with mixed anxiety and depressed mood
F4324	Adjustment disorder with disturbance of conduct
F4325	Adjustment disorder with mixed disturbance of emotions and conduct
F4329	Adjustment disorder with other symptoms
29384	Anxiety disorder in conditions classified elsewhere
3000	Anxiety states
30000	Anxiety state, unspecified



Diagnosis code	Code description
30001	Panic disorder without agoraphobia
30002	Generalized anxiety disorder
30009	Other anxiety states
3002	Phobic disorders
30020	Phobia, unspecified
30021	Agoraphobia with panic disorder
30022	Agoraphobia without mention of panic attacks
30023	Social phobia
30029	Other isolated or specific phobias
3003	Obsessive-compulsive disorders
308	Acute reaction to stress
3080	Predominant disturbance of emotions
3081	Predominant disturbance of consciousness
3082	Predominant psychomotor disturbance
3083	Other acute reactions to stress
3084	Mixed disorders as reaction to stress
3089	Unspecified acute reaction to stress
30921	Separation anxiety disorder
30922	Emancipation disorder of adolescence and early adult life
30923	Specific academic or work inhibition
30981	Post-traumatic stress disorder
30982	Adjustment reaction with physical symptoms
30983	Adjustment reaction with withdrawal
30989	Other specified adjustment reactions
3130	Overanxious disorder specific to childhood and adolescence
31323	Selective mutism
6984	Dermatitis factitia [artefacta]
F064	Anxiety disorder due to known physiological condition
F4000	Agoraphobia, unspecified
F4001	Agoraphobia with panic disorder
F4002	Agoraphobia without panic disorder
F4010	Social phobia, unspecified
F4011	Social phobia, generalized
F40210	Arachnophobia

Diagnosis code	Code description
F40218	Other animal type phobia
F40220	Fear of thunderstorms
F40228	Other natural environment type phobia
F40230	Fear of blood
F40231	Fear of injections and transfusions
F40232	Fear of other medical care
F40233	Fear of injury
F40240	Claustrophobia
F40241	Acrophobia
F40242	Fear of bridges
F40243	Fear of flying
F40248	Other situational type phobia
F40290	Androphobia
F40291	Gynephobia
F40298	Other specified phobia
F408	Other phobic anxiety disorders
F409	Phobic anxiety disorder, unspecified
F410	Panic disorder [episodic paroxysmal anxiety]
F411	Generalized anxiety disorder
F413	Other mixed anxiety disorders
F418	Other specified anxiety disorders
F419	Anxiety disorder, unspecified
F42	Obsessive-compulsive disorder
F422	Mixed obsessional thoughts and acts
F423	Hoarding disorder
F424	Excoriation (skin-picking) disorder
F428	Other obsessive-compulsive disorder
F429	Obsessive-compulsive disorder, unspecified
F430	Acute stress reaction
F4310	Post-traumatic stress disorder, unspecified
F4311	Post-traumatic stress disorder, acute
F4312	Post-traumatic stress disorder, chronic
F438	Other reactions to severe stress
F439	Reaction to severe stress, unspecified

Diagnosis code	Code description
<b>F930</b>	Separation anxiety disorder of childhood
<b>F940</b>	Selective mutism
<b>F941</b>	Reactive attachment disorder of childhood
<b>F942</b>	Disinhibited attachment disorder of childhood
<b>F948</b>	Other childhood disorders of social functioning
<b>F949</b>	Childhood disorder of social functioning, unspecified
<b>L981</b>	Factitial dermatitis
<b>29383</b>	Mood disorder in conditions classified elsewhere
<b>2962</b>	Major depressive disorder, single episode
<b>29620</b>	Major depressive affective disorder, single episode, unspecified
<b>29621</b>	Major depressive affective disorder, single episode, mild
<b>29622</b>	Major depressive affective disorder, single episode, moderate
<b>29623</b>	Major depressive affective disorder, single episode, severe, without mention of psychotic behavior
<b>29624</b>	Major depressive affective disorder, single episode, severe, specified as with psychotic behavior
<b>29625</b>	Major depressive affective disorder, single episode, in partial or unspecified remission
<b>29626</b>	Major depressive affective disorder, single episode, in full remission
<b>2963</b>	Major depressive disorder, recurrent episode
<b>29630</b>	Major depressive affective disorder, recurrent episode, unspecified
<b>29631</b>	Major depressive affective disorder, recurrent episode, mild
<b>29632</b>	Major depressive affective disorder, recurrent episode, moderate
<b>29633</b>	Major depressive affective disorder, recurrent episode, severe, without mention of psychotic behavior
<b>29634</b>	Major depressive affective disorder, recurrent episode, severe, specified as with psychotic behavior
<b>29635</b>	Major depressive affective disorder, recurrent episode, in partial or unspecified remission
<b>29636</b>	Major depressive affective disorder, recurrent episode, in full remission
<b>3004</b>	Dysthymic disorder
<b>3005</b>	Neurasthenia
<b>311</b>	Depressive disorder, not elsewhere classified
<b>6254</b>	Premenstrual tension syndromes
<b>E950</b>	Suicide and self-inflicted poisoning by solid or liquid substances
<b>E9500</b>	Suicide and self-inflicted poisoning by analgesics, antipyretics and antirheumatics
<b>E9501</b>	Suicide and self-inflicted poisoning by barbiturates
<b>E9502</b>	Suicide and self-inflicted poisoning by other sedatives and hypnotics
<b>E9503</b>	Suicide and self-inflicted poisoning by tranquilizers and other psychotropic agents
<b>E9504</b>	Suicide and self-inflicted poisoning by other specified drugs and medicinal substances

Diagnosis code	Code description
E9505	Suicide and self-inflicted poisoning by unspecified drug or medicinal substance
E9506	Suicide and self-inflicted poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers
E9507	Suicide and self-inflicted poisoning by corrosive and caustic substances
E9508	Suicide and self-inflicted poisoning by arsenic and its compounds
E9509	Suicide and self-inflicted poisoning by other and unspecified solid and liquid substances
E951	Suicide and self-inflicted poisoning by gases in domestic use
E9510	Suicide and self-inflicted poisoning by gas distributed by pipeline
E9511	Suicide and self-inflicted poisoning by liquefied petroleum gas distributed in mobile containers
E9518	Suicide and self-inflicted poisoning by other utility gas
E952	Suicide and self-inflicted poisoning by other gases and vapors
E9520	Suicide and self-inflicted poisoning by motor vehicle exhaust gas
E9521	Suicide and self-inflicted poisoning by other carbon monoxide
E9528	Suicide and self-inflicted poisoning by other specified gases and vapors
E9529	Suicide and self-inflicted poisoning by unspecified gases and vapors
E953	Suicide and self-inflicted injury by hanging, strangulation, and suffocation
E9530	Suicide and self-inflicted injury by hanging
E9531	Suicide and self-inflicted injury by suffocation by plastic bag
E9538	Suicide and self-inflicted injury by other specified means
E9539	Suicide and self-inflicted injury by unspecified means
E954	Suicide and self-inflicted injury by submersion [drowning]
E955	Suicide and self-inflicted injury by firearms, air guns and explosives
E9550	Suicide and self-inflicted injury by handgun
E9551	Suicide and self-inflicted injury by shotgun
E9552	Suicide and self-inflicted injury by hunting rifle
E9553	Suicide and self-inflicted injury by military firearms
E9554	Suicide and self-inflicted injury by other and unspecified firearm
E9555	Suicide and self-inflicted injury by explosives
E9556	Suicide and self-inflicted injury by air gun
E9557	Suicide and self-inflicted injury by paintball gun
E9559	Suicide and self-inflicted injury by firearms and explosives, unspecified
E956	Suicide and self-inflicted injury by cutting and piercing instrument
E957	Suicide and self-inflicted injuries by jumping from high place
E9570	Suicide and self-inflicted injuries by jumping from residential premises
E9571	Suicide and self-inflicted injuries by jumping from other man-made structures

Diagnosis code	Code description
E9572	Suicide and self-inflicted injuries by jumping from natural sites
E9579	Suicide and self-inflicted injuries by jumping from unspecified site
E958	Suicide and self-inflicted injury by other and unspecified means
E9580	Suicide and self-inflicted injury by jumping or lying before moving object
E9581	Suicide and self-inflicted injury by burns, fire
E9582	Suicide and self-inflicted injury by scald
E9583	Suicide and self-inflicted injury by extremes of cold
E9584	Suicide and self-inflicted injury by electrocution
E9585	Suicide and self-inflicted injury by crashing of motor vehicle
E9586	Suicide and self-inflicted injury by crashing of aircraft
E9587	Suicide and self-inflicted injury by caustic substances, except poisoning
E9588	Suicide and self-inflicted injury by other specified means
E9589	Suicide and self-inflicted injury by unspecified means
E959	Late effects of self-inflicted injury
F0630	Mood disorder due to known physiological condition, unspecified
F0631	Mood disorder due to known physiological condition with depressive features
F0632	Mood disorder due to known physiological condition with major depressive-like episode
F320	Major depressive disorder, single episode, mild
F321	Major depressive disorder, single episode, moderate
F322	Major depressive disorder, single episode, severe without psychotic features
F323	Major depressive disorder, single episode, severe with psychotic features
F324	Major depressive disorder, single episode, in partial remission
F325	Major depressive disorder, single episode, in full remission
F328	Other depressive episodes
F3281	Premenstrual dysphoric disorder
F3289	Other specified depressive episodes
F329	Major depressive disorder, single episode, unspecified
F330	Major depressive disorder, recurrent, mild
F331	Major depressive disorder, recurrent, moderate
F332	Major depressive disorder, recurrent severe without psychotic features
F333	Major depressive disorder, recurrent, severe with psychotic symptoms
F3340	Major depressive disorder, recurrent, in remission, unspecified
F3341	Major depressive disorder, recurrent, in partial remission
F3342	Major depressive disorder, recurrent, in full remission

Diagnosis code	Code description
F338	Other recurrent depressive disorders
F339	Major depressive disorder, recurrent, unspecified
F341	Dysthymic disorder
F348	Other persistent mood [affective] disorders
F3481	Disruptive mood dysregulation disorder
F3489	Other specified persistent mood disorders
F349	Persistent mood [affective] disorder, unspecified
F39	Unspecified mood [affective] disorder
F530	Postpartum depression
N943	Premenstrual tension syndrome
R45851	Suicidal ideations
T1491	Suicide attempt
T1491XA	Suicide attempt, initial encounter
T1491XD	Suicide attempt, subsequent encounter
T1491XS	Suicide attempt, sequela
T360X2A	Poisoning by penicillins, intentional self-harm, initial encounter
T360X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter
T360X2S	Poisoning by penicillins, intentional self-harm, sequela
T361X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter
T361X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter
T361X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela
T362X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter
T362X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter
T362X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela
T363X2A	Poisoning by macrolides, intentional self-harm, initial encounter
T363X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter
T363X2S	Poisoning by macrolides, intentional self-harm, sequela
T364X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter
T364X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter
T364X2S	Poisoning by tetracyclines, intentional self-harm, sequela
T365X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter
T365X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter
T365X2S	Poisoning by aminoglycosides, intentional self-harm, sequela
T366X2A	Poisoning by rifampicins, intentional self-harm, initial encounter

Diagnosis code	Code description
T366X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter
T366X2S	Poisoning by rifampicins, intentional self-harm, sequela
T367X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter
T367X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter
T367X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela
T368X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter
T368X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter
T368X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela
T3692XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter
T3692XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter
T3692XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela
T370X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter
T370X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter
T370X2S	Poisoning by sulfonamides, intentional self-harm, sequela
T371X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter
T371X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter
T371X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela
T372X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter
T372X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter
T372X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela
T373X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter
T373X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter
T373X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela
T374X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter
T374X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter
T374X2S	Poisoning by anthelmintics, intentional self-harm, sequela
T375X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter
T375X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter
T375X2S	Poisoning by antiviral drugs, intentional self-harm, sequela
T378X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter
T378X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter
T378X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela
T3792XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter
T3792XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter

Diagnosis code	Code description
<b>T3792XS</b>	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela
<b>T380X2A</b>	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter
<b>T380X2D</b>	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter
<b>T380X2S</b>	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela
<b>T381X2A</b>	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter
<b>T381X2D</b>	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter
<b>T381X2S</b>	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela
<b>T382X2A</b>	Poisoning by antithyroid drugs, intentional self-harm, initial encounter
<b>T382X2D</b>	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter
<b>T382X2S</b>	Poisoning by antithyroid drugs, intentional self-harm, sequela
<b>T383X2A</b>	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter
<b>T383X2D</b>	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter
<b>T383X2S</b>	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela
<b>T384X2A</b>	Poisoning by oral contraceptives, intentional self-harm, initial encounter
<b>T384X2D</b>	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter
<b>T384X2S</b>	Poisoning by oral contraceptives, intentional self-harm, sequela
<b>T385X2A</b>	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter
<b>T385X2D</b>	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter
<b>T385X2S</b>	Poisoning by other estrogens and progestogens, intentional self-harm, sequela
<b>T386X2A</b>	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter
<b>T386X2D</b>	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter
<b>T386X2S</b>	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela
<b>T387X2A</b>	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter
<b>T387X2D</b>	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter
<b>T387X2S</b>	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela
<b>T38802A</b>	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter
<b>T38802D</b>	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter
<b>T38802S</b>	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela
<b>T38812A</b>	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter
<b>T38812D</b>	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter
<b>T38812S</b>	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela
<b>T38892A</b>	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter
<b>T38892D</b>	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter
<b>T38892S</b>	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela



Diagnosis code	Code description
T38902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter
T38902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter
T38902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela
T38992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter
T38992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter
T38992S	Poisoning by other hormone antagonists, intentional self-harm, sequela
T39012A	Poisoning by aspirin, intentional self-harm, initial encounter
T39012D	Poisoning by aspirin, intentional self-harm, subsequent encounter
T39012S	Poisoning by aspirin, intentional self-harm, sequela
T39092A	Poisoning by salicylates, intentional self-harm, initial encounter
T39092D	Poisoning by salicylates, intentional self-harm, subsequent encounter
T39092S	Poisoning by salicylates, intentional self-harm, sequela
T391X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter
T391X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter
T391X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela
T392X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter
T392X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter
T392X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela
T39312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter
T39312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter
T39312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela
T39392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter
T39392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter
T39392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela
T394X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter
T394X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter
T394X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela
T398X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter
T398X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter
T398X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela
T3992XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter
T3992XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter
T3992XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela
T400X2A	Poisoning by opium, intentional self-harm, initial encounter

Diagnosis code	Code description
T400X2D	Poisoning by opium, intentional self-harm, subsequent encounter
T400X2S	Poisoning by opium, intentional self-harm, sequela
T401X2A	Poisoning by heroin, intentional self-harm, initial encounter
T401X2D	Poisoning by heroin, intentional self-harm, subsequent encounter
T401X2S	Poisoning by heroin, intentional self-harm, sequela
T402X2A	Poisoning by other opioids, intentional self-harm, initial encounter
T402X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter
T402X2S	Poisoning by other opioids, intentional self-harm, sequela
T403X2A	Poisoning by methadone, intentional self-harm, initial encounter
T403X2D	Poisoning by methadone, intentional self-harm, subsequent encounter
T403X2S	Poisoning by methadone, intentional self-harm, sequela
T40412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter
T40412D	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter
T40412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela
T40422A	Poisoning by tramadol, intentional self-harm, initial encounter
T40422D	Poisoning by tramadol, intentional self-harm, subsequent encounter
T40422S	Poisoning by tramadol, intentional self-harm, sequela
T40492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40492D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter
T40492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela
T404X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T404X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter
T404X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela
T405X2A	Poisoning by cocaine, intentional self-harm, initial encounter
T405X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter
T405X2S	Poisoning by cocaine, intentional self-harm, sequela
T40602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter
T40602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter
T40602S	Poisoning by unspecified narcotics, intentional self-harm, sequela
T40692A	Poisoning by other narcotics, intentional self-harm, initial encounter
T40692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter
T40692S	Poisoning by other narcotics, intentional self-harm, sequela
T407X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter
T407X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter

Diagnosis code	Code description
T407X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela
T408X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter
T408X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter
T408X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela
T40902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter
T40902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela
T40992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter
T40992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela
T410X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter
T410X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter
T410X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela
T411X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter
T411X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter
T411X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela
T41202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter
T41202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter
T41202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela
T41292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter
T41292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter
T41292S	Poisoning by other general anesthetics, intentional self-harm, sequela
T413X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter
T413X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter
T413X2S	Poisoning by local anesthetics, intentional self-harm, sequela
T4142XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter
T4142XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter
T4142XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela
T415X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter
T415X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter
T415X2S	Poisoning by therapeutic gases, intentional self-harm, sequela
T420X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter
T420X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter
T420X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela

Diagnosis code	Code description
T421X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter
T421X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter
T421X2S	Poisoning by iminostilbenes, intentional self-harm, sequela
T422X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter
T422X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter
T422X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela
T423X2A	Poisoning by barbiturates, intentional self-harm, initial encounter
T423X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter
T423X2S	Poisoning by barbiturates, intentional self-harm, sequela
T424X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter
T424X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter
T424X2S	Poisoning by benzodiazepines, intentional self-harm, sequela
T425X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter
T425X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter
T425X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela
T426X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T426X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter
T426X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela
T4272XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T4272XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter
T4272XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela
T428X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter
T428X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter
T428X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela
T43012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter
T43012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter
T43012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela
T43022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter
T43022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter
T43022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela
T431X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter
T431X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter
T431X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela
T43202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter

Diagnosis code	Code description
T43202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter
T43202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela
T43212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter
T43212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter
T43212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela
T43222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter
T43222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter
T43222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela
T43292A	Poisoning by other antidepressants, intentional self-harm, initial encounter
T43292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter
T43292S	Poisoning by other antidepressants, intentional self-harm, sequela
T433X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter
T433X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter
T433X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela
T434X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter
T434X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter
T434X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela
T43502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter
T43502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela
T43592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter
T43592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela
T43602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter
T43602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter
T43602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela
T43612A	Poisoning by caffeine, intentional self-harm, initial encounter
T43612D	Poisoning by caffeine, intentional self-harm, subsequent encounter
T43612S	Poisoning by caffeine, intentional self-harm, sequela
T43622A	Poisoning by amphetamines, intentional self-harm, initial encounter
T43622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter
T43622S	Poisoning by amphetamines, intentional self-harm, sequela
T43632A	Poisoning by methylphenidate, intentional self-harm, initial encounter
T43632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter

Diagnosis code	Code description
T43632S	Poisoning by methylphenidate, intentional self-harm, sequela
T43642A	Poisoning by ecstasy, intentional self-harm, initial encounter
T43642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter
T43642S	Poisoning by ecstasy, intentional self-harm, sequela
T43692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter
T43692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter
T43692S	Poisoning by other psychostimulants, intentional self-harm, sequela
T438X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter
T438X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter
T438X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela
T4392XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter
T4392XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter
T4392XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela
T440X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter
T440X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter
T440X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela
T441X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter
T441X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter
T441X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela
T442X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter
T442X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter
T442X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela
T443X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter
T443X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter
T443X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela
T444X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter
T444X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter
T444X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela
T445X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter
T445X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter
T445X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela
T446X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter
T446X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter
T446X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela

Diagnosis code	Code description
T447X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter
T447X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter
T447X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela
T448X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter
T448X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter
T448X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela
T44902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter
T44902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter
T44902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela
T44992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter
T44992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter
T44992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela
T450X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter
T450X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter
T450X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela
T451X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter
T451X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter
T451X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela
T452X2A	Poisoning by vitamins, intentional self-harm, initial encounter
T452X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter
T452X2S	Poisoning by vitamins, intentional self-harm, sequela
T453X2A	Poisoning by enzymes, intentional self-harm, initial encounter
T453X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter
T453X2S	Poisoning by enzymes, intentional self-harm, sequela
T454X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter
T454X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter
T454X2S	Poisoning by iron and its compounds, intentional self-harm, sequela
T45512A	Poisoning by anticoagulants, intentional self-harm, initial encounter
T45512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter
T45512S	Poisoning by anticoagulants, intentional self-harm, sequela
T45522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter
T45522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter
T45522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela
T45602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter

Diagnosis code	Code description
T45602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter
T45602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela
T45612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter
T45612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter
T45612S	Poisoning by thrombolytic drug, intentional self-harm, sequela
T45622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter
T45622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter
T45622S	Poisoning by hemostatic drug, intentional self-harm, sequela
T45692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter
T45692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter
T45692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela
T457X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter
T457X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter
T457X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela
T458X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter
T458X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter
T458X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela
T4592XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter
T4592XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter
T4592XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela
T460X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter
T460X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter
T460X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela
T461X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter
T461X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter
T461X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela
T462X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter
T462X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter
T462X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela
T463X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter
T463X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter
T463X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela
T464X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter
T464X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter



Diagnosis code	Code description
T464X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela
T465X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter
T465X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter
T465X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela
T466X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter
T466X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter
T466X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela
T467X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter
T467X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter
T467X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela
T468X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter
T468X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter
T468X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela
T46902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter
T46902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter
T46902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela
T46992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter
T46992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter
T46992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela
T470X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter
T470X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter
T470X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela
T471X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter
T471X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter
T471X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela
T472X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter
T472X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter
T472X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela
T473X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter
T473X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter
T473X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela
T474X2A	Poisoning by other laxatives, intentional self-harm, initial encounter
T474X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter
T474X2S	Poisoning by other laxatives, intentional self-harm, sequela

Diagnosis code	Code description
T475X2A	Poisoning by digestants, intentional self-harm, initial encounter
T475X2D	Poisoning by digestants, intentional self-harm, subsequent encounter
T475X2S	Poisoning by digestants, intentional self-harm, sequela
T476X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter
T476X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter
T476X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela
T477X2A	Poisoning by emetics, intentional self-harm, initial encounter
T477X2D	Poisoning by emetics, intentional self-harm, subsequent encounter
T477X2S	Poisoning by emetics, intentional self-harm, sequela
T478X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter
T478X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter
T478X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela
T4792XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter
T4792XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter
T4792XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela
T480X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter
T480X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter
T480X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela
T481X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter
T481X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter
T481X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela
T48202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter
T48202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter
T48202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela
T48292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter
T48292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter
T48292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela
T483X2A	Poisoning by antitussives, intentional self-harm, initial encounter
T483X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter
T483X2S	Poisoning by antitussives, intentional self-harm, sequela
T484X2A	Poisoning by expectorants, intentional self-harm, initial encounter
T484X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter
T484X2S	Poisoning by expectorants, intentional self-harm, sequela
T485X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter

Diagnosis code	Code description
T485X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter
T485X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela
T486X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter
T486X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter
T486X2S	Poisoning by antiasthmatics, intentional self-harm, sequela
T48902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter
T48902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter
T48902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela
T48992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter
T48992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter
T48992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela
T490X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter
T490X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter
T490X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela
T491X2A	Poisoning by antipruritics, intentional self-harm, initial encounter
T491X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter
T491X2S	Poisoning by antipruritics, intentional self-harm, sequela
T492X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter
T492X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter
T492X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela
T493X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter
T493X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter
T493X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela
T494X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter
T494X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter
T494X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela
T495X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter
T495X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter
T495X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela
T496X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter
T496X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter
T496X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela
T497X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter
T497X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter

Diagnosis code	Code description
T497X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela
T498X2A	Poisoning by other topical agents, intentional self-harm, initial encounter
T498X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter
T498X2S	Poisoning by other topical agents, intentional self-harm, sequela
T4992XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter
T4992XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter
T4992XS	Poisoning by unspecified topical agent, intentional self-harm, sequela
T500X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter
T500X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter
T500X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela
T501X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter
T501X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter
T501X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela
T502X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter
T502X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter
T502X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela
T503X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter
T503X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter
T503X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela
T504X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter
T504X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter
T504X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela
T505X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter
T505X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter
T505X2S	Poisoning by appetite depressants, intentional self-harm, sequela
T506X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter
T506X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter
T506X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela
T507X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter
T507X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter
T507X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela
T508X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter
T508X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter
T508X2S	Poisoning by diagnostic agents, intentional self-harm, sequela

Diagnosis code	Code description
<b>T50902A</b>	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
<b>T50902D</b>	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter
<b>T50902S</b>	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela
<b>T50992A</b>	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter
<b>T50992D</b>	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter
<b>T50992S</b>	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela
<b>T50A12A</b>	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter
<b>T50A12D</b>	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter
<b>T50A12S</b>	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela
<b>T50A22A</b>	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter
<b>T50A22D</b>	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter
<b>T50A22S</b>	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela
<b>T50A92A</b>	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter
<b>T50A92D</b>	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter
<b>T50A92S</b>	Poisoning by other bacterial vaccines, intentional self-harm, sequela
<b>T50B12A</b>	Poisoning by smallpox vaccines, intentional self-harm, initial encounter
<b>T50B12D</b>	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter
<b>T50B12S</b>	Poisoning by smallpox vaccines, intentional self-harm, sequela
<b>T50B92A</b>	Poisoning by other viral vaccines, intentional self-harm, initial encounter
<b>T50B92D</b>	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter
<b>T50B92S</b>	Poisoning by other viral vaccines, intentional self-harm, sequela
<b>T50Z12A</b>	Poisoning by immunoglobulin, intentional self-harm, initial encounter
<b>T50Z12D</b>	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter
<b>T50Z12S</b>	Poisoning by immunoglobulin, intentional self-harm, sequela
<b>T50Z92A</b>	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter
<b>T50Z92D</b>	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter
<b>T50Z92S</b>	Poisoning by other vaccines and biological substances, intentional self-harm, sequela
<b>T510X2A</b>	Toxic effect of ethanol, intentional self-harm, initial encounter
<b>T510X2D</b>	Toxic effect of ethanol, intentional self-harm, subsequent encounter
<b>T510X2S</b>	Toxic effect of ethanol, intentional self-harm, sequela
<b>T511X2A</b>	Toxic effect of methanol, intentional self-harm, initial encounter
<b>T511X2D</b>	Toxic effect of methanol, intentional self-harm, subsequent encounter
<b>T511X2S</b>	Toxic effect of methanol, intentional self-harm, sequela
<b>T512X2A</b>	Toxic effect of 2-Propanol, intentional self-harm, initial encounter

Diagnosis code	Code description
T512X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter
T512X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela
T513X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter
T513X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter
T513X2S	Toxic effect of fusel oil, intentional self-harm, sequela
T518X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter
T518X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter
T518X2S	Toxic effect of other alcohols, intentional self-harm, sequela
T5192XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter
T5192XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter
T5192XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela
T520X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter
T520X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter
T520X2S	Toxic effect of petroleum products, intentional self-harm, sequela
T521X2A	Toxic effect of benzene, intentional self-harm, initial encounter
T521X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter
T521X2S	Toxic effect of benzene, intentional self-harm, sequela
T522X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter
T522X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter
T522X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela
T523X2A	Toxic effect of glycols, intentional self-harm, initial encounter
T523X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter
T523X2S	Toxic effect of glycols, intentional self-harm, sequela
T524X2A	Toxic effect of ketones, intentional self-harm, initial encounter
T524X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter
T524X2S	Toxic effect of ketones, intentional self-harm, sequela
T528X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter
T528X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter
T528X2S	Toxic effect of other organic solvents, intentional self-harm, sequela
T5292XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter
T5292XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter
T5292XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela
T530X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter
T530X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter

Diagnosis code	Code description
T530X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela
T531X2A	Toxic effect of chloroform, intentional self-harm, initial encounter
T531X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter
T531X2S	Toxic effect of chloroform, intentional self-harm, sequela
T532X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter
T532X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter
T532X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela
T533X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter
T533X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter
T533X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela
T534X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter
T534X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter
T534X2S	Toxic effect of dichloromethane, intentional self-harm, sequela
T535X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter
T535X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter
T535X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela
T536X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter
T536X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter
T536X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela
T537X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter
T537X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter
T537X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela
T5392XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter
T5392XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter
T5392XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequel
T540X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter
T540X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter
T540X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela
T541X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter
T541X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter
T541X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela
T542X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter
T542X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter
T542X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela

Diagnosis code	Code description
T543X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter
T543X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter
T543X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela
T5492XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter
T5492XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter
T5492XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela
T550X2A	Toxic effect of soaps, intentional self-harm, initial encounter
T550X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter
T550X2S	Toxic effect of soaps, intentional self-harm, sequela
T551X2A	Toxic effect of detergents, intentional self-harm, initial encounter
T551X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter
T551X2S	Toxic effect of detergents, intentional self-harm, sequela
T560X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter
T560X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter
T560X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela
T561X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter
T561X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter
T561X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela
T562X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter
T562X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter
T562X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela
T563X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter
T563X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter
T563X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela
T564X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter
T564X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter
T564X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela
T565X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter
T565X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter
T565X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela
T566X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter
T566X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter
T566X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela
T567X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter



Diagnosis code	Code description
T567X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter
T567X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela
T56812A	Toxic effect of thallium, intentional self-harm, initial encounter
T56812D	Toxic effect of thallium, intentional self-harm, subsequent encounter
T56812S	Toxic effect of thallium, intentional self-harm, sequela
T56892A	Toxic effect of other metals, intentional self-harm, initial encounter
T56892D	Toxic effect of other metals, intentional self-harm, subsequent encounter
T56892S	Toxic effect of other metals, intentional self-harm, sequela
T5692XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter
T5692XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter
T5692XS	Toxic effect of unspecified metal, intentional self-harm, sequela
T570X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter
T570X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter
T570X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela
T571X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter
T571X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter
T571X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela
T572X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter
T572X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter
T572X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela
T573X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter
T573X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter
T573X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela
T578X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter
T578X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter
T578X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela
T5792XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter
T5792XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter
T5792XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela
T5802XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter
T5802XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter
T5802XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela
T5812XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter
T5812XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter

Diagnosis code	Code description
<b>T5812XS</b>	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela
<b>T582X2A</b>	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter
<b>T582X2D</b>	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter
<b>T582X2S</b>	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela
<b>T588X2A</b>	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter
<b>T588X2D</b>	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter
<b>T588X2S</b>	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela
<b>T5892XA</b>	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter
<b>T5892XD</b>	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter
<b>T5892XS</b>	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela
<b>T590X2A</b>	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter
<b>T590X2D</b>	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter
<b>T590X2S</b>	Toxic effect of nitrogen oxides, intentional self-harm, sequela
<b>T591X2A</b>	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter
<b>T591X2D</b>	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter
<b>T591X2S</b>	Toxic effect of sulfur dioxide, intentional self-harm, sequela
<b>T592X2A</b>	Toxic effect of formaldehyde, intentional self-harm, initial encounter
<b>T592X2D</b>	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter
<b>T592X2S</b>	Toxic effect of formaldehyde, intentional self-harm, sequela
<b>T593X2A</b>	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter
<b>T593X2D</b>	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter
<b>T593X2S</b>	Toxic effect of lacrimogenic gas, intentional self-harm, sequela
<b>T594X2A</b>	Toxic effect of chlorine gas, intentional self-harm, initial encounter
<b>T594X2D</b>	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter
<b>T594X2S</b>	Toxic effect of chlorine gas, intentional self-harm, sequela
<b>T595X2A</b>	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter
<b>T595X2D</b>	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter
<b>T595X2S</b>	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela
<b>T596X2A</b>	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter
<b>T596X2D</b>	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter
<b>T596X2S</b>	Toxic effect of hydrogen sulfide, intentional self-harm, sequela
<b>T597X2A</b>	Toxic effect of carbon dioxide, intentional self-harm, initial encounter
<b>T597X2D</b>	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter
<b>T597X2S</b>	Toxic effect of carbon dioxide, intentional self-harm, sequela

Diagnosis code	Code description
T59812A	Toxic effect of smoke, intentional self-harm, initial encounter
T59812D	Toxic effect of smoke, intentional self-harm, subsequent encounter
T59812S	Toxic effect of smoke, intentional self-harm, sequela
T59892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter
T59892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter
T59892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela
T5992XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter
T5992XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter
T5992XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela
T600X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter
T600X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter
T600X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela
T601X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter
T601X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter
T601X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela
T602X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter
T602X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter
T602X2S	Toxic effect of other insecticides, intentional self-harm, sequela
T603X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter
T603X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter
T603X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela
T604X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter
T604X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter
T604X2S	Toxic effect of rodenticides, intentional self-harm, sequela
T608X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter
T608X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter
T608X2S	Toxic effect of other pesticides, intentional self-harm, sequela
T6092XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter
T6092XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter
T6092XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela
T6102XA	Ciguatera fish poisoning, intentional self-harm, initial encounter
T6102XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter
T6102XS	Ciguatera fish poisoning, intentional self-harm, sequela
T6112XA	Scombroid fish poisoning, intentional self-harm, initial encounter

Diagnosis code	Code description
T6112XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter
T6112XS	Scombroid fish poisoning, intentional self-harm, sequela
T61772A	Other fish poisoning, intentional self-harm, initial encounter
T61772D	Other fish poisoning, intentional self-harm, subsequent encounter
T61772S	Other fish poisoning, intentional self-harm, sequela
T61782A	Other shellfish poisoning, intentional self-harm, initial encounter
T61782D	Other shellfish poisoning, intentional self-harm, subsequent encounter
T61782S	Other shellfish poisoning, intentional self-harm, sequela
T618X2A	Toxic effect of other seafood, intentional self-harm, initial encounter
T618X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter
T618X2S	Toxic effect of other seafood, intentional self-harm, sequela
T6192XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter
T6192XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter
T6192XS	Toxic effect of unspecified seafood, intentional self-harm, sequela
T620X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter
T620X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter
T620X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela
T621X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter
T621X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter
T621X2S	Toxic effect of ingested berries, intentional self-harm, sequela
T622X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter
T622X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter
T622X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela
T628X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter
T628X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter
T628X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela
T6292XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter
T6292XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter
T6292XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela
T63002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter
T63002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter
T63002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela
T63012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter
T63012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter

Diagnosis code	Code description
T63012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela
T63022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter
T63022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter
T63022S	Toxic effect of coral snake venom, intentional self-harm, sequela
T63032A	Toxic effect of taipan venom, intentional self-harm, initial encounter
T63032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter
T63032S	Toxic effect of taipan venom, intentional self-harm, sequela
T63042A	Toxic effect of cobra venom, intentional self-harm, initial encounter
T63042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter
T63042S	Toxic effect of cobra venom, intentional self-harm, sequela
T63062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter
T63062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter
T63062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela
T63072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter
T63072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter
T63072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela
T63082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter
T63082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter
T63082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela
T63092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter
T63092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter
T63092S	Toxic effect of venom of other snake, intentional self-harm, sequela
T63112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter
T63112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter
T63112S	Toxic effect of venom of gila monster, intentional self-harm, sequela
T63122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter
T63122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter
T63122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela
T63192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter
T63192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter
T63192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela
T632X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter
T632X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter
T632X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela

Diagnosis code	Code description
T63302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter
T63302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter
T63302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela
T63312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter
T63312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter
T63312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela
T63322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter
T63322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter
T63322S	Toxic effect of venom of tarantula, intentional self-harm, sequela
T63332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter
T63332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter
T63332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela
T63392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter
T63392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter
T63392S	Toxic effect of venom of other spider, intentional self-harm, sequela
T63412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter
T63412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter
T63412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela
T63422A	Toxic effect of venom of ants, intentional self-harm, initial encounter
T63422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter
T63422S	Toxic effect of venom of ants, intentional self-harm, sequela
T63432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter
T63432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter
T63432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela
T63442A	Toxic effect of venom of bees, intentional self-harm, initial encounter
T63442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter
T63442S	Toxic effect of venom of bees, intentional self-harm, sequela
T63452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter
T63452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter
T63452S	Toxic effect of venom of hornets, intentional self-harm, sequela
T63462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter
T63462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter
T63462S	Toxic effect of venom of wasps, intentional self-harm, sequela
T63482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter

Diagnosis code	Code description
T63482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter
T63482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela
T63512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter
T63512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter
T63512S	Toxic effect of contact with stingray, intentional self-harm, sequela
T63592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter
T63592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter
T63592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela
T63612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter
T63612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter
T63612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela
T63622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter
T63622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter
T63622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela
T63632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter
T63632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter
T63632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela
T63692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter
T63692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter
T63692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela
T63712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter
T63712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter
T63712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela
T63792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter
T63792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter
T63792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela
T63812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter
T63812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter
T63812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela
T63822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter
T63822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter
T63822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela
T63832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter
T63832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter

Diagnosis code	Code description
T655X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter
T655X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter
T655X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela
T656X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter
T656X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter
T656X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela
T65812A	Toxic effect of latex, intentional self-harm, initial encounter
T65812D	Toxic effect of latex, intentional self-harm, subsequent encounter
T65812S	Toxic effect of latex, intentional self-harm, sequela
T65822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter
T65822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter
T65822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela
T65832A	Toxic effect of fiberglass, intentional self-harm, initial encounter
T65832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter
T65832S	Toxic effect of fiberglass, intentional self-harm, sequela
T65892A	Toxic effect of other specified substances, intentional self-harm, initial encounter
T65892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter
T65892S	Toxic effect of other specified substances, intentional self-harm, sequela
T6592XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter
T6592XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter
T6592XS	Toxic effect of unspecified substance, intentional self-harm, sequela
T71112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter
T71112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter
T71112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela
T71122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter
T71122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter
T71122S	Asphyxiation due to plastic bag, intentional self-harm, sequela
T71132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter
T71132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter
T71132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela
T71152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter
T71152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter
T71152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela
T71162A	Asphyxiation due to hanging, intentional self-harm, initial encounter



Diagnosis code	Code description
<b>T71162D</b>	Asphyxiation due to hanging, intentional self-harm, subsequent encounter
<b>T71162S</b>	Asphyxiation due to hanging, intentional self-harm, sequela
<b>T71192A</b>	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter
<b>T71192D</b>	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter
<b>T71192S</b>	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela
<b>T71222A</b>	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter
<b>T71222D</b>	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter
<b>T71222S</b>	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela
<b>T71232A</b>	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter
<b>T71232D</b>	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter
<b>T71232S</b>	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela
<b>V6284</b>	Suicidal ideation
<b>X710XXA</b>	Intentional self-harm by drowning and submersion while in bathtub, initial encounter
<b>X710XXD</b>	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter
<b>X710XXS</b>	Intentional self-harm by drowning and submersion while in bathtub, sequela
<b>X711XXA</b>	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter
<b>X711XXD</b>	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter
<b>X711XXS</b>	Intentional self-harm by drowning and submersion while in swimming pool, sequela
<b>X712XXA</b>	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter
<b>X712XXD</b>	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter
<b>X712XXS</b>	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela
<b>X713XXA</b>	Intentional self-harm by drowning and submersion in natural water, initial encounter
<b>X713XXD</b>	Intentional self-harm by drowning and submersion in natural water, subsequent encounter
<b>X713XXS</b>	Intentional self-harm by drowning and submersion in natural water, sequela
<b>X718XXA</b>	Other intentional self-harm by drowning and submersion, initial encounter
<b>X718XXD</b>	Other intentional self-harm by drowning and submersion, subsequent encounter
<b>X718XXS</b>	Other intentional self-harm by drowning and submersion, sequela
<b>X719XXA</b>	Intentional self-harm by drowning and submersion, unspecified, initial encounter
<b>X719XXD</b>	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter
<b>X719XXS</b>	Intentional self-harm by drowning and submersion, unspecified, sequela
<b>X72XXXA</b>	Intentional self-harm by handgun discharge, initial encounter
<b>X72XXXD</b>	Intentional self-harm by handgun discharge, subsequent encounter
<b>X72XXXS</b>	Intentional self-harm by handgun discharge, sequela
<b>X730XXA</b>	Intentional self-harm by shotgun discharge, initial encounter

Diagnosis code	Code description
X730XXD	Intentional self-harm by shotgun discharge, subsequent encounter
X730XXS	Intentional self-harm by shotgun discharge, sequela
X731XXA	Intentional self-harm by hunting rifle discharge, initial encounter
X731XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter
X731XXS	Intentional self-harm by hunting rifle discharge, sequela
X732XXA	Intentional self-harm by machine gun discharge, initial encounter
X732XXD	Intentional self-harm by machine gun discharge, subsequent encounter
X732XXS	Intentional self-harm by machine gun discharge, sequela
X738XXA	Intentional self-harm by other larger firearm discharge, initial encounter
X738XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter
X738XXS	Intentional self-harm by other larger firearm discharge, sequela
X739XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter
X739XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter
X739XXS	Intentional self-harm by unspecified larger firearm discharge, sequela
X7401XA	Intentional self-harm by airgun, initial encounter
X7401XD	Intentional self-harm by airgun, subsequent encounter
X7401XS	Intentional self-harm by airgun, sequela
X7402XA	Intentional self-harm by paintball gun, initial encounter
X7402XD	Intentional self-harm by paintball gun, subsequent encounter
X7402XS	Intentional self-harm by paintball gun, sequela
X7409XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter
X7409XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter
X7409XS	Intentional self-harm by other gas, air or spring-operated gun, sequela
X748XXA	Intentional self-harm by other firearm discharge, initial encounter
X748XXD	Intentional self-harm by other firearm discharge, subsequent encounter
X748XXS	Intentional self-harm by other firearm discharge, sequela
X749XXA	Intentional self-harm by unspecified firearm discharge, initial encounter
X749XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter
X749XXS	Intentional self-harm by unspecified firearm discharge, sequela
X75XXXA	Intentional self-harm by explosive material, initial encounter
X75XXXD	Intentional self-harm by explosive material, subsequent encounter
X75XXXS	Intentional self-harm by explosive material, sequela
X76XXXA	Intentional self-harm by smoke, fire and flames, initial encounter
X76XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter

Diagnosis code	Code description
X76XXS	Intentional self-harm by smoke, fire and flames, sequela
X770XA	Intentional self-harm by steam or hot vapors, initial encounter
X770XD	Intentional self-harm by steam or hot vapors, subsequent encounter
X770XS	Intentional self-harm by steam or hot vapors, sequela
X771XA	Intentional self-harm by hot tap water, initial encounter
X771XD	Intentional self-harm by hot tap water, subsequent encounter
X771XS	Intentional self-harm by hot tap water, sequela
X772XA	Intentional self-harm by other hot fluids, initial encounter
X772XD	Intentional self-harm by other hot fluids, subsequent encounter
X772XS	Intentional self-harm by other hot fluids, sequela
X773XA	Intentional self-harm by hot household appliances, initial encounter
X773XD	Intentional self-harm by hot household appliances, subsequent encounter
X773XS	Intentional self-harm by hot household appliances, sequela
X778XA	Intentional self-harm by other hot objects, initial encounter
X778XD	Intentional self-harm by other hot objects, subsequent encounter
X778XS	Intentional self-harm by other hot objects, sequela
X779XA	Intentional self-harm by unspecified hot objects, initial encounter
X779XD	Intentional self-harm by unspecified hot objects, subsequent encounter
X779XS	Intentional self-harm by unspecified hot objects, sequela
X780XA	Intentional self-harm by sharp glass, initial encounter
X780XD	Intentional self-harm by sharp glass, subsequent encounter
X780XS	Intentional self-harm by sharp glass, sequela
X781XA	Intentional self-harm by knife, initial encounter
X781XD	Intentional self-harm by knife, subsequent encounter
X781XS	Intentional self-harm by knife, sequela
X782XA	Intentional self-harm by sword or dagger, initial encounter
X782XD	Intentional self-harm by sword or dagger, subsequent encounter
X782XS	Intentional self-harm by sword or dagger, sequela
X788XA	Intentional self-harm by other sharp object, initial encounter
X788XD	Intentional self-harm by other sharp object, subsequent encounter
X788XS	Intentional self-harm by other sharp object, sequela
X789XA	Intentional self-harm by unspecified sharp object, initial encounter
X789XD	Intentional self-harm by unspecified sharp object, subsequent encounter
X789XS	Intentional self-harm by unspecified sharp object, sequela

Diagnosis code	Code description
X79XXXA	Intentional self-harm by blunt object, initial encounter
X79XXD	Intentional self-harm by blunt object, subsequent encounter
X79XXS	Intentional self-harm by blunt object, sequela
X80XXXA	Intentional self-harm by jumping from a high place, initial encounter
X80XXD	Intentional self-harm by jumping from a high place, subsequent encounter
X80XXS	Intentional self-harm by jumping from a high place, sequela
X810XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter
X810XD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter
X810XS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela
X811XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter
X811XD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter
X811XS	Intentional self-harm by jumping or lying in front of (subway) train, sequela
X818XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter
X818XD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter
X818XS	Intentional self-harm by jumping or lying in front of other moving object, sequela
X820XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter
X820XD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter
X820XS	Intentional collision of motor vehicle with other motor vehicle, sequela
X821XXA	Intentional collision of motor vehicle with train, initial encounter
X821XD	Intentional collision of motor vehicle with train, subsequent encounter
X821XS	Intentional collision of motor vehicle with train, sequela
X822XXA	Intentional collision of motor vehicle with tree, initial encounter
X822XD	Intentional collision of motor vehicle with tree, subsequent encounter
X822XS	Intentional collision of motor vehicle with tree, sequela
X828XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter
X828XD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter
X828XS	Other intentional self-harm by crashing of motor vehicle, sequela
X830XXA	Intentional self-harm by crashing of aircraft, initial encounter
X830XD	Intentional self-harm by crashing of aircraft, subsequent encounter
X830XS	Intentional self-harm by crashing of aircraft, sequela
X831XXA	Intentional self-harm by electrocution, initial encounter
X831XD	Intentional self-harm by electrocution, subsequent encounter
X831XS	Intentional self-harm by electrocution, sequela
X832XXA	Intentional self-harm by exposure to extremes of cold, initial encounter

Diagnosis code	Code description
X832XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter
X832XXS	Intentional self-harm by exposure to extremes of cold, sequela
X838XXA	Intentional self-harm by other specified means, initial encounter
X838XXD	Intentional self-harm by other specified means, subsequent encounter
X838XXS	Intentional self-harm by other specified means, sequela
312	Conduct disturbance NEC
3120	Unsocialized conduct disorder aggressive
31200	Undersocialized conduct disorder, aggressive type, unspecified
31201	Undersocialized conduct disorder, aggressive type, mild
31202	Undersocialized conduct disorder, aggressive type, moderate
31203	Undersocialized conduct disorder, aggressive type, severe
3121	Unsocialized, unaggressive
31210	Undersocialized conduct disorder, unaggressive type, unspecified
31211	Undersocialized conduct disorder, unaggressive type, mild
31212	Undersocialized conduct disorder, unaggressive type, moderate
31213	Undersocialized conduct disorder, unaggressive type, severe
3122	Socialized conduct disorder
31220	Socialized conduct disorder, unspecified
31221	Socialized conduct disorder, mild
31222	Socialized conduct disorder, moderate
31223	Socialized conduct disorder, severe
3123	Impulse control disorders NEC
31230	Impulse control disorder, unspecified
31231	Pathological gambling
31232	Kleptomania
31233	Pyromania
31234	Intermittent explosive disorder
31235	Isolated explosive disorder
31239	Other disorders of impulse control
3124	Mixed disturbance of conduct and emotions
3128	Other spec conduct disturbance
31281	Conduct disorder, childhood onset type
31282	Conduct disorder, adolescent onset type
31289	Other conduct disorder

Diagnosis code	Code description
3129	Unspecified disturbance of conduct
31381	Oppositional defiant disorder
F630	Pathological gambling
F631	Pyromania
F632	Kleptomania
F633	Trichotillomania
F6381	Intermittent explosive disorder
F6389	Other impulse disorders
F639	Impulse disorder, unspecified
F910	Conduct disorder confined to family context
F911	Conduct disorder, childhood-onset type
F912	Conduct disorder, adolescent-onset type
F913	Oppositional defiant disorder
F918	Other conduct disorders
F919	Conduct disorder, unspecified
296	Episodic mood disorders
2960	Bipolar I disorder, single manic episode
29600	Bipolar I disorder, single manic episode, unspecified
29601	Bipolar I disorder, single manic episode, mild
29602	Bipolar I disorder, single manic episode, moderate
29603	Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior
29604	Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior
29605	Bipolar I disorder, single manic episode, in partial or unspecified remission
29606	Bipolar I disorder, single manic episode, in full remission
2961	Manic disorders, recurrent episode
29610	Manic affective disorder, recurrent episode, unspecified
29611	Manic affective disorder, recurrent episode, mild
29612	Manic affective disorder, recurrent episode, moderate
29613	Manic affective disorder, recurrent episode, severe, without mention of psychotic behavior
29614	Manic affective disorder, recurrent episode, severe, specified as with psychotic behavior
29615	Manic affective disorder, recurrent episode, in partial or unspecified remission
29616	Manic affective disorder, recurrent episode, in full remission
2964	Bipolar I disorder, current episode manic
29640	Bipolar I disorder, most recent episode (or current) manic, unspecified

Diagnosis code	Code description
29641	Bipolar I disorder, most recent episode (or current) manic, mild
29642	Bipolar I disorder, most recent episode (or current) manic, moderate
29643	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior
29644	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior
29645	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission
29646	Bipolar I disorder, most recent episode (or current) manic, in full remission
2965	Bipolar I disorder, cur epis depressed
29650	Bipolar I disorder, most recent episode (or current) depressed, unspecified
29651	Bipolar I disorder, most recent episode (or current) depressed, mild
29652	Bipolar I disorder, most recent episode (or current) depressed, moderate
29653	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior
29654	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior
29655	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission
29656	Bipolar I disorder, most recent episode (or current) depressed, in full remission
2966	Bipolar I disorder, mixed
29660	Bipolar I disorder, most recent episode (or current) mixed, unspecified
29661	Bipolar I disorder, most recent episode (or current) mixed, mild
29662	Bipolar I disorder, most recent episode (or current) mixed, moderate
29663	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior
29664	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior
29665	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission
29666	Bipolar I disorder, most recent episode (or current) mixed, in full remission
2967	Bipolar I disorder, most recent episode (or current) unspecified
2968	Other & unspecified bipolar disorders
29680	Bipolar disorder, unspecified
29681	Atypical manic disorder
29682	Atypical depressive disorder
29689	Other bipolar disorders
2969	Other & unspec episodic mood disorder
29690	Unspecified episodic mood disorder
29699	Other specified episodic mood disorder
30113	Cyclothymic disorder
F0633	Mood disorder due to known physiological condition with manic features
F0634	Mood disorder due to known physiological condition with mixed features

Diagnosis code	Code description
F3010	Manic episode without psychotic symptoms, unspecified
F3011	Manic episode without psychotic symptoms, mild
F3012	Manic episode without psychotic symptoms, moderate
F3013	Manic episode, severe, without psychotic symptoms
F302	Manic episode, severe with psychotic symptoms
F303	Manic episode in partial remission
F304	Manic episode in full remission
F308	Other manic episodes
F309	Manic episode, unspecified
F310	Bipolar disorder, current episode hypomanic
F3110	Bipolar disorder, current episode manic without psychotic features, unspecified
F3111	Bipolar disorder, current episode manic without psychotic features, mild
F3112	Bipolar disorder, current episode manic without psychotic features, moderate
F3113	Bipolar disorder, current episode manic without psychotic features, severe
F312	Bipolar disorder, current episode manic severe with psychotic features
F3130	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified
F3131	Bipolar disorder, current episode depressed, mild
F3132	Bipolar disorder, current episode depressed, moderate
F314	Bipolar disorder, current episode depressed, severe, without psychotic features
F315	Bipolar disorder, current episode depressed, severe, with psychotic features
F3160	Bipolar disorder, current episode mixed, unspecified
F3161	Bipolar disorder, current episode mixed, mild
F3162	Bipolar disorder, current episode mixed, moderate
F3163	Bipolar disorder, current episode mixed, severe, without psychotic features
F3164	Bipolar disorder, current episode mixed, severe, with psychotic features
F3170	Bipolar disorder, currently in remission, most recent episode unspecified
F3171	Bipolar disorder, in partial remission, most recent episode hypomanic
F3172	Bipolar disorder, in full remission, most recent episode hypomanic
F3173	Bipolar disorder, in partial remission, most recent episode manic
F3174	Bipolar disorder, in full remission, most recent episode manic
F3175	Bipolar disorder, in partial remission, most recent episode depressed
F3176	Bipolar disorder, in full remission, most recent episode depressed
F3177	Bipolar disorder, in partial remission, most recent episode mixed
F3178	Bipolar disorder, in full remission, most recent episode mixed



Diagnosis code	Code description
F3181	Bipolar II disorder
F3189	Other bipolar disorder
F319	Bipolar disorder, unspecified
F340	Cyclothymic disorder
29381	Psychotic disorder with delusions in conditions classified elsewhere
29382	Psychotic disorder with hallucinations in conditions classified elsewhere
295	Schizophrenic disorders
2950	Simple schizophrenia
29500	Simple type schizophrenia, unspecified
29501	Simple type schizophrenia, subchronic
29502	Simple type schizophrenia, chronic
29503	Simple type schizophrenia, subchronic with acute exacerbation
29504	Simple type schizophrenia, chronic with acute exacerbation
29505	Simple type schizophrenia, in remission
2951	Schizophrenic disorders-disorganized type
29510	Disorganized type schizophrenia, unspecified
29511	Disorganized type schizophrenia, subchronic
29512	Disorganized type schizophrenia, chronic
29513	Disorganized type schizophrenia, subchronic with acute exacerbation
29514	Disorganized type schizophrenia, chronic with acute exacerbation
29515	Disorganized type schizophrenia, in remission
2952	Catatonic schizophrenia
29520	Catatonic type schizophrenia, unspecified
29521	Catatonic type schizophrenia, subchronic
29522	Catatonic type schizophrenia, chronic
29523	Catatonic type schizophrenia, subchronic with acute exacerbation
29524	Catatonic type schizophrenia, chronic with acute exacerbation
29525	Catatonic type schizophrenia, in remission
2953	Paranoid schizophrenia
29530	Paranoid type schizophrenia, unspecified
29531	Paranoid type schizophrenia, subchronic
29532	Paranoid type schizophrenia, chronic
29533	Paranoid type schizophrenia, subchronic with acute exacerbation
29534	Paranoid type schizophrenia, chronic with acute exacerbation

Diagnosis code	Code description
29535	Paranoid type schizophrenia, in remission
2954	Schizophreniform disorder
29540	Schizophreniform disorder, unspecified
29541	Schizophreniform disorder, subchronic
29542	Schizophreniform disorder, chronic
29543	Schizophreniform disorder, subchronic with acute exacerbation
29544	Schizophreniform disorder, chronic with acute exacerbation
29545	Schizophreniform disorder, in remission
2955	Latent schizophrenia
29550	Latent schizophrenia, unspecified
29551	Latent schizophrenia, subchronic
29552	Latent schizophrenia, chronic
29553	Latent schizophrenia, subchronic with acute exacerbation
29554	Latent schizophrenia, chronic with acute exacerbation
29555	Latent schizophrenia, in remission
2956	Schizophreniform, residual type
29560	Schizophrenic disorders, residual type, unspecified
29561	Schizophrenic disorders, residual type, subchronic
29562	Schizophrenic disorders, residual type, chronic
29563	Schizophrenic disorders, residual type, subchronic with acute exacerbation
29564	Schizophrenic disorders, residual type, chronic with acute exacerbation
29565	Schizophrenic disorders, residual type, in remission
2957	Schizoaffective disorder
29570	Schizoaffective disorder, unspecified
29571	Schizoaffective disorder, subchronic
29572	Schizoaffective disorder, chronic
29573	Schizoaffective disorder, subchronic with acute exacerbation
29574	Schizoaffective disorder, chronic with acute exacerbation
29575	Schizoaffective disorder, in remission
2958	Schizophrenia NEC
29580	Other specified types of schizophrenia, unspecified
29581	Other specified types of schizophrenia, subchronic
29582	Other specified types of schizophrenia, chronic
29583	Other specified types of schizophrenia, subchronic with acute exacerbation

Diagnosis code	Code description
29584	Other specified types of schizophrenia, chronic with acute exacerbation
29585	Other specified types of schizophrenia, in remission
2959	Schizophrenia NOS
29590	Unspecified schizophrenia, unspecified
29591	Unspecified schizophrenia, subchronic
29592	Unspecified schizophrenia, chronic
29593	Unspecified schizophrenia, subchronic with acute exacerbation
29594	Unspecified schizophrenia, chronic with acute exacerbation
29595	Unspecified schizophrenia, in remission
297	Delusional disorders
2970	Paranoid state, simple
2971	Delusional disorder
2972	Paraphrenia
2973	Shared psychotic disorder
2978	Other specified paranoid states
2979	Unspecified paranoid state
298	OTH nonorganic psychoses
2980	Depressive type psychosis
2981	Excitative type psychosis
2983	Acute paranoid reaction
2984	Psychogenic paranoid psychosis
2988	Other and unspecified reactive psychosis
2989	Unspecified psychosis
30122	Schizotypal personality disorder
F060	Psychotic disorder with hallucinations due to known physiological condition
F061	Catatonic disorder due to known physiological condition
F062	Psychotic disorder with delusions due to known physiological condition
F200	Paranoid schizophrenia
F201	Disorganized schizophrenia
F202	Catatonic schizophrenia
F203	Undifferentiated schizophrenia
F205	Residual schizophrenia
F2081	Schizophreniform disorder
F2089	Other schizophrenia

Diagnosis code	Code description
<b>F209</b>	Schizophrenia, unspecified
<b>F21</b>	Schizotypal disorder
<b>F22</b>	Delusional disorders
<b>F23</b>	Brief psychotic disorder
<b>F24</b>	Shared psychotic disorder
<b>F250</b>	Schizoaffective disorder, bipolar type
<b>F251</b>	Schizoaffective disorder, depressive type
<b>F258</b>	Other schizoaffective disorders
<b>F259</b>	Schizoaffective disorder, unspecified
<b>F28</b>	Other psychotic disorder not due to a substance or known physiological condition
<b>F29</b>	Unspecified psychosis not due to a substance or known physiological condition
<b>F53</b>	Puerperal psychosis
<b>F531</b>	Puerperal psychosis
<b>96110</b>	Developmental screening
<b>96111</b>	Developmental testing, (includes assessment of motor, language, social, adaptive, and/or cognitive functioning by standardized developmental instruments) with interpretation and report
<b>H0004</b>	Behavioral health counseling and therapy, per 15 minutes
<b>H0023</b>	Behavioral health outreach service (planned approach to reach a targeted population)