

Drug Testing Policy, Professional

Policy Number	2019R6005A	Annual Approval Date	07/11/2018	Approved By	Reimbursement Policy Oversight Committee
----------------------	------------	-----------------------------	------------	--------------------	--

IMPORTANT NOTE ABOUT THIS REIMBURSEMENT POLICY

You are responsible for submission of accurate claims. This reimbursement policy is intended to ensure that you are reimbursed based on the code or codes that correctly describe the health care services provided. UnitedHealthcare reimbursement policies may use Current Procedural Terminology (CPT®), Centers for Medicare and Medicaid Services (CMS) or other coding guidelines. References to CPT or other sources are for definitional purposes only and do not imply any right to reimbursement.*

This reimbursement policy applies to all health care services billed on CMS 1500 forms and, when specified, to those billed on UB04 forms. Coding methodology, industry-standard reimbursement logic, regulatory requirements, benefits design and other factors are considered in developing reimbursement policy.

This information is intended to serve only as a general reference resource regarding UnitedHealthcare’s reimbursement policy for the services described and is not intended to address every aspect of a reimbursement situation. Accordingly, UnitedHealthcare may use reasonable discretion in interpreting and applying this policy to health care services provided in a particular case. Further, the policy does not address all issues related to reimbursement for health care services provided to UnitedHealthcare enrollees. Other factors affecting reimbursement may supplement, modify or, in some cases, supersede this policy. These factors may include, but are not limited to: legislative mandates, the physician or other provider contracts, the enrollee’s benefit coverage documents and/or other reimbursement, medical or drug policies. Finally, this policy may not be implemented exactly the same way on the different electronic claims processing systems used by UnitedHealthcare due to programming or other constraints; however, UnitedHealthcare strives to minimize these variations.

UnitedHealthcare may modify this reimbursement policy at any time by publishing a new version of the policy on this Website. However, the information presented in this policy is accurate and current as of the date of publication.

**CPT® Copyright American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.*

Table of Contents

Application	2
Policy	2
Overview	2
Reimbursement Guidelines	2
Definitions	3
Questions and Answers	3
Codes	3
Attachment	5
Resources	5
History	5

Application

This reimbursement policy applies to services reported using the 1500 Health Insurance Claim Form (a/k/a CMS-1500) or its electronic equivalent or its successor form. This policy applies to all products, all network and non-network physicians and other qualified health care professionals, including, but not limited to, non-network authorized and percent of charge contract physicians and other qualified health care professionals.

Policy

Overview

This policy defines the daily limits for presumptive drug testing codes (codes 80305, 80306, 80307, and H0003) and definitive drug testing codes (G0480, G0481, G0482, G0483, G0659, 0006U, 0007U, 0011U, and 0020U) and addresses Specimen Validity Testing.

All services described in this policy may be subject to additional UnitedHealthcare reimbursement policies including, but not limited to, the Maximum Frequency Per Day Policy, Laboratory Services Policy, and CCI Editing Policy.

Reimbursement Guidelines

This policy enforces the code description for presumptive and definitive drug testing in that the service should be reported once per day and it includes specimen validity testing.

Clinical drug testing is used in pain management and in substance abuse screening and treatment programs. The testing may be used to detect prescribed, therapeutic drugs, prescription drugs of abuse, illicit drugs, and/or other substances such as nicotine.

Presumptive drug testing, also known as drug screening, is used when necessary to determine the presence or absence of drugs or a Drug Class. Results are expressed as negative or positive. The methodology is considered when coding presumptive procedures. Per Current Procedural Terminology (CPT®) guidelines each presumptive drug testing code represents all drug and Drug Class tests performed by the respective methodology per date of service. The test is a single per patient service that should only be reported once irrespective of the number of Drug Class procedures or results on any date of service.

Definitive drug testing, also known as confirmation testing, is used when it is necessary to identify specific medications, illicit substances and metabolites. Definitive urine drug test (UDT) reports the results of drugs absent or present in concentrations of ng/ml. Definitive drug testing is qualitative or quantitative to identify possible use or non-use of a drug. These tests identify specific drugs and associated metabolites. A presumptive drug test is not required to be provided prior to a definitive drug test. Consistent with CMS, definitive drug testing CPT codes 80320-80377 are considered non-reimbursable and the appropriate HCPCS G0480-G0483, or G0659 should be reported. The HCPCS codes describe a per day service that represents the total number of different Drug Classes performed. When applicable, Proprietary Laboratory Analysis CPT codes 0006U, 0007U, 0011U, or 0020U may be reported and are considered under the policy guidelines pertaining to definitive drug testing.

Some examples of drugs or a Drug Class that are commonly assayed by presumptive tests, followed by definitive testing are: alcohols, amphetamines, barbiturates/sedatives, benzodiazepines, cocaine and metabolites, methadone, antihistamines, stimulants, opioid analgesics, salicylates, cardiovascular drugs, antipsychotics, and cyclic antidepressants.

In accordance with the code descriptions and the CPT and CMS guidelines, UnitedHealthcare will only allow one drug test within the presumptive Drug Class and one drug test within the definitive Drug Class per date of service by the same or different provider.

Specimen Validity Testing to assure that a specimen has not been compromised or that a test has not been adulterated may be required. However, Specimen Validity Testing is included in the presumptive and definitive drug testing CPT and HCPCS code descriptions and is considered a quality control which is an integral part of the collection process and is not separately reimbursable. UnitedHealthcare will deny Specimen Validity Testing when performed on the same date of service as a presumptive and/or definitive drug test by the same or different provider. A modifier may be appropriate when a service commonly used for Specimen Validity Testing is performed distinctly separate from the drug test service and the documentation supports the service was not related to the drug testing.

Drug testing services that are determined to be court ordered and/or funded by a county, state or federal agency will continue to be denied. For additional information refer to the Services and Modifiers Not Reimbursable to Healthcare Professionals Policy.


Definitions	
Drug Class	A group of drugs that have the same chemical structure, work in the same way and/or are used for the same purpose.
Proprietary Laboratory Analysis (PLA) Codes	Describe proprietary clinical laboratory analysis and can be provided either by a single ("sole-source") laboratory or licensed or marketed to multiple providing laboratories (eg, cleared or approved by the Food and Drug Administration [FDA]). These codes include advanced diagnostic laboratory tests (ADLTs) and clinical diagnostic laboratory tests (CDLTs) as defined under the Protecting Access to Medicare Act (PAMA) of 2014.
Specimen Validity Testing	Generally pertains to urine specimen testing to ensure that the sample has not been adulterated or substituted. It may be applicable to other types of specimens.

Questions and Answers	
1	<p>Q: Will UnitedHealthcare reimburse more than one presumptive and/or one definitive drug test on the same date of service if a modifier is appended?</p> <p>A: No, each of the presumptive and definitive drug codes define a single manual or automated laboratory service that is reported once per day, per patient, irrespective of the number of Drug Classes, sample validations, or Specimen Validity Tests performed related to that service on any date of service. In accordance with the CPT and CMS guidelines UnitedHealthcare will not reimburse more than one presumptive and/or one definitive drug test per day regardless of the number of billing providers.</p>
2	<p>Q: Will UnitedHealthcare consider separate reimbursement for laboratory service (Ex: urinalysis for urinary tract infection) performed on the same day as a drug screening test?</p> <p>A: Yes, UnitedHealthcare will consider separate reimbursement of laboratory services that are appended with an appropriate modifier to identify the test was distinctly separate and not related to drug testing as a Specimen Validity Test. The records must also support that the laboratory service performed was not for Specimen Validity Testing and the modifier was appropriately reported. Please refer to the Modifier Reference Policy for additional modifier information.</p>
3	<p>Q: What is the difference between Presumptive and Definitive testing?</p> <p>A: A presumptive test is one used to identify possible use or non-use of a drug or Drug Class. Presumptive tests are not definitive. They only screen for the presence of a compound. A definitive or confirmation test is one that uses instrument analysis to positively identify the presence or quantity of a drug.</p>

Presumptive Codes	
80305	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures (eg, immunoassay); capable of being read by direct optical observation only (eg, dipsticks, cups, cards, cartridges) includes sample validation when performed, per date of service

80306	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures (eg, immunoassay); read by instrument assisted direct optical observation (eg, dipsticks, cups, cards, cartridges), includes sample validation when performed, per date of service
80307	Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service
H0003	Alcohol and/or drug screening; laboratory analysis of specimens for presence of alcohol and/or drugs (The H codes are used by those state Medicaid agencies that are mandated by state law to establish separate codes for identifying mental health services that include alcohol and drug treatment services.)
Definitive Codes	
G0480	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers) including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)); (2) stable isotope or other universally recognized internal standards in all samples (e.g. to control for matrix effects, interferences and variations in signal strength); and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed.
G0481	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers) including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)); (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength); and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed.
G0482	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers) including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)); (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength); and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed.
G0483	Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers) including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase)); (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength); and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 22 or more drug class(es), including metabolite(s) if performed.
G0659	Drug test(s), definitive, utilizing drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers) including, but not limited to, GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem), excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (e.g., alcohol dehydrogenase), performed without method or drug-specific calibration, without matrix-matched quality control material, or without use of stable isotope or other universally recognized internal standard(s) for each drug, drug metabolite or drug class per specimen; qualitative or quantitative, all sources, includes specimen validity testing, per day, any number of drug classes.
0006U	Prescription drug monitoring, 120 or more drugs and substances, definitive tandem mass spectrometry with chromatography, urine, qualitative report of presence (including quantitative levels, when detected) or absence of each drug or substance with description and severity of potential interactions, with identified substances, per date of service (PLA Code) (Proprietary Name and Clinical Laboratory and/or Manufacturer: Aegis Drug-Drug Interaction Test; Aegis Sciences Corporation)

0007U	Drug test(s), presumptive, with definitive confirmation of positive results, any number of drug classes, urine, includes specimen verification including DNA authentication in comparison to buccal DNA, per date of service (PLA Code) (Proprietary Name and Clinical Laboratory and/or Manufacturer: ToxProtect; Genotox Laboratories LTD)
0011U	Prescription drug monitoring, evaluation of drugs present by LC-MS/MS, using oral fluid, reported as a comparison to an estimated steady-state range, per date of service including all drug compounds and metabolites (PLA Code) (Proprietary Name and Clinical Laboratory and/or Manufacturer: Cordant CORE™; Cordant Health Solutions)
0020U	Drug test(s), presumptive, with definitive confirmation of positive results, any number of drug classes, urine, with specimen verification including DNA authentication in comparison to buccal DNA, per date of service (PLA Code) (Proprietary Name and Clinical Laboratory and/or Manufacturer: Tox Lok; InSource Diagnostics; Agena Bioscience, Inc.)

Attachment	
 Specimen Validity Testing Codes	Codes Used for Specimen Validity Testing

Resources
American Medical Association, <i>Current Procedural Terminology (CPT®)</i> and associated publications and services
Centers for Medicare and Medicaid Services, Healthcare Common Procedure Coding System, HCPCS Release and Code Sets
Centers for Medicare and Medicaid Services, CMS Manual System and other CMS publications and services
Centers for Medicare and Medicaid Services, National Correct Coding Initiative (NCCI) publications
Centers for Medicare and Medicaid Services, Clinical Laboratory Fee Schedule (CLFS)
Centers for Medicare and Medicaid Services, Medicare Administrative Contractors (MACs)

History	
5/1/2019	Annual Policy Change (No New Version)
1/1/2019	Policy Verbiage Change: Overview, Reimbursement Guidelines and Q&A sections updated to remove references to annual drug testing limits
7/11/2018	Policy Approval Date Change (No New Version)
1/1/2018 – 12/31/2018	Annual Policy Version Change Policy verbiage change: Overview, Reimbursement Guidelines, Q&A and Code sections updated to include annual drug testing limits and new CPT and HCPCS Codes
9/1/2017 – 12/31/2017	Policy implemented by UnitedHealthcare Employer & Individual
5/10/2017	Policy approved by the Reimbursement Policy Oversight Committee