

# Screening Colonoscopy Procedures – Site of Service

Policy Number: SURGERY 117.1 T2  
Effective Date: January 1, 2021

[Instructions for Use](#)

Table of Contents	Page
<a href="#">Coverage Rationale</a> .....	1
<a href="#">Definitions</a> .....	2
<a href="#">Prior Authorization Requirements</a> .....	2
<a href="#">Applicable Codes</a> .....	2
<a href="#">References</a> .....	3
<a href="#">Policy History/Revision Information</a> .....	4
<a href="#">Instructions for Use</a> .....	4

Related Policies
<ul style="list-style-type: none"> <li>• <a href="#">Outpatient Surgical Procedures – Site of Service</a></li> <li>• <a href="#">Preventive Care Services</a></li> </ul>

## Coverage Rationale

Oxford members may choose to receive a screening colonoscopy in an ambulatory surgical center (ASC) or other locations. We are conducting site of service medical necessity reviews, however, to determine whether the outpatient hospital department is medically necessary, in accordance with the terms of the member’s benefit plan. If the outpatient hospital department is not considered medically necessary, this location will not be covered under the member’s plan.

Note: When a planned colonoscopy is done for diagnostic purposes it will be considered under the applicable non-preventive medical benefit. Please refer to the Clinical Policy titled [Outpatient Surgical Procedures – Site of Service](#).

Planned preventive screening colonoscopies performed in a hospital outpatient department are considered medically necessary for an individual who meets ANY of the following criteria:

- Advanced liver disease (MELD Score > 8)
- Anticipated need for transfusion
- Bleeding disorder requiring replacement factor or blood products or special infusion products to correct a coagulation defect
- Brittle Diabetes
- Cardiac arrhythmia (symptomatic arrhythmia despite medication)
- Chronic obstructive pulmonary disease (COPD) (FEV1 <50%)
- Coronary artery disease ([CAD]/peripheral vascular disease [PVD]) (ongoing cardiac ischemia requiring medical management or recently placed [within 1 year] drug eluting stent)
- Developmental stage or cognitive status warranting use of a hospital outpatient department
- End stage renal disease ([hyperkalemia above reference range] receiving peritoneal or hemodialysis)
- History of cerebrovascular accident (CVA) or transient ischemic attack (TIA) (recent event [< 3 months])
- History of myocardial infarction (MI) (recent event [< 3 months])
- Individuals with drug eluting stents (DES) placed within one year or bare metal stents (BMS) or plain angioplasty within 90 days unless acetylsalicylic acid and antiplatelet drugs will be continued by agreement of surgeon, cardiologist and anesthesia
- Ongoing evidence of myocardial ischemia
- Poorly Controlled asthma (FEV1 < 80% despite medical management)
- Resistant hypertension (Poorly Controlled)
- Severe valvular heart disease

- Sleep apnea (moderate to severe Obstructive Sleep Apnea (OSA))
- Uncompensated chronic heart failure (CHF) (NYHA class III or IV)

A planned preventive screening colonoscopy performed in a hospital outpatient department is considered medically necessary if there is an inability to access an ambulatory surgical center for the procedure due to ANY one of the following:

- There is no geographically accessible ambulatory surgical center that has the necessary equipment for the procedure; or
- An ASC's specific guideline regarding the individual's weight or health conditions that prevents the use of an ASC

Site of service medical necessity reviews will be conducted for planned preventive screening colonoscopies on the [Applicable Codes List](#) only when performed in an outpatient hospital setting.

## Definitions

**ASA Physical Status Classification System Risk Scoring Tool:** The American Society of Anesthesiologists (ASA) physical status classification system was developed to offer clinicians a simple categorization of a patient's physiological status that can be helpful in predicting operative risk. The ASA score is a subjective assessment of a patient's overall health that is based on five classes.

**Brittle Diabetes:** Diabetes that is difficult to control due to symptoms such as (1) predominant hyperglycemia with recurrent ketoacidosis, (2) predominant hypoglycemia, and (3) mixed hyper- and hypoglycemia.

**Obstructive Sleep Apnea (OSA):** Severity is defined as: Moderate for AHI or RDI  $\geq 15$  and  $\leq 30$ . Severe for AHI or RDI  $> 30$ /hr.

**Poorly Controlled:** Requiring three or more drugs to control blood pressure.

## Prior Authorization Requirements

Prior authorization is required when any of the CPT codes listed in the Applicable Codes section of this policy is provided in a hospital outpatient facility setting.

## Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies may apply.

CPT Code	Description
45378	Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)
45380	Colonoscopy, flexible; with biopsy, single or multiple
45381	Colonoscopy, flexible; with directed submucosal injection(s), any substance
45384	Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps
45385	Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique

*CPT® is a registered trademark of the American Medical Association*

HCPCS Code	Description
G0105	Colorectal cancer screening; colonoscopy on individual at high risk
G0121	Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk

Diagnosis Code	Description
Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z12.10	Encounter for screening for malignant neoplasm of intestinal tract, unspecified
Z12.11	Encounter for screening for malignant neoplasm of colon
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z80.0	Family history of malignant neoplasm of digestive organs
Z83.71	Family history of colonic polyps
Z83.79	Family history of other diseases of the digestive system

## References

The foregoing Oxford policy has been adapted from an existing UnitedHealthcare national policy that was researched, developed and approved by UnitedHealthcare Medical Technology Assessment Committee. [*URG-15.01*]

American Heart Association. Classes of Heart Failure. Available at:

[http://www.heart.org/HEARTORG/Conditions/HeartFailure/AboutHeartFailure/Classes-of-Heart-Failure\\_UCM\\_306328\\_Article.jsp](http://www.heart.org/HEARTORG/Conditions/HeartFailure/AboutHeartFailure/Classes-of-Heart-Failure_UCM_306328_Article.jsp). Accessed July 24, 2020.

American Society of Anesthesiologists (ASA) Physical Status Classification System.

American Society of Anesthesiologists. Guidelines for ambulatory anesthesia and surgery. October 17, 2018.

American Society of Anesthesiologists. Guidelines for patient care in anesthesiology. October 26, 2016.

Bilimoria K, Liu Y, Paruch J, et al. Development and evaluation of the Universal ACS NSQIP Surgical Risk Calculator: a decision aide and informed consent tool for patients and surgeons. *J Am Coll Surg*. 2013 November; 217(5): 833–842.e3.

Epstein LJ, Kristo D, Strollo PJ Jr, et al. Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults. *J Clin Sleep Med*. 2009 Jun 15; 5(3):263-76.

Friedman L S. Surgery in the patient with liver disease. *Trans Am Clin Climatol Assoc*. 2010; 121: 192–205.

Joshi G, Ahmad S; Riad W. et al. Selection of obese patients undergoing ambulatory surgery: a systematic review of the literature. *Anesthesia & Analgesia*. November 2013; 117(5): 1082–1091.

Joshi G, Ankichetty P, Gan T, and Chung F. Society for Ambulatory Anesthesia Consensus Statement on preoperative selection of adult patients with obstructive sleep apnea scheduled for ambulatory surgery. *Anesthesia & Analgesia*: November 2012; 115(5): 1060–1068.

Joshi G; Chung F; Vann Mary Ann, et al. Society for Ambulatory Anesthesia Consensus Statement on perioperative blood glucose management in diabetic patients undergoing ambulatory surgery. *Anesthesia & Analgesia*. December 2010; 111(6): 1378–1387.

Maganti K, Rigolin VH, Sarano ME, Bonow RO. Valvular heart disease: diagnosis and management. *Mayo Clin Proc*. 2010 May;85(5):483-500.

Mathis MR, Naughton NN, Shanks AM, et al. Patient selection for day case-eligible surgery: identifying those at high risk for major complications. *Anesthesiology*. 2013 Dec;119(6):1310-21.

National Kidney Foundation. Clinical update on hyperkalemia. A chronic risk for CKD patients and a potential barrier to recommended CKD treatment. [https://www.kidney.org/sites/default/files/02-10-6785\\_HBE\\_Hyperkalemia\\_Bulletin.pdf](https://www.kidney.org/sites/default/files/02-10-6785_HBE_Hyperkalemia_Bulletin.pdf). Accessed July 24, 2020.

Sankar A, Johnson SR, Beattie WS, et al. Reliability of the American Society of Anesthesiologists physical status scale in clinical practice. *Br J Anaesth*. 2014 Sep;113(3):424-32.

## Policy History/Revision Information

Date	Summary of Changes
01/01/2021	New Clinical Policy

## Instructions for Use

This Clinical Policy provides assistance in interpreting UnitedHealthcare Oxford standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this policy, please check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare Oxford reserves the right to modify its Policies as necessary. This Clinical Policy is provided for informational purposes. It does not constitute medical advice.

The term Oxford includes Oxford Health Plans, LLC and all of its subsidiaries as appropriate for these policies. Unless otherwise stated, Oxford policies do not apply to Medicare Advantage members.

UnitedHealthcare may also use tools developed by third parties, such as the MCG™ Care Guidelines, to assist us in administering health benefits. UnitedHealthcare Oxford Clinical Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.