

Prosthetic Devices, Specialized, Microprocessor or Myoelectric Limbs (for Indiana Only)

Guideline Number: CS104IN.03
Effective Date: October 1, 2021

[➔ Instructions for Use](#)

| Table of Contents | Page |
|--|------|
| Application | 1 |
| Coverage Rationale | 1 |
| Applicable Codes | 1 |
| Guideline History/Revision Information | 14 |
| Instructions for Use | 14 |

Related Policies

- [Durable Medical Equipment, Orthotics, Medical Supplies and Repairs/ Replacements \(for Indiana Only\)](#)
- [Omnibus Codes \(for Indiana Only\)](#)

Application

This Coverage Determination Guideline only applies to the state of Indiana.

Coverage Rationale

Indications for Coverage

Implantable devices/prostheses, such as artificial heart valves, are not prosthetics. If covered, these devices would be covered as a surgical service.

Prosthetic Devices

For medical necessity clinical coverage criteria, refer to the [Indiana Durable and Home Medical Equipment and Supplies Provider Reference Module](#).

Myoelectric Upper Limbs (Arms, Joints, and Hands)

For medical necessity clinical coverage criteria, refer to the InterQual® 2021, Apr. 2021 Release, CP: Durable Medical Equipment, Prosthetics, Myoelectric, Upper Extremity.

Click [here](#) to view the InterQual® criteria.

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by federal, state, or contractual requirements and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

| CDT/HCPCS Code | Description |
|---|---|
| Additions to Upper Extremity | |
| L7400 | Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| L7401 | Addition to upper extremity prosthesis, above elbow disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| L7402 | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultra-light material (titanium, carbon fiber or equal) |
| L7403 | Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material |
| L7404 | Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material |
| L7405 | Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material |
| L7499 | Upper extremity prosthesis, not otherwise specified |
| Breast Prosthesis | |
| A4280 | Adhesive skin support attachment for use with external breast prosthesis, each |
| L8000 | Breast prosthesis, mastectomy bra, without integrated breast prosthesis form, any size, any type |
| L8001 | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral, any size, any type |
| L8002 | Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type |
| L8010* | Breast prosthesis, mastectomy sleeve |
| L8015 | External breast prosthesis garment, with mastectomy form, post mastectomy |
| L8020 | Breast prosthesis, mastectomy form |
| L8030 | Breast prosthesis, silicone or equal, without integral adhesive |
| L8031 | Breast prosthesis, silicone or equal, with integral adhesive |
| L8032 | Nipple prosthesis, prefabricated, reusable, any type, each |
| L8033 | Nipple prosthesis, custom fabricated, reusable, any material, any type, each |
| L8035 | Custom breast prosthesis, post mastectomy, molded to patient model |
| L8039 | Breast prosthesis, not otherwise specified |
| S8460 | Camisole, postmastectomy |
| Ear Prosthesis | |
| D5914 | Auricular prosthesis |
| D5927 | Auricular prosthesis, replacement |
| L8045 | Auricular prosthesis, provided by a nonphysician |
| External Power: Upper Limb Prosthetics | |
| L6920 | Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device |
| L6925 | Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |
| L6930 | Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device |
| L6935 | Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |
| L6940 | Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device |

| CDT/HCPCS Code | Description |
|---|--|
| External Power: Upper Limb Prosthetics | |
| L6945 | Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |
| L6950 | Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device |
| L6955 | Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |
| L6960 | Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device |
| L6965 | Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |
| L6970 | Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device |
| L6975 | Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device |
| L7007 | Electric hand, switch or myoelectric controlled, adult |
| L7008 | Electric hand, switch or myoelectric, controlled, pediatric |
| L7009 | Electric hook, switch or myoelectric controlled, adult |
| L7040 | Prehensile actuator, switch controlled |
| L7045 | Electric hook, switch or myoelectric controlled, pediatric |
| L7170 | Electronic elbow, Hosmer or equal, switch controlled |
| L7180 | Electronic elbow, microprocessor sequential control of elbow and terminal device |
| L7181 | Electronic elbow, microprocessor simultaneous control of elbow and terminal device |
| L7185 | Electronic elbow, adolescent, Variety Village or equal, switch controlled |
| L7186 | Electronic elbow, child, Variety Village or equal, switch controlled |
| L7190 | Electronic elbow, adolescent, Variety Village or equal, myoelectronically controlled |
| L7191 | Electronic elbow, child, Variety Village or equal, myoelectronically controlled |
| L7259 | Electronic wrist rotator, any type |
| Eye Prosthesis | |
| D5915 | Orbital prosthesis |
| D5916 | Ocular prosthesis |
| D5923 | Ocular prosthesis, interim |
| D5928 | Orbital prosthesis, replacement |
| L8042 | Orbital prosthesis, provided by a nonphysician |
| L8610 | Ocular implant |
| V2623 | Prosthetic eye, plastic, custom |
| V2624 | Polishing/resurfacing of ocular prosthesis |

| CDT/HCPCS Code | Description |
|-------------------------------|---|
| Eye Prosthesis | |
| V2625 | Enlargement of ocular prosthesis |
| V2626 | Reduction of ocular prosthesis |
| V2627 | Scleral cover shell |
| V2628 | Fabrication and fitting of ocular conformer |
| V2629 | Prosthetic eye, other type |
| Facial Prosthesis | |
| D5911 | Facial moulage (sectional) |
| D5912 | Facial moulage (complete) |
| D5919 | Facial prosthesis |
| D5929 | Facial prosthesis, replacement |
| D7993 | Surgical placement of a craniofacial implant to aid in retention of an auricular, nasal, or orbital prosthesis |
| L8041 | Midfacial prosthesis, provided by a nonphysician |
| L8043 | Upper facial prosthesis, provided by a nonphysician |
| L8044 | Hemi-facial prosthesis, provided by a nonphysician |
| L8046 | Partial facial prosthesis, provided by a nonphysician |
| L8048 | Unspecified maxillofacial prosthesis, by report, provided by a nonphysician |
| L8049 | Repair or modification of maxillofacial prosthesis, labor component, 15 minute increments, provided by a nonphysician |
| Lower Limb Prosthetics | |
| K1022 | Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type |
| L5000 | Partial foot, shoe insert with longitudinal arch, toe filler |
| L5010 | Partial foot, molded socket, ankle height, with toe filler |
| L5020 | Partial foot, molded socket, tibial tubercle height, with toe filler |
| L5050 | Ankle, Symes, molded socket, SACH foot |
| L5060 | Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot |
| L5100 | Below knee (BK), molded socket, shin, SACH foot |
| L5105 | Below knee (BK), plastic socket, joints and thigh lacer, SACH foot |
| L5150 | Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot |
| L5160 | Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, SACH foot |
| L5200 | Above knee (AK), molded socket, single axis constant friction knee, shin, SACH foot |
| L5210 | Above knee (AK), short prosthesis, no knee joint (stubbies), with foot blocks, no ankle joints, each |
| L5220 | Above knee (AK), short prosthesis, no knee joint (stubbies), with articulated ankle/foot, dynamically aligned, each |
| L5230 | Above knee (AK), for proximal femoral focal deficiency, constant friction knee, shin, SACH foot |
| L5250 | Hip disarticulation, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot |
| L5270 | Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot |
| L5280 | Hemipelvectomy, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot |

| CDT/HCPCS Code | Description |
|-------------------------------|--|
| Lower Limb Prosthetics | |
| L5301 | Below knee (BK), molded socket, shin, SACH foot, endoskeletal system |
| L5312 | Knee disarticulation (or through knee), molded socket, single axis knee, pylon, SACH foot, endoskeletal system |
| L5321 | Above knee (AK), molded socket, open end, SACH foot, endoskeletal system, single axis knee |
| L5331 | Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot |
| L5341 | Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot |
| L5400 | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee (BK) |
| L5410 | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee (BK), each additional cast change and realignment |
| L5420 | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change above knee (AK) or knee disarticulation |
| L5430 | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, AK or knee disarticulation, each additional cast change and realignment |
| L5450 | Immediate postsurgical or early fitting, application of nonweight bearing rigid dressing, below knee (BK) |
| L5460 | Immediate postsurgical or early fitting, application of nonweight bearing rigid dressing, above knee (AK) |
| L5500 | Initial, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, plaster socket, direct formed |
| L5505 | Initial, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, plaster socket, direct formed |
| L5510 | Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, plaster socket, molded to model |
| L5520 | Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed |
| L5530 | Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model |
| L5535 | Preparatory, below knee (BK) PTB type socket, nonalignable system, no cover, SACH foot, prefabricated, adjustable open end socket |
| L5540 | Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, laminated socket, molded to model |
| L5560 | Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, plaster socket, molded to model |
| L5570 | Preparatory, above knee (AK) - knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed |
| L5580 | Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model |
| L5585 | Preparatory, above knee (AK) - knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, prefabricated adjustable open end socket |
| L5590 | Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, laminated socket, molded to model |
| L5595 | Preparatory, hip disarticulation/hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model |

| CDT/HCPCS Code | Description |
|-------------------------------|---|
| Lower Limb Prosthetics | |
| L5600 | Preparatory, hip disarticulation/hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model |
| L5610 | Addition to lower extremity, endoskeletal system, above knee (AK), hydracadence system |
| L5611 | Addition to lower extremity, endoskeletal system, above knee (AK), knee disarticulation, four-bar linkage, with friction swing phase control |
| L5613 | Addition to lower extremity, endoskeletal system, above knee (AK), knee disarticulation, four-bar linkage, with hydraulic swing phase control |
| L5614 | Addition to lower extremity, exoskeletal system, above knee-knee (AK) disarticulation, four bar linkage, with pneumatic swing phase control |
| L5616 | Addition to lower extremity, endoskeletal system, above knee (AK), universal multiplex system, friction swing phase control |
| L5617 | Addition to lower extremity, quick change self-aligning unit, above knee (AK) or below knee (BK), each |
| L5618 | Addition to lower extremity, test socket, Symes |
| L5620 | Addition to lower extremity, test socket, below knee (BK) |
| L5622 | Addition to lower extremity, test socket, knee disarticulation |
| L5624 | Addition to lower extremity, test socket, above knee (AK) |
| L5626 | Addition to lower extremity, test socket, hip disarticulation |
| L5628 | Addition to lower extremity, test socket, hemipelvectomy |
| L5629 | Addition to lower extremity, below knee, acrylic socket |
| L5630 | Addition to lower extremity, Symes type, expandable wall socket |
| L5631 | Addition to lower extremity, above knee (AK) or knee disarticulation, acrylic socket |
| L5632 | Addition to lower extremity, Symes type, PTB brim design socket |
| L5634 | Addition to lower extremity, Symes type, posterior opening (Canadian) socket |
| L5636 | Addition to lower extremity, Symes type, medial opening socket |
| L5637 | Addition to lower extremity, below knee (BK), total contact |
| L5638 | Addition to lower extremity, below knee (BK), leather socket |
| L5639 | Addition to lower extremity, below knee (BK), wood socket |
| L5640 | Addition to lower extremity, knee disarticulation, leather socket |
| L5642 | Addition to lower extremity, above knee (AK), leather socket |
| L5643 | Addition to lower extremity, hip disarticulation, flexible inner socket, external frame |
| L5644 | Addition to lower extremity, above knee (AK), wood socket |
| L5645 | Addition to lower extremity, below knee (BK), flexible inner socket, external frame |
| L5646 | Addition to lower extremity, below knee (BK), air, fluid, gel or equal, cushion socket |
| L5647 | Addition to lower extremity, below knee (BK), suction socket |
| L5648 | Addition to lower extremity, above knee (AK), air, fluid, gel or equal, cushion socket |
| L5649 | Addition to lower extremity, ischial containment/narrow M-L socket |
| L5650 | Additions to lower extremity, total contact, above knee (AK) or knee disarticulation socket |
| L5651 | Addition to lower extremity, above knee (AK), flexible inner socket, external frame |
| L5652 | Addition to lower extremity, suction suspension, above knee or knee disarticulation socket |
| L5653 | Addition to lower extremity, knee disarticulation, expandable wall socket |
| L5654 | Addition to lower extremity, socket insert, Symes, (Kemblo, Pelite, Aliplast, Plastazote or equal) |

| CDT/HCPCS Code | Description |
|-------------------------------|--|
| Lower Limb Prosthetics | |
| L5655 | Addition to lower extremity, socket insert, below knee (BK) (Kemblo, Pelite, Aliplast, Plastazote or equal) |
| L5656 | Addition to lower extremity, socket insert, knee disarticulation (Kemblo, Pelite, Aliplast, Plastazote or equal) |
| L5658 | Addition to lower extremity, socket insert, above knee (AK) (Kemblo, Pelite, Aliplast, Plastazote or equal) |
| L5661 | Addition to lower extremity, socket insert, multidurometer Symes |
| L5665 | Addition to lower extremity, socket insert, multidurometer, below knee (BK) |
| L5666 | Addition to lower extremity, below knee (BK), cuff suspension |
| L5668 | Addition to lower extremity, below knee (BK), molded distal cushion |
| L5670 | Addition to lower extremity, below knee (BK), molded supracondylar suspension (PTS or similar) |
| L5671 | Addition to lower extremity, below knee (BK) / above knee (AK) suspension locking mechanism (shuttle, lanyard, or equal), excludes socket insert |
| L5672 | Addition to lower extremity, below knee (BK), removable medial brim suspension |
| L5673 | Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism |
| L5676 | Additions to lower extremity, below knee (BK), knee joints, single axis, pair |
| L5677 | Additions to lower extremity, below knee (BK), knee joints, polycentric, pair |
| L5678 | Additions to lower extremity, below knee (BK), joint covers, pair |
| L5679 | Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism |
| L5680 | Addition to lower extremity, below knee (BK), thigh lacer, nonmolded |
| L5681 | Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679) |
| L5682 | Addition to lower extremity, below knee (BK), thigh lacer, gluteal/ischial, molded |
| L5683 | Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679) |
| L5684 | Addition to lower extremity, below knee, fork strap |
| L5685 | Addition to lower extremity prosthesis, below knee, suspension/sealing sleeve, with or without valve, any material, each |
| L5686 | Addition to lower extremity, below knee (BK), back check (extension control) |
| L5688 | Addition to lower extremity, below knee (BK), waist belt, webbing |
| L5690 | Addition to lower extremity, below knee (BK), waist belt, padded and lined |
| L5692 | Addition to lower extremity, above knee (AK), pelvic control belt, light |
| L5694 | Addition to lower extremity, above knee (AK), pelvic control belt, padded and lined |
| L5695 | Addition to lower extremity, above knee (AK), pelvic control, sleeve suspension, neoprene or equal, each |
| L5696 | Addition to lower extremity, above knee (AK) or knee disarticulation, pelvic joint |
| L5697 | Addition to lower extremity, above knee (AK) or knee disarticulation, pelvic band |
| L5698 | Addition to lower extremity, above knee (AK) or knee disarticulation, Silesian bandage |
| L5699 | All lower extremity prostheses, shoulder harness |
| L5700 | Replacement, socket, below knee (BK), molded to patient model |

| CDT/HCPCS Code | Description |
|-------------------------------|---|
| Lower Limb Prosthetics | |
| L5701 | Replacement, socket, above knee (AK)/knee disarticulation, including attachment plate, molded to patient model |
| L5702 | Replacement, socket, hip disarticulation, including hip joint, molded to patient model |
| L5703 | Ankle, Symes, molded to patient model, socket without solid ankle cushion heel (SACH) foot, replacement only |
| L5704 | Custom shaped protective cover, below knee (BK) |
| L5705 | Custom shaped protective cover, above knee (AK) |
| L5706 | Custom shaped protective cover, knee disarticulation |
| L5707 | Custom shaped protective cover, hip disarticulation |
| L5710 | Addition, exoskeletal knee-shin system, single axis, manual lock |
| L5711 | Additions exoskeletal knee-shin system, single axis, manual lock, ultra-light material |
| L5712 | Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee) |
| L5714 | Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control |
| L5716 | Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock |
| L5718 | Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control |
| L5722 | Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control |
| L5724 | Addition, exoskeletal knee-shin system, single axis, fluid swing phase control |
| L5726 | Addition, exoskeletal knee-shin system, single axis, external joints, fluid swing phase control |
| L5728 | Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control |
| L5780 | Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control |
| L5785 | Addition, exoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) |
| L5790 | Addition, exoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) |
| L5795 | Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| L5810 | Addition, endoskeletal knee-shin system, single axis, manual lock |
| L5811 | Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material |
| L5812 | Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee) |
| L5814 | Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock |
| L5816 | Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock |
| L5818 | Addition, endoskeletal knee-shin system, polycentric, friction swing and stance phase control |
| L5822 | Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control |
| L5824 | Addition, endoskeletal knee-shin system, single axis, fluid swing phase control |
| L5826 | Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame |
| L5828 | Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control |
| L5830 | Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control |
| L5840 | Addition, endoskeletal knee-shin system, four-bar linkage or multiaxial, pneumatic swing phase control |
| L5845 | Addition, endoskeletal knee-shin system, stance flexion feature, adjustable |
| L5848 | Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability |
| L5850 | Addition, endoskeletal system, above knee (AK) or hip disarticulation, knee extension assist |

| CDT/HCPCS Code | Description |
|-------------------------------|--|
| Lower Limb Prosthetics | |
| L5855 | Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist |
| L5856 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type |
| L5857 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type |
| L5858 | Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type |
| L5859 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s) |
| L5910 | Addition, endoskeletal system, below knee (BK), alignable system |
| L5920 | Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system |
| L5925 | Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock |
| L5930 | Addition, endoskeletal system, high activity knee control frame |
| L5940 | Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) |
| L5950 | Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) |
| L5960 | Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) |
| L5961 | Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control |
| L5962 | Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system |
| L5964 | Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system |
| L5966 | Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system |
| L5968 | Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature |
| L5969 | Addition, endoskeletal ankle-foot or ankle system, power assist, includes any type motor(s) |
| L5970 | All lower extremity prostheses, foot, external keel, SACH foot |
| L5971 | All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only |
| L5972 | All lower extremity prostheses, foot, flexible keel |
| L5973 | Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source |
| L5974 | All lower extremity prostheses, foot, single axis ankle/foot |
| L5975 | All lower extremity prostheses, combination single axis ankle and flexible keel foot |
| L5976 | All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) |
| L5978 | All lower extremity prostheses, foot, multiaxial ankle/foot |
| L5979 | All lower extremity prostheses, multiaxial ankle, dynamic response foot, one-piece system |
| L5980 | All lower extremity prostheses, flex-foot system |
| L5981 | All lower extremity prostheses, flex-walk system or equal |
| L5982 | All exoskeletal lower extremity prostheses, axial rotation unit |
| L5984 | All endoskeletal lower extremity prostheses, axial rotation unit, with or without adjustability |
| L5985 | All endoskeletal lower extremity prostheses, dynamic prosthetic pylon |
| L5986 | All lower extremity prostheses, multiaxial rotation unit (MCP or equal) |
| L5987 | All lower extremity prostheses, shank foot system with vertical loading pylon |
| L5988 | Addition to lower limb prosthesis, vertical shock reducing pylon feature |
| L5990 | Addition to lower extremity prosthesis, user adjustable heel height |

| CDT/HCPCS Code | Description |
|-------------------------------|--|
| Lower Limb Prosthetics | |
| L5999 | Lower extremity prosthesis, not otherwise specified |
| Miscellaneous | |
| L7700 | Gasket or seal, for use with prosthetic socket insert, any type, each (Note: L7700 is for either a lower limb, or an upper limb socket) |
| L8510 | Voice amplifier |
| Nose Prosthesis | |
| D5913 | Nasal prosthesis |
| D5922 | Nasal septal prosthesis |
| D5926 | Nasal prosthesis, replacement |
| L8040 | Nasal prosthesis, provided by a nonphysician |
| L8047 | Nasal septal prosthesis, provided by a nonphysician |
| Prosthetic Socks | |
| L7600 | Prosthetic donning sleeve, any material, each |
| L8400 | Prosthetic sheath, below knee, each |
| L8410 | Prosthetic sheath, above knee, each |
| L8415 | Prosthetic sheath, upper limb, each |
| L8417 | Prosthetic sheath/sock, including a gel cushion layer, below knee (BK) or above knee (AK), each |
| L8420 | Prosthetic sock, multiple ply, below knee (BK), each |
| L8430 | Prosthetic sock, multiple ply, above knee (AK), each |
| L8435 | Prosthetic sock, multiple ply, upper limb, each |
| L8440 | Prosthetic shrinker, below knee (BK), each |
| L8460 | Prosthetic shrinker, above knee (AK), each |
| L8465 | Prosthetic shrinker, upper limb, each |
| L8470 | Prosthetic sock, single ply, fitting, below knee (BK), each |
| L8480 | Prosthetic sock, single ply, fitting, above knee (AK), each |
| L8485 | Prosthetic sock, single ply, fitting, upper limb, each |
| L8499 | Unlisted procedure for miscellaneous prosthetic services |
| L9900 | Orthotic and prosthetic supply, accessory, and/or service component of another HCPCS L code |
| Repair and Replacement | |
| L7510 | Repair of prosthetic device, repair or replace minor parts |
| L7520 | Repair prosthetic device, labor component, per 15 minutes |
| Upper Limb Prosthetics | |
| L6000 | Partial hand, thumb remaining |
| L6010 | Partial hand, little and/or ring finger remaining |
| L6020 | Partial hand, no finger remaining |
| L6026 | Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device, excludes terminal device(s) |
| L6050 | Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad |
| L6055 | Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad |
| L6100 | Below elbow, molded socket, flexible elbow hinge, triceps pad |

| CDT/HCPCS Code | Description |
|-------------------------------|---|
| Upper Limb Prosthetics | |
| L6110 | Below elbow, molded socket (Muenster or Northwestern suspension types) |
| L6120 | Below elbow, molded double wall split socket, step-up hinges, half cuff |
| L6130 | Below elbow, molded double wall split socket, stump activated locking hinge, half cuff |
| L6200 | Elbow disarticulation, molded socket, outside locking hinge, forearm |
| L6205 | Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm |
| L6250 | Above elbow, molded double wall socket, internal locking elbow, forearm |
| L6300 | Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm |
| L6310 | Shoulder disarticulation, passive restoration (complete prosthesis) |
| L6320 | Shoulder disarticulation, passive restoration (shoulder cap only) |
| L6350 | Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm |
| L6360 | Interscapular thoracic, passive restoration (complete prosthesis) |
| L6370 | Interscapular thoracic, passive restoration (shoulder cap only) |
| L6380 | Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow |
| L6382 | Immediate postsurgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow |
| L6384 | Immediate postsurgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic |
| L6386 | Immediate postsurgical or early fitting, each additional cast change and realignment |
| L6388 | Immediate postsurgical or early fitting, application of rigid dressing only |
| L6400 | Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| L6450 | Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| L6500 | Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| L6550 | Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| L6570 | Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping |
| L6580 | Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, molded to patient model |
| L6582 | Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, direct formed |
| L6584 | Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, molded to patient model |
| L6586 | Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, direct formed |
| L6588 | Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, molded to patient model |
| L6590 | Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, direct formed |
| L6600 | Upper extremity additions, polycentric hinge, pair |

| CDT/HCPCS Code | Description |
|-------------------------------|--|
| Upper Limb Prosthetics | |
| L6605 | Upper extremity additions, single pivot hinge, pair |
| L6610 | Upper extremity additions, flexible metal hinge, pair |
| L6611 | Addition to upper extremity prosthesis, external powered, additional switch, any type |
| L6615 | Upper extremity addition, disconnect locking wrist unit |
| L6616 | Upper extremity addition, additional disconnect insert for locking wrist unit, each |
| L6620 | Upper extremity addition, flexion/extension wrist unit, with or without friction |
| L6621 | Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device |
| L6623 | Upper extremity addition, spring assisted rotational wrist unit with latch release |
| L6624 | Upper extremity addition, flexion/extension and rotation wrist unit |
| L6625 | Upper extremity addition, rotation wrist unit with cable lock |
| L6628 | Upper extremity addition, quick disconnect hook adapter, Otto Bock or equal |
| L6629 | Upper extremity addition, quick disconnect lamination collar with coupling piece, Otto Bock or equal |
| L6630 | Upper extremity addition, stainless steel, any wrist |
| L6632 | Upper extremity addition, latex suspension sleeve, each |
| L6635 | Upper extremity addition, lift assist for elbow |
| L6637 | Upper extremity addition, nudge control elbow lock |
| L6638 | Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow |
| L6640 | Upper extremity additions, shoulder abduction joint, pair |
| L6641 | Upper extremity addition, excursion amplifier, pulley type |
| L6642 | Upper extremity addition, excursion amplifier, lever type |
| L6645 | Upper extremity addition, shoulder flexion-abduction joint, each |
| L6646 | Upper extremity addition, shoulder joint, multi positional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system |
| L6647 | Upper extremity addition, shoulder lock mechanism, body powered actuator |
| L6648 | Upper extremity addition, shoulder lock mechanism, external powered actuator |
| L6650 | Upper extremity addition, shoulder universal joint, each |
| L6655 | Upper extremity addition, standard control cable, extra |
| L6660 | Upper extremity addition, heavy-duty control cable |
| L6665 | Upper extremity addition, Teflon, or equal, cable lining |
| L6670 | Upper extremity addition, hook to hand, cable adapter |
| L6672 | Upper extremity addition, harness, chest or shoulder, saddle type |
| L6675 | Upper extremity addition, harness, (e.g., figure of eight type), single cable design |
| L6676 | Upper extremity addition, harness, (e.g., figure of eight type), dual cable design |
| L6677 | Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow |
| L6680 | Upper extremity addition, test socket, wrist disarticulation or below elbow |
| L6682 | Upper extremity addition, test socket, elbow disarticulation or above elbow |
| L6684 | Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic |
| L6686 | Upper extremity addition, suction socket |
| L6687 | Upper extremity addition, frame type socket, below elbow or wrist disarticulation |

| CDT/HCPCS Code | Description |
|-------------------------------|---|
| Upper Limb Prosthetics | |
| L6688 | Upper extremity addition, frame type socket, above elbow or elbow disarticulation |
| L6689 | Upper extremity addition, frame type socket, shoulder disarticulation |
| L6690 | Upper extremity addition, frame type socket, interscapular-thoracic |
| L6691 | Upper extremity addition, removable insert, each |
| L6692 | Upper extremity addition, silicone gel insert or equal, each |
| L6693 | Upper extremity addition, locking elbow, forearm counterbalance |
| L6694 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism |
| L6695 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism |
| L6696 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) |
| L6697 | Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) |
| L6698 | Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert |
| L6703 | Terminal device, passive hand/mitt, any material, any size |
| L6704 | Terminal device, sport/recreational/work attachment, any material, any size |
| L6706 | Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined |
| L6707 | Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined |
| L6708 | Terminal device, hand, mechanical, voluntary opening, any material, any size |
| L6709 | Terminal device, hand, mechanical, voluntary closing, any material, any size |
| L6711 | Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric |
| L6712 | Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric |
| L6713 | Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric |
| L6714 | Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric |
| L6715 | Terminal device, multiple articulating digit, includes motor(s), initial issue or replacement |
| L6721 | Terminal device, hook or hand, heavy-duty, mechanical, voluntary opening, any material, any size, lined or unlined |
| L6722 | Terminal device, hook or hand, heavy-duty, mechanical, voluntary closing, any material, any size, lined or unlined |
| L6805 | Addition to terminal device, modifier wrist unit |
| L6810 | Addition to terminal device, precision pinch device |
| L6880 | Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s) |
| L6881 | Automatic grasp feature, addition to upper limb electric prosthetic terminal device |
| L6882 | Microprocessor control feature, addition to upper limb prosthetic terminal device |
| L6883 | Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power |
| L6884 | Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power |

| CDT/HCPCS Code | Description |
|-------------------------------|--|
| Upper Limb Prosthetics | |
| L6885 | Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power |
| L6890 | Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment |
| L6895 | Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated |
| L6900 | Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining |
| L6905 | Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining |
| L6910 | Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining |
| L6915 | Hand restoration (shading and measurements included), replacement glove for above |

Guideline History/Revision Information

| Date | Summary of Changes |
|------------|--|
| 10/01/2021 | <p>Applicable Codes</p> <ul style="list-style-type: none"> Updated list of applicable HCPCS codes to reflect quarterly edits; added K1022 <p>Supporting Information</p> <ul style="list-style-type: none"> Archived previous policy version CS104IN.02 |

Instructions for Use

This Coverage Determination Guideline provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the federal, state or contractual requirements for benefit plan coverage must be referenced as the terms of the federal, state or contractual requirements for benefit plan coverage may differ from the standard benefit plan. In the event of a conflict, the federal, state or contractual requirements for benefit plan coverage govern. Before using this guideline, please check the federal, state or contractual requirements for benefit plan coverage. UnitedHealthcare reserves the right to modify its Policies and Guidelines as necessary. This Coverage Determination Guideline is provided for informational purposes. It does not constitute medical advice.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual[®] criteria, to assist us in administering health benefits. The UnitedHealthcare Coverage Determination Guidelines are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.