

# Rhinoplasty and Other Nasal Surgeries (for New Jersey Only)

Guideline Number: CS107NJ.T  
Effective Date: August 1, 2022

[➔ Instructions for Use](#)

Table of Contents	Page
<a href="#">Application</a> .....	1
<a href="#">Coverage Rationale</a> .....	1
<a href="#">Definitions</a> .....	3
<a href="#">Applicable Codes</a> .....	4
<a href="#">References</a> .....	5
<a href="#">Guideline History/Revision Information</a> .....	6
<a href="#">Instructions for Use</a> .....	7

Related Policies
• <a href="#">Cosmetic and Reconstructive Procedures (for New Jersey Only)</a>
• <a href="#">Omnibus Codes (for New Jersey Only)</a>
• <a href="#">Orthognathic (Jaw) Surgery (for New Jersey Only)</a>
• <a href="#">Plagiocephaly and Craniosynostosis Treatment (for New Jersey Only)</a>

## Application

This Coverage Determination Guideline only applies to the state of New Jersey.

## Coverage Rationale

### Indications for Coverage

Some states require coverage for services that UnitedHealthcare considers Cosmetic Procedures, such as repair of external Congenital Anomalies in the absence of a Functional Impairment. Check the federal, state or contractual requirements for benefit coverage.

Lysis intranasal Synechia (CPT code 30560) is considered reconstructive when:

- There is a documented Functional Impairment (e.g., obstruction, pain or bleeding) due to intranasal Synechia (adhesions/scar bands); and
- The Functional Impairment will be eliminated by lysis of the Synechia

Repair of nasal vestibular stenosis or alar collapse (CPT code 30465) is considered reconstructive and medically necessary when all of the following criteria are present:

- Prolonged, persistent obstructed nasal breathing due to internal and/or External Nasal Valve compromise (refer to the [Definitions](#) section); and
- Internal valve compromise due to collapse of the upper lateral cartilage and/or External Nasal Valve compromise due to collapse of the alar (lower lateral) cartilage resulting in an anatomic Mechanical Nasal Airway Obstruction that is a primary contributing factor for obstructed nasal breathing; and
- Photos clearly document internal and/or external valve collapse as the primary cause of an anatomic Mechanical Nasal Airway Obstruction and are consistent with the clinical exam; and
- Other causes have been ruled out as the primary cause of nasal obstruction (e.g., sinusitis, allergic rhinitis, vasomotor rhinitis, nasal polyposis, adenoid hypertrophy, nasopharyngeal masses, nasal septal deviation, turbinate hypertrophy and choanal atresia)

Note: For placement of absorbable nasal implants (e.g., Latera), refer to the Medical Policy titled [Omnibus Codes \(for New Jersey Only\)](#).

Rhinophyma Excision (CPT code 30120) is considered reconstructive and medically necessary when all of the following criteria are present:

- One of the following:
  - Prolonged, persistent obstructed nasal breathing due to rhinophyma; or
  - Chronic infection or bleeding unresponsive to medical management due to rhinophyma; and
- Photos clearly document rhinophyma as the primary cause of an anatomic Mechanical Nasal Airway Obstruction or chronic infection and are consistent with the clinical exam; and
- The proposed procedure is designed to correct the anatomic Mechanical Nasal Airway Obstruction and relieve the nasal airway obstruction by correcting the deformity or the proposed procedure is designed to address the chronic infection

Rhinoplasty for Congenital Anomalies (CPT codes 30460 and 30462) is considered reconstructive and medically necessary when the following are present:

- Rhinoplasty is considered reconstructive when performed for a nasal deformity associated with congenital craniofacial anomalies including, but not limited to Pierre Robin, Apert Syndrome, Fraser Syndrome, Binder Syndrome, Goldenhar Syndrome, Nasal dermoids, Tessier Nasal Cleft (most commonly #1) or associated with a cleft lip or cleft palate

Rhinoplasty-primary (CPT codes 30410 and 30420) is considered reconstructive and medically necessary when all of the following criteria are present:

- Prolonged, persistent obstructed nasal breathing due to nasal bone and septal deviation that are the primary causes of an anatomic Mechanical Nasal Airway Obstruction; and
- The nasal airway obstruction cannot be corrected by septoplasty alone as documented in the medical record; and
- Photos clearly document the nasal bone/septal deviation as the primary cause of an anatomic Mechanical Nasal Airway Obstruction and are consistent with the clinical exam; and
- The proposed procedure is designed to correct the anatomic Mechanical Nasal Airway Obstruction and relieve the nasal airway obstruction by centralizing the nasal bony pyramid (30410) and also straightening the septum (30420); and
- One of the following is present:
  - Nasal fracture with nasal bone displacement severe enough to cause nasal airway obstruction; or
  - Residual large cutaneous defect following resection of a malignancy or nasal trauma; and
- Nasal airway obstruction is causing significant symptoms (e.g., chronic rhinosinusitis, difficulty breathing); and
- Obstructive symptoms persist despite conservative management for 4 weeks or greater, which includes, where appropriate, nasal steroids or immunotherapy

Rhinoplasty-secondary (CPT codes 30430, 30435, and 30450) is primarily cosmetic. However, it is considered reconstructive and medically necessary when all of the following criteria are present:

- Required as treatment of a complication/residual deformity from primary surgery performed to address a Functional Impairment when a documented Functional Impairment persists due to the complication/deformity (these codes are usually cosmetic); and
- Photos clearly document the secondary deformity/complication as the primary cause of an anatomic Mechanical Nasal Airway Obstruction and are consistent with the clinical exam; and
- The proposed procedure is designed to correct the anatomic Mechanical Nasal Airway Obstruction and relieve the nasal airway obstruction by correcting the deformity or treating the complication (these codes are usually cosmetic); and
- Nasal airway obstruction is causing significant symptoms (e.g., chronic rhinosinusitis, difficulty breathing); and
- Obstructive symptoms persist despite conservative management for 4 weeks or greater, which includes, where appropriate, nasal steroids or immunotherapy

Rhinoplasty-tip (CPT code 30400) is primarily cosmetic. However, it is considered reconstructive and medically necessary when all of the following criteria are present:

- Prolonged, persistent obstructed nasal breathing due to tip drop that is the primary cause of an anatomic Mechanical Nasal Airway Obstruction (this code is usually cosmetic); and
- Photos clearly document tip drop as the primary cause of an anatomic Mechanical Nasal Airway Obstruction and are consistent with the clinical exam (acute columellar-labial angle); and
- The proposed procedure is designed to correct the anatomic Mechanical Nasal Airway Obstruction and relieve the nasal airway obstruction by lifting the nasal tip; and
- Nasal airway obstruction is causing significant symptoms (e.g., chronic rhinosinusitis, difficulty breathing); and

- Obstructive symptoms persist despite conservative management for 4 weeks or greater, which includes, where appropriate, nasal steroids or immunotherapy

Septal Dermatoplasty (CPT code 30620) is considered reconstructive when:

- There is a documented Functional Impairment (e.g., obstruction, pain or bleeding) due to diseased nasal mucosa; and
- The Functional Impairment will be eliminated by a skin graft

Nasal Polypectomy (CPT code 31237) is considered reconstructive and medically necessary in certain circumstances. For medical necessity clinical coverage criteria, refer to the InterQual® CP: Procedures, Polypectomy, Nasal.

Click [here](#) to view the InterQual® criteria.

## Documentation Requirements

Medical notes documenting the following, when applicable:

- Diagnosis
- Detailed history of nasal symptoms, including evaluation and management notes for the date of service and the note for the day the decision to perform surgery was made
- Evidence of chronic sinusitis with treatment, response, and duration
- History of treatments tried, failed, or contraindicated
- Specific diagnostic image(s) that shows the abnormality for which surgery is being requested; consultation with requesting surgeon may be of benefit to select the optimal image(s)
  - Note: Diagnostic images must be labeled with the:
    - Date taken
    - Applicable case number obtained at time of notification, or member's name and ID number on the image(s)
  - Submission of diagnostic image(s) is required via the external portal at [www.uhcprovider.com/paan](http://www.uhcprovider.com/paan); faxes will not be accepted
- Diagnostic image(s) report(s)
- Details of functional impairment, if applicable
- Physician's plan of care
- High-quality color image(s) (full face photos in cases of post-traumatic the nasal deformity)
  - Note: All image(s) must be labeled with the:
    - Date taken
    - Applicable case number obtained at time of notification, and member's name and ID number on the image(s)
- Submission of color image(s) is required via the external portal at [www.uhcprovider.com/paan](http://www.uhcprovider.com/paan); faxes will not be accepted
- In addition to the above, additional documentation requirements may apply for CPT code 30560; refer to the Coverage Determination Guideline titled [Cosmetic and Reconstructive Procedures \(for New Jersey Only\)](#)

## Coverage Limitations and Exclusions

UnitedHealthcare excludes Cosmetic Procedures from coverage including but not limited to the following:

- Procedures that correct an anatomical Congenital Anomaly without improving or restoring Physiological Function are considered Cosmetic Procedures. The fact that a Covered Person may suffer psychological consequences or socially avoidant behavior as a result of an Injury, Sickness or Congenital Anomaly does not classify surgery (or other procedures done to relieve such consequences or behavior) as a Reconstructive Procedure.
- Rhinoplasty, unless rhinoplasty criteria above are met.
- Any procedure that does not meet the reconstructive criteria.
- Rhinoplasty procedures performed to improve appearance (check member specific benefit plan document).

## Definitions

Check the definitions within the member specific benefit plan document that supersede the definitions below.

**Congenital Anomaly:** A physical developmental defect that is present at the time of birth, and that is identified within the first twelve months of birth.

**Cosmetic Procedures:** Procedures or services that change or improve appearance without significantly improving Physiological Function.

**External Nasal Valve:** The caudal septum, along with lower lateral cartilage, alar rim, and nostril sill contribute to the external nasal valve.

**Functional or Physical or Physiological Impairment:** A Functional or Physical or Physiological Impairment causes deviation from the normal function of a tissue or organ. This results in a significantly limited, impaired, or delayed capacity to move, coordinate actions, or perform physical activities and is exhibited by difficulties in one or more of the following areas: physical and motor tasks; independent movement; performing basic life functions.

**Mechanical Nasal Airway Obstruction:** Trouble breathing through the nose (not snoring) due to a bony or cartilaginous deformity.

**Prolonged, Persistent Nasal Airway Obstruction:** Trouble breathing through the nose (not snoring) that has not responded to six weeks of medical management such as nasal steroids, antihistamines, and decongestants. Elimination of rhinitis medicamentosa as a cause for airway obstruction.

**Reconstructive Procedures:** Reconstructive Procedures when the primary purpose of the procedure is either of the following:

- Treatment of a medical condition
- Improvement or restoration of physiologic function

Reconstructive Procedures include surgery or other procedures which are related to an Injury, Sickness or Congenital Anomaly. The primary result of the procedure is not a changed or improved physical appearance.

Procedures that correct an anatomical Congenital Anomaly without improving or restoring physiologic function are considered Cosmetic Procedures. The fact that you may suffer psychological consequences or socially avoidant behavior as a result of an Injury, Sickness or Congenital Anomaly does not classify surgery (or other procedures done to relieve such consequences or behavior) as a reconstructive procedure.

**Rhinitis Medicamentosa (RM):** A condition of rebound nasal congestion brought on by extended use of topical decongestants (e.g., oxymetazoline, phenylephrine, xylometazoline, and naphazoline nasal sprays) and certain oral medications (e.g., sympathomimetic amines and various 2-imidazolines) that constrict blood vessels in the lining of the nose.

**Septal Dermatoplasty:** The physician removes diseased intranasal mucosa and replaces it with a separately reportable split thickness graft. The surgery is performed on one nasal side. A lateral rhinotomy is made to expose the intranasal mucosa. The diseased mucosal tissue is excised from the septum, nasal floor, and anterior aspect of the inferior turbinate. A split thickness graft is sutured to the recipient bed, covering the exposed cartilage and submucosal surfaces. Gauze packing and splints are placed in the grafted nasal cavity.

**Synechia:** An adhesion of parts, typically the nasal side wall to the septum.

## Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by federal, state, or contractual requirements and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

Note:

- All nasal surgical claims may be subject to coding review. The following codes may be cosmetic; review is required to determine if considered cosmetic or reconstructive.

- Utilize CPT/HCPCS codes 30999 and L8699 to report absorbable nasal implants and the associated procedure rather than CPT code 30465. Refer to the Medical Policy titled [Omnibus Codes \(for New Jersey Only\)](#) for absorbable nasal implants.

CPT Code	Description
<b>Rhinoplasty</b>	
30400	Rhinoplasty, primary; lateral and alar cartilages and/or elevation of nasal tip
30410	Rhinoplasty, primary; complete, external parts including bony pyramid, lateral and alar cartilages, and/or elevation of nasal tip
30420	Rhinoplasty, primary; including major septal repair
*30430	Rhinoplasty, secondary; minor revision (small amount of nasal tip work)
*30435	Rhinoplasty, secondary; intermediate revision (bony work with osteotomies)
30450	Rhinoplasty, secondary; major revision (nasal tip work and osteotomies)
30460	Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip only
30462	Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip, septum, osteotomies
<b>Repair of Vestibular Stenosis</b>	
30465	Repair of nasal vestibular stenosis (e.g., spreader grafting, lateral nasal wall reconstruction)
<b>Lysis Intranasal Synechia</b>	
30560	Lysis intranasal synechia
<b>Septal Dermatoplasty</b>	
30620	Septal or other intranasal dermatoplasty (does not include obtaining graft)
<b>Rhinophyma</b>	
30120	Excision or surgical planing of skin of nose for rhinophyma
<b>Nasal Polypectomy</b>	
31237	Nasal/sinus endoscopy, surgical; with biopsy, polypectomy or debridement (separate procedure)

*CPT® is a registered trademark of the American Medical Association*

Codes labeled with an asterisk (\*) are not on the state of New Jersey Medicaid Fee Schedule and therefore not covered by the State of New Jersey Medicaid Program.

## References

- Adamson PA, Warner J, Becker D, et al. Revision rhinoplasty: panel discussion, controversies, and techniques. *Facial Plast Surg Clin North Am.* 2014 Feb;22 (1):57-96.
- Ahmad J, Rohrich RJ. The Crooked Nose. *Clin Plast Surg.* 2016 Jan;43(1):99-113.
- American Society of Plastic Surgeons (ASPS) available at: <http://www.plasticsurgery.org/>. Accessed May 6, 2021.
- Azizzadeh, B. et al. *Master Techniques in Rhinoplasty.* 1st ed. Elsevier/Saunders. 2011. Chapter 35, Nasal Airway Obstruction; p. 447-453.
- Beck DO, Kenkel JM. Evidence-based medicine: Rhinoplasty. *Plast Reconstr Surg.* 2014 Dec;134 (6):1356-71.
- Chandra RK, Patadia MO, Raviv J. Diagnosis of nasal airway obstruction. *Otolaryngol Clin North Am.* 2009 Apr;42 (2):207-25, vii.
- Christophel JJ, Park SS. Complications in rhinoplasty. *Facial Plast Surg Clin North Am.* 2009 Feb;17 (1):145-56, vii.
- Constantian MB. What motivates secondary rhinoplasty? A study of 150 consecutive patients. *Plast Reconstr Surg.* 2012 Sep;130 (3):667-78.
- Corey CL, Most SP. Treatment of nasal obstruction in the posttraumatic nose. *Otolaryngol Clin North Am.* 2009 Jun;42 (3):567-78.

Daines SM, Orlandi RR. Chronic rhinosinusitis. *Facial Plast Surg Clin North Am.* 2012 Feb;20 (1):1-10.

Dobratz EJ, Hilger PA. Osteotomies. *Clin Plast Surg.* 2010 Apr;37 (2):301-11.

Fattahi T, Steinberg B, Fernandes R, et al. Repair of nasal complex fractures and the need for secondary septo-rhinoplasty. *J Oral Maxillofac Surg.* 2006 Dec;64 (12):1785-9.

Ghosh A, Friedman O. Surgical Treatment of Nasal Obstruction in Rhinoplasty. *Clin Plast Surg.* 2016 Jan;43 (1):29-40.

Goiato MC, Dos Santos DM, et al. Solutions for nasal defects. *Journal of Craniofacial Surgery* 2009;20(6):2238-41. DOI: 10.1097/SCS.0b013e3181bf858c.

Gruber RP, Wall Jr SH, Kaufman DL, et al. *Plastic Surgery.* 3<sup>rd</sup> ed. Elsevier Inc. 2013. Chapter 21, Secondary rhinoplasty; p. 466-484.

Guyuron, B. *Rhinoplasty.* 1st ed. Elsevier Inc. 2012. Chapter 1, Surgical Anatomy and Physiology of the Nose; p. 1-26.

Howard BK, Rohrich RJ. Understanding the nasal airway: principles and practice. *Plast Reconstr Surg.* 2002 Mar;109 (3):1128-46.

International Forum Allergy and Rhinology. Volume 3. January 2013.

Jafek B.W., Dodson B.T., et al: Nasal obstruction. In Bailey B.J., (eds): *Head and neck surgery—otolaryngology*, 5<sup>th</sup> edition. Philadelphia: Lippincott-Raven,2013. pp. 371-377.

Lazovic GD, Daniel RK, Janosevic LB, et al. Rhinoplasty: the nasal bones - anatomy and analysis. *Aesthet Surg J.* 2015 Mar;35 (3):255-63.

Peters AT, Spector S, Hsu J, et al. Diagnosis and Management of Rhinosinusitis: A Practice Parameter Update, 2014-a0-01Z, Volume 113, Issue 4, Pages 347-385, Copyright 2014 American College of Allergy, Asthma & Immunology.

Ramey JT, Bailen E, Lockey RF. Rhinitis medicamentosa. *J Investig Allergol Clin Immunol.* 2006;16(3):148-55.

Rohrich, Rod J. et al. *Plastic Surgery: Indication and Practice.* 1<sup>st</sup> ed. CRC Press. 2009. Chapter 113, Primary Rhinoplasty; p. 1479-1508.

Smith TL, Kern RC, Palmer JN, et al. Medical therapy vs surgery for chronic rhinosinusitis: a prospective, multi-institutional study. *Int Forum Allergy Rhinol.* 2011; 1:235-241.

Tanna N, Nguyen K, Ashkan G, et al. Evidence-Based Medicine: Current Practices in Rhinoplasty. *PRSJJournal.com.* 2017Aug;PRS.0000000000003977:137-151.

## Guideline History/Revision Information

Date	Summary of Changes
08/01/2022	<p><b>Coverage Rationale</b></p> <ul style="list-style-type: none"> <li>Added language to indicate nasal polypectomy (CPT code 31237) is considered reconstructive and medically necessary in certain circumstances; for medical necessity clinical coverage criteria, refer to the InterQual® CP: Procedures, Polypectomy, Nasal</li> <li>Added language to clarify Rhinophyma <i>Excision</i> (CPT Code 30120) is considered reconstructive and medically necessary when all of the [listed] criteria are present</li> </ul> <p><b>Applicable Codes</b></p> <ul style="list-style-type: none"> <li>Added CPT code 31237</li> <li>Removed CPT code 30468</li> <li>Added notation to indicate CPT codes 30430 and 30435 are not on the State of New Jersey Medicaid Fee Schedule and therefore are not covered by the State of New Jersey Medicaid Program</li> </ul> <p><b>Supporting Information</b></p> <ul style="list-style-type: none"> <li>Updated <i>References</i> section to reflect the most current information</li> <li>Archived previous policy version CS107NJ.S</li> </ul>

## Instructions for Use

This Coverage Determination Guideline provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the federal, state or contractual requirements for benefit plan coverage must be referenced as the terms of the federal, state or contractual requirements for benefit plan coverage may differ from the standard benefit plan. In the event of a conflict, the federal, state or contractual requirements for benefit plan coverage govern. Before using this guideline, please check the federal, state or contractual requirements for benefit plan coverage. UnitedHealthcare reserves the right to modify its Policies and Guidelines as necessary. This Coverage Determination Guideline is provided for informational purposes. It does not constitute medical advice.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual<sup>®</sup> criteria, to assist us in administering health benefits. The UnitedHealthcare Coverage Determination Guidelines are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.