

Outpatient Surgical Procedures – Site of Service

Policy Number: SURGERY 106.18
Effective Date: January 1, 2023

[➔ Instructions for Use](#)

Table of Contents	Page
Coverage Rationale	1
Documentation Requirements	2
Definitions	3
Applicable Codes	3
References	3
Policy History/Revision Information	5
Instructions for Use	5

- Related Policies**

 - [Articular Cartilage Defect Repairs](#)
 - [Cosmetic and Reconstructive Procedures](#)
 - [Glaucoma Surgical Treatments](#)
 - [Hysterectomy](#)
 - [Light and Laser Therapy](#)
 - [Macular Degeneration Treatment Procedures](#)
 - [Manipulation Under Anesthesia](#)
 - [Obstructive and Central Sleep Apnea Treatment](#)
 - [Occipital Nerve Injections and Ablation \(Including Occipital Neuralgia and Headache\)](#)
 - [Orthopedic Services](#)
 - [Percutaneous Vertebroplasty and Kyphoplasty](#)
 - [Preventive Care Services](#)
 - [Screening Colonoscopy Procedures – Site of Service](#)
 - [Sodium Hyaluronate](#)
 - [Surgery of the Hip](#)
 - [Temporomandibular Joint Disorders](#)

Coverage Rationale

UnitedHealthcare® Oxford members may choose to receive surgical procedures in an ambulatory surgical center (ASC) or other locations. We are conducting site of service medical necessity reviews, however, to determine whether the outpatient hospital department is medically necessary, in accordance with the terms of the member’s specific benefit plan document. If the outpatient hospital department is not considered medically necessary, this location will not be covered under the member’s specific plan document.

Certain planned surgical procedures performed in a hospital outpatient department are considered medically necessary for an individual who meets any of the following criteria:

- Advanced liver disease (MELD Score > 8)
- Advance surgical planning determines an individual requires overnight recovery and care following a surgical procedure
- Anticipated need for transfusion
- Bleeding disorder requiring replacement factor or blood products or special infusion products to correct a coagulation defect
- Cardiac arrhythmia (symptomatic arrhythmia despite medication)
- Chronic obstructive pulmonary disease (COPD) (FEV1 < 50%)
- Coronary artery disease (CAD)/peripheral vascular disease (PVD) (ongoing cardiac ischemia requiring medical management or recently placed [within 1 year] drug eluting stent)
- Developmental stage or cognitive status warranting use of a hospital outpatient department

- End stage renal disease ([hyperkalemia above reference range] receiving peritoneal or hemodialysis)
- History of cerebrovascular accident (CVA) or transient ischemic attack (TIA) (recent event [< 3 months])
- History of myocardial infarction (MI) (recent event [< 3 months])
- Individuals with drug eluting stents (DES) placed within one year or bare metal stents (BMS) or plain angioplasty within 90 days unless acetylsalicylic acid and antiplatelet drugs will be continued by agreement of surgeon, cardiologist and anesthesia
- Ongoing evidence of myocardial ischemia
- Poorly Controlled asthma (FEV1 $< 80\%$ despite medical management)
- Pregnancy
- Prolonged surgery (> 3 hours)
- Resistant hypertension (Poorly Controlled)
- Severe valvular heart disease
- Sleep apnea (moderate to severe Obstructive Sleep Apnea (OSA))
- Uncompensated chronic heart failure (CHF) (NYHA class III or IV)
- Uncontrolled diabetes with recurrent diabetic ketoacidosis (DKA) or severe hypoglycemia
- Under 18 years of age

A planned surgical procedure performed in a hospital outpatient department is considered medically necessary if there is an inability to access an ambulatory surgical center for the procedure due to any one of the following:

- There is no geographically accessible ambulatory surgical center that has the necessary equipment for the procedure; (Examples include but are not limited to fluoroscopy, laser, ocular equipment, operating microscope, nonstandard scopes required to perform specialized procedures (i.e., duodenoscope, ureteroscopy)*; or
- There is no geographically accessible ambulatory surgical center available at which the individual’s physician has privileges; or
- An ASC’s specific guideline regarding the individual’s weight or health conditions that prevents the use of an ASC

*Note: This specifically excludes surgeon preferred or proprietary instruments, instrument sets, or hardware sets.

Planned Surgical Procedures List

Site of service medical necessity reviews will be conducted for surgical procedures on the [Applicable Codes List](#) only when performed in an outpatient hospital setting.

Documentation Requirements

Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The documentation requirements outlined below are used to assess whether the member meets the clinical criteria for coverage but do not guarantee coverage of the service requested.

CPT Codes*	Required Clinical Information
Outpatient Surgical Procedures – Site of Service (for Commercial Plans only)	
Refer to the Applicable Codes section for a complete list of codes and their descriptions (for Commercial Plans).	<p>Medical notes documenting the following, when applicable:</p> <ul style="list-style-type: none"> • History • Physical examination including patient weight and co-morbidities • Surgical plan • Physician privileging information related to the need for the use of the hospital outpatient department • American Society of Anesthesiologists (ASA) score, as applicable • Specific criteria (refer to the Coverage Rationale) that qualifies the individual for the site of service requested <p>In addition to the above, additional documentation requirements may apply for the following codes. Review the below listed policies in conjunction with the guidelines in this document.</p> <ul style="list-style-type: none"> • For CPT codes 15576, refer to the Clinical Policy titled Cosmetic and Reconstructive Procedures • For CPT codes 17106, 17107, and 17108, refer to the Clinical Policy titled Light and Laser Therapy • For CPT codes 20551, 29800, and 29804, refer to the Clinical Policy titled Temporomandibular Joint

CPT Codes*	Required Clinical Information
Outpatient Surgical Procedures – Site of Service (for Commercial Plans only)	
	<p>Disorders</p> <ul style="list-style-type: none"> For CPT codes 20605, 20606, 20610, and 201611, refer to the Medical Benefit Drug Policy titled Sodium Hyaluronate For CPT codes 22513 and 22514, refer to the Clinical Policy titled Percutaneous Vertebroplasty and Kyphoplasty For CPT codes 23700 and 27570, refer to the Clinical Policy titled Manipulation Under Anesthesia For CPT codes 29914, 29915, and 29916, refer to the Clinical Policy titled Surgery of the Hip For CPT codes 42145, refer to the Clinical Policy titled Obstructive and Central Sleep Apnea Treatment For CPT codes 58263, refer to the Clinical Policy titled Hysterectomy For CPT codes 62281, refer to the Clinical Policy titled Occipital Nerve Injections and Ablation (Including Occipital Neuralgia and Headache)

Definitions

ASA Physical Status Classification System Risk Scoring Tool: The American Society of Anesthesiologists (ASA) physical status classification system was developed to offer clinicians a simple categorization of a patient’s physiological status that can be helpful in predicting operative risk. The ASA score is a subjective assessment of a patient’s overall health that is based on five classes. (ASA, 2020)

Obstructive Sleep Apnea (OSA): The American Academy of Sleep Medicine (AASM) defines OSA as a sleep related breathing disorder that involves a decrease or complete halt in airflow despite an ongoing effort to breathe. OSA severity is defined as:

- Mild for AHI or RDI ≥ 5 and < 15
- Moderate for AHI or RDI ≥ 15 and ≤ 30
- Severe for AHI or RDI > 30 /hr

(AASM, 2021)

Poorly Controlled: Requiring three or more drugs to control blood pressure. (Sheppard, 2017)

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies may apply.

CPT/HCPCS Codes

[Outpatient Surgical Procedures – Site of Service: CPT/HCPCS Code List](#)

CPT® is a registered trademark of the American Medical Association

References

The foregoing Oxford policy has been adapted from an existing UnitedHealthcare national policy that was researched, developed and approved by UnitedHealthcare Medical Technology Assessment Committee. [URG-11.15].

Adamson P, Peters W, Janney C, Panchbhavi V. The safety of foot and ankle procedures at an ambulatory surgery center. J Orthop. 2020 Mar 28;21:203-206.

American Academy of Sleep Medicine (AASM). Obstructive Sleep Apnea. Available at: <https://aasm.org/resources/factsheets/sleepapnea.pdf>, Accessed March 19, 2022.

American Heart Association. Classes of Heart Failure. Available at: <https://sitecore93prod.heart.org/en/health-topics/heart-failure/what-is-heart-failure/classes-of-heart-failure>. Accessed August 18, 2022.

American Society of Anesthesiologists (ASA) Physical Status Classification System. December 13, 2020. Accessed March 19, 2022.

American Society of Anesthesiologists. Guidelines for ambulatory anesthesia and surgery. October 17, 2018.

American Society of Anesthesiologists. Guidelines for patient care in anesthesiology. October 26, 2016.

American Society of Anesthesiologists. Position on monitored anesthesia care. October 17, 2018.

American Society of Anesthesiologists. Practice Guidelines for moderate procedural sedation and analgesia 2018: a report by the American Society of Anesthesiologists Task Force on Moderate Procedural Sedation and Analgesia, the American Association of Oral and Maxillofacial Surgeons, American College of Radiology, American Dental Association, American Society of Dentist Anesthesiologists, and Society of Interventional Radiology. *Anesthesiology* March 2018, Vol. 128, 437–479.

American Society of Anesthesiologists. Position Statement for distinguishing monitored anesthesia care (“MAC”) from moderate sedation/analgesia (conscious sedation). October 17, 2018.

ASGE Standards of Practice Committee, Early DS, Lightdale JR, Vargo JJ 2nd, et al. Guidelines for sedation and anesthesia in GI endoscopy. *Gastrointest Endosc*. 2018 Feb;87(2):327-337.

Bhattacharyya N. Ambulatory pediatric otolaryngologic procedures in the United States: characteristics and perioperative safety. *Laryngoscope*. 2010 Apr;120(4):821-5.

Bilimoria K, Liu Y, Paruch J, et al. Development and evaluation of the Universal ACS NSQIP Surgical Risk Calculator: a decision aide and informed consent tool for patients and surgeons. *J Am Coll Surg*. 2013 November; 217(5):833–842.e3.

Brolin TJ, Mulligan RP, Azar FM, et al. Neer Award 2016: Outpatient total shoulder arthroplasty in an ambulatory surgery center is a safe alternative to inpatient total shoulder arthroplasty in a hospital: a matched cohort study. *J Shoulder Elbow Surg*. 2017;26(2):204-8.

Brophy RH, Bansal A, Rogalski BL, et al. Risk factors for surgical site infections after orthopaedic surgery in the ambulatory surgical center setting. *J Am Acad Orthop Surg*. 2019 Oct 15;27(20):e928-e934.

Cancienne JM, Brockmeier SF, Gulotta LV, et al. Ambulatory total shoulder arthroplasty: a comprehensive analysis of current trends, complications, readmissions, and costs. *J Bone Joint Surg Am*. 2017;99(8):629-37.

Epstein LJ, Kristo D, Strollo PJ Jr, et al. Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults. *J Clin Sleep Med*. 2009 Jun 15; 5(3):263-76.

Fleisher LA, Fleischmann KE, Auerbach AD, et al. American College of Cardiology; American Heart Association. 2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. *J Am Coll Cardiol*. 2014 Dec 9;64(22):e77-137.

Ford MC, Walters JD, Mulligan RP, et al. Safety and cost-effectiveness of outpatient unicompartmental knee arthroplasty in the ambulatory surgery center: A Matched Cohort Study. *Orthop Clin North Am*. 2020 Jan;51(1):1-5.

Friedlander DF, Krimphove MJ, Cole AP, et al. Where Is the value in ambulatory versus inpatient surgery? *Ann Surg*. 2021 May 1;273(5):909-916.

Friedman L S. Surgery in the patient with liver disease. *Trans Am Clin Climatol Assoc*. 2010; 121: 192–205.

Goyal N, Chen AF, Padgett SE, et al. Otto Aufranc Award: A multicenter, randomized study of outpatient versus inpatient total hip arthroplasty. *Clin Orthop*. 2017;475(2):364-7.

Joshi G, Ahmad S; Riad W. et al. Selection of obese patients undergoing ambulatory surgery: A systematic review of the literature. *Anesthesia & Analgesia*. November 2013; 117(5): 1082–1091.

Joshi G, Ankichetty P, Gan T, and Chung F. Society for Ambulatory Anesthesia Consensus Statement on preoperative selection of adult patients with obstructive sleep apnea scheduled for ambulatory surgery. *Anesthesia & Analgesia*: November 2012; 115(5): 1060–1068.

Joshi G; Chung F; Vann Mary Ann, et al. Society for Ambulatory Anesthesia Consensus Statement on perioperative blood glucose management in diabetic patients undergoing ambulatory surgery. *Anesthesia & Analgesia*. December 2010; 111(6): 1378–1387.

Lovald S, Ong K, Lau E, et al. Patient selection in outpatient and short-stay total knee arthroplasty. *J Surg Orthop Adv*. 2014 Spring;23(1):2-8.

MacKoul P, Danilyants N, Baxi R, et al. Laparoscopic hysterectomy outcomes: hospital vs ambulatory surgery center. *JSLs*. 2019 Jan-Mar;23(1):e2018.00076.

Maganti K, Rigolin VH, Sarano ME, Bonow RO. Valvular heart disease: diagnosis and management. *Mayo Clin Proc*. 2010 May;85(5):483-500.

Mathis MR, Naughton NN, Shanks AM, et al. Patient selection for day case-eligible surgery: identifying those at high risk for major complications. *Anesthesiology*. 2013 Dec;119(6):1310-21.

Medicare Claims Processing Manual. Chapter 14 - Ambulatory Surgical Centers.

National Kidney Foundation. Clinical update on hyperkalemia. A chronic risk for CKD patients and a potential barrier to recommended CKD treatment. https://www.kidney.org/sites/default/files/02-10-6785_HBE_Hyperkalemia_Bulletin.pdf. Accessed March 19, 2022.

Orthopedic Certification. Pathways to excellence in patient care. Joint Commission.

Sankar A, Johnson SR, Beattie WS, et al. Reliability of the American Society of Anesthesiologists physical status scale in clinical practice. *Br J Anaesth*. 2014 Sep;113(3):424-32.

Sheffer BW, Kelly DM, Spence DD, et al. Can pediatric orthopaedic surgery be done safely in a freestanding ambulatory surgery center? Review of 3780 cases. *J Pediatr Orthop*. 2021 Jan;41(1):e85-e89.

Sheppard JP, Martin U, McManus RJ. Diagnosis and management of resistant hypertension. *Heart*. 2017 Aug;103(16):1295-1302.

Toy PC, Fournier MN, Throckmorton TW, et al. Low rates of adverse events following ambulatory outpatient total hip arthroplasty at a free-standing surgery center. *J Arthroplasty*. 2018 Jan;33(1):46-50.

Whippey A, Kostandoff G, Ma HK, et al. Predictors of unanticipated admission following ambulatory surgery in the pediatric population: a retrospective case-control study. *Paediatr Anaesth*. 2016 Aug;26(8):831-7.

Policy History/Revision Information

Date	Summary of Changes
03/01/2023	<p>Related Policies</p> <ul style="list-style-type: none"> Removed reference link to retired policy titled <i>Dental and Oral Surgical Procedures</i>
01/01/2023	<p>Documentation Requirements</p> <ul style="list-style-type: none"> Added list of applicable CPT codes <p>Applicable Codes</p> <ul style="list-style-type: none"> Updated list of applicable CPT codes to reflect annual edits; removed 15850, 49570, 49572, 49585, 49587, 49652, 49653, 49654, 49655, and 49656 <p>Supporting Information</p> <ul style="list-style-type: none"> Updated <i>References</i> section Removed <i>Prior Authorization Requirements</i> section Archived previous policy version SURGERY 106.17 T2

Instructions for Use

This Clinical Policy provides assistance in interpreting UnitedHealthcare Oxford standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this policy, please check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare Oxford reserves the right to modify its Policies as necessary. This Clinical Policy is provided for informational purposes. It does not constitute medical advice.

The term Oxford includes Oxford Health Plans, LLC and all of its subsidiaries as appropriate for these policies. Unless otherwise stated, Oxford policies do not apply to Medicare Advantage members.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual[®] criteria, to assist us in administering health benefits. UnitedHealthcare Oxford Clinical Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.