

Wheelchair Options and Accessories

Policy Number: DME 048.1 T2
Effective Date: May 1, 2021

[Instructions for Use](#)

Table of Contents	Page
Coverage Rationale	1
Documentation Requirements	2
Definitions	3
Prior Authorization Requirements	3
Applicable Codes	3
References	11
Policy History/Revision Information	12
Instructions for Use	12

Related Policies
<ul style="list-style-type: none"> • Durable Medical Equipment, Orthotics, Medical Supplies and Repairs/Replacements • Manual Wheelchairs • Power Mobility Device • Wheelchair Seating

Coverage Rationale

Indications for Coverage

Wheelchair options and accessories are proven and medically necessary in certain circumstances. For medical necessity clinical coverage criteria, refer to the InterQual® 2021, Apr. 2021 Release, Medicare: Durable Medical Equipment, Wheelchair Options/Accessories.

Click [here](#) to view the InterQual® criteria.

Repair, Replacement, and Upgrade

Replacement

Replacement of DME is for the same or similar type of equipment which is beyond its reasonable useful life span and has become irreparable.

Upgrade

The physician provides documentation that the condition of the member changes (e.g., impaired function necessitates an upgrade to an electric wheelchair from a manual one).

General Criteria

- Routine wear on the equipment renders it non-functional and the member still requires the equipment
 - Vendors/manufacturers are responsible for repairs, replacements, and maintenance for rented equipment and for purchased equipment covered by warranty
 - Coverage includes DME obtained in a physician’s office, DME vendor, or any other provider authorized to provide/dispense DME
- Unless otherwise stated, DME has a Reasonable Useful Lifetime (RUL) of 5 years
- Pediatric equipment must allow room for growth with 2 inches in width and 3 inches of depth and width available for adjustments. Documentation of frame modifications or growth kits may be submitted to demonstrate growth allowances to the dimensions

Notes:

- Growth method for wheelchair may not mean ordering equipment that it is too large for current needs. This applies to new as well as replacement wheelchairs.
- A new prescription isn't needed if the needs of the patient are the same.

Equipment Upgrades

- A change in the member's medical condition and equipment needs requires the same documentation as a new request
- Equipment upgrades are equivalent to a new service

Coverage Limitations and Exclusions

When more than one piece of DME can meet the member's functional needs, benefits are available only for the item that meets the minimum specifications for member needs. Examples include, but are not limited to, standard electric wheelchair vs. custom wheelchair.

The following services are excluded from coverage:

- Personal care, comfort or convenience items
- Batteries and battery chargers
Note: Batteries are covered when the supply is necessary for the effective use of the item/device.
- Replacement of items due to malicious damage, neglect or abuse
- Replacement of lost or stolen items
- Upgrade or replacement of DME when the existing equipment is still functional; refer to [Repair, Replacement, and Upgrade](#) section

Documentation Requirements

Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The documentation requirements outlined below are used to assess whether the member meets the clinical criteria for coverage but do not guarantee coverage of the service requested.

Required Clinical Information
Wheelchair Options and Accessories
<ul style="list-style-type: none">• Documentation of face-to-face encounter, within six months prior to the prescription (written order), from the treating practitioner including date, when applicable• Current prescription (written order) from physician, including:<ul style="list-style-type: none">○ Initial or replacement○ Rental or purchase○ Specific HCPCS code(s) for item and each accessory requested○ Equipment make, model, and price quotation○ Specific description of the wheelchair model the accessory will be used for○ Rationale for selection of specific device and accessories○ If replacement, current device used, date of initial acquisition, status of warranty, and reason for replacement• Medical notes documenting the following, when applicable:<ul style="list-style-type: none">○ Diagnosis<ul style="list-style-type: none">▪ Most recent member weight and height▪ Safe utilization, tolerance, and benefit of requested device▪ Proper use and continued benefit○ Prior accessories/options tried, failed, or contraindicated. Include the dates and reason for discontinuation

Definitions

The following definitions may not apply to all plans. Refer to the member specific benefit plan document for applicable definitions.

Durable Medical Equipment (DME): Medical Equipment that is all of the following:

- Ordered or provided by a Physician for outpatient use primarily in a home setting
- Used for medical purposes
- Not consumable or disposable except as needed for the effective use of covered DME
- Not of use to a person in the absence of a disease or disability
- Serves a medical purpose for the treatment of a Sickness or injury
- Primarily used within the home

Medically Necessary: Health Care Services that are all of the following as determined by us or our designee:

- In accordance with Generally Accepted Standards of Medical Practice
- Clinically appropriate, in terms of type, frequency, extent, service site and duration, and considered effective for your Sickness, Injury, Mental Illness, substance-related and addictive disorders, disease or its symptoms
- Not mainly for your convenience or that of your doctor or other health care provider
- Not more costly than an alternative drug, service(s), service site or supply that is at least as likely to produce equivalent therapeutic or diagnostic results as to the diagnosis or treatment of your Sickness, Injury, disease or symptoms

Mobility Device: A manual wheelchair, electric wheelchair, transfer chair or scooter.

Reasonable Useful Lifetime (RUL): RUL is the expected minimum lifespan for the item. It starts on the initial date of service and runs for the defined length of time. The default RUL for Durable Medical Equipment is set at 5 years. RUL is also applied to other non-DME items such as orthoses and prostheses. RUL is not applied to supply items.

Prior Authorization Requirements

Prior authorization is required in all sites of service for:

- The purchase of any DME item that is greater than \$500.00.
- All custom molded or custom made (fabricated) items; this includes custom molded/custom made or custom fabricated orthotics and custom molded helmets.
- Any DME being rented, repaired and/or replaced; this includes coverage for the repair or replacement of custom molded/custom made or custom fabricated and custom molded helmets for children when growth or change in the member's medical condition make replacement Medically Necessary.

Note: If an authorization is not required, referral guidelines apply in order for a member to receive in-network coverage. A prescription form or provider's medical necessity form may be accepted as a referral for Durable Medical Equipment.

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies may apply.

Oxford Health Plans has adopted the requirements and intent of the National Correct Coding Initiative. The Centers for Medicare & Medicaid Services (CMS) has contracted with Palmetto to manage Pricing, Data and Coding (PDAC) for Durable Medical Equipment, Prosthetics, Orthotics and Supplies (DMEPOS). This notice is to confirm Oxford Health Plans has established the PDAC as a source for correct coding and coding clarification.

HCPCS Code	Description
A9270	Noncovered item or service
E0950	Wheelchair accessory, tray, each
E0954	Wheelchair accessory, foot box, any type, includes attachment and mounting hardware, each foot
E0958	Manual wheelchair accessory, one-arm drive attachment, each
E0967	Manual wheelchair accessory, hand rim with projections, any type, replacement only, each
E0971	Manual wheelchair accessory, antitipping device, each
E0973	Wheelchair accessory, adjustable height, detachable armrest, complete assembly, each
E0974	Manual wheelchair accessory, antirollback device, each
E0978	Wheelchair accessory, positioning belt/safety belt/pelvic strap, each
E0981	Wheelchair accessory, seat upholstery, replacement only, each
E0982	Wheelchair accessory, back upholstery, replacement only, each
E0988	Manual wheelchair accessory, lever-activated, wheel drive, pair
E0990	Wheelchair accessory, elevating legrest, complete assembly, each
E0995	Wheelchair accessory, calf rest/pad, replacement only, each
E1002	Wheelchair accessory, power seating system, tilt only
E1003	Wheelchair accessory, power seating system, recline only, without shear reduction
E1004	Wheelchair accessory, power seating system, recline only, with mechanical shear reduction
E1005	Wheelchair accessory, power seating system, recline only, with power shear reduction
E1006	Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction
E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction
E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction
E1009	Wheelchair accessory, addition to power seating system, mechanically linked leg elevation system, including pushrod and legrest, each
E1010	Wheelchair accessory, addition to power seating system, power leg elevation system, including legrest, pair
E1011	Modification to pediatric size wheelchair, width adjustment package (not to be dispensed with initial chair)
E1012	Wheelchair accessory, addition to power seating system, center mount power elevating leg rest/platform, complete system, any type, each
E1014	Reclining back, addition to pediatric size wheelchair
E1015	Shock absorber for manual wheelchair, each
E1016	Shock absorber for power wheelchair, each
E1017	Heavy-duty shock absorber for heavy-duty or extra heavy-duty manual wheelchair, each
E1018	Heavy-duty shock absorber for heavy-duty or extra heavy-duty power wheelchair, each
E1020	Residual limb support system for wheelchair, any type
E1028	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for joystick, other control interface or positioning accessory
E1029	Wheelchair accessory, ventilator tray, fixed
E1030	Wheelchair accessory, ventilator tray, gimbale
E1031	Rollabout chair, any and all types with castors 5 in or greater
E1037	Transport chair, pediatric size
E1038	Transport chair, adult size, patient weight capacity up to and including 300 pounds

HCPCS Code	Description
E1039	Transport chair, adult size, heavy-duty, patient weight capacity greater than 300 pounds
E1161	Manual adult size wheelchair, includes tilt in space
E1225	Wheelchair accessory, manual semi-reclining back, (recline greater than 15 degrees, but less than 80 degrees), each
E1226	Wheelchair accessory, manual fully reclining back, (recline greater than 80 degrees), each
E1229	Wheelchair, pediatric size, not otherwise specified
E1231	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, with seating system
E1232	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, with seating system
E1233	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seating system
E1234	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seating system
E1235	Wheelchair, pediatric size, rigid, adjustable, with seating system
E1236	Wheelchair, pediatric size, folding, adjustable, with seating system
E1237	Wheelchair, pediatric size, rigid, adjustable, without seating system
E1238	Wheelchair, pediatric size, folding, adjustable, without seating system
E2201	Manual wheelchair accessory, nonstandard seat frame, width greater than or equal to 20 in and less than 24 in
E2202	Manual wheelchair accessory, nonstandard seat frame width, 24-27 in
E2203	Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 in
E2204	Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 in
E2205	Manual wheelchair accessory, handrim without projections (includes ergonomic or contoured), any type, replacement only, each
E2206	Manual wheelchair accessory, wheel lock assembly, complete, replacement only, each
E2207	Wheelchair accessory, crutch and cane holder, each
E2210	Wheelchair accessory, bearings, any type, replacement only, each
E2211	Manual wheelchair accessory, pneumatic propulsion tire, any size, each
E2213	Manual wheelchair accessory, insert for pneumatic propulsion tire (removable), any type, any size, each
E2214	Manual wheelchair accessory, pneumatic caster tire, any size, each
E2216	Manual wheelchair accessory, foam filled propulsion tire, any size, each
E2217	Manual wheelchair accessory, foam filled caster tire, any size, each
E2218	Manual wheelchair accessory, foam propulsion tire, any size, each
E2219	Manual wheelchair accessory, foam caster tire, any size, each
E2220	Manual wheelchair accessory, solid (rubber/plastic) propulsion tire, any size, replacement only, each
E2221	Manual wheelchair accessory, solid (rubber/plastic) caster tire (removable), any size, replacement only, each
E2222	Manual wheelchair accessory, solid (rubber/plastic) caster tire with integrated wheel, any size, replacement only, each
E2224	Manual wheelchair accessory, propulsion wheel excludes tire, any size, replacement only, each
E2225	Manual wheelchair accessory, caster wheel excludes tire, any size, replacement only, each
E2226	Manual wheelchair accessory, caster fork, any size, replacement only, each
E2227	Manual wheelchair accessory, gear reduction drive wheel, each
E2228	Manual wheelchair accessory, wheel braking system and lock, complete, each
E2230	Manual wheelchair accessory, manual standing system

HCPCS Code	Description
E2295	Manual wheelchair accessory, for pediatric size wheelchair, dynamic seating frame, allows coordinated movement of multiple positioning features
E2300	Wheelchair accessory, power seat elevation system, any type
E2301	Wheelchair accessory, power standing system, any type
E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware
E2311	Power wheelchair accessory, electronic connection between wheelchair controller and 2 or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware
E2312	Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including fixed mounting hardware
E2313	Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors and mounting hardware, each
E2321	Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware
E2322	Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware
E2323	Power wheelchair accessory, specialty joystick handle for hand control interface, prefabricated
E2325	Power wheelchair accessory, sip and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swingaway mounting hardware
E2326	Power wheelchair accessory, breath tube kit for sip and puff interface
E2327	Power wheelchair accessory, head control interface, mechanical, proportional, including all related electronics, mechanical direction change switch, and fixed mounting hardware
E2328	Power wheelchair accessory, head control or extremity control interface, electronic, proportional, including all related electronics and fixed mounting hardware
E2329	Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware
E2330	Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware
E2331	Power wheelchair accessory, attendant control, proportional, including all related electronics and fixed mounting hardware
E2351	Power wheelchair accessory, electronic interface to operate speech generating device using power wheelchair control interface
E2358	Power wheelchair accessory, group 34 nonsealed lead acid battery, each
E2359	Power wheelchair accessory, group 34 sealed lead acid battery, each (e.g., gel cell, absorbed glass mat)
E2360	Power wheelchair accessory, 22 NF nonsealed lead acid battery, each
E2361	Power wheelchair accessory, 22 NF sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)
E2362	Power wheelchair accessory, group 24 nonsealed lead acid battery, each
E2363	Power wheelchair accessory, group 24 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)
E2364	Power wheelchair accessory, U-1 nonsealed lead acid battery, each
E2365	Power wheelchair accessory, U-1 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)
E2366	Power wheelchair accessory, battery charger, single mode, for use with only one battery type, sealed or nonsealed, each

HCPCS Code	Description
E2367	Power wheelchair accessory, battery charger, dual mode, for use with either battery type, sealed or nonsealed, each
E2368	Power wheelchair component, drive wheel motor, replacement only
E2369	Power wheelchair component, drive wheel gear box, replacement only
E2370	Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only
E2371	Power wheelchair accessory, U-1 sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)
E2372	Power wheelchair accessory, group 27 nonsealed lead acid battery, each
E2373	Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware
E2374	Power wheelchair accessory, hand or chin control interface, standard remote joystick (not including controller), proportional, including all related electronics and fixed mounting hardware, replacement only
E2375	Power wheelchair accessory, nonexpandable controller, including all related electronics and mounting hardware, replacement only
E2376	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only
E2377	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue
E2378	Power wheelchair component, actuator, replacement only
E2381	Power wheelchair accessory, pneumatic drive wheel tire, any size, replacement only, each
E2382	Power wheelchair accessory, tube for pneumatic drive wheel tire, any size, replacement only, each
E2383	Power wheelchair accessory, insert for pneumatic drive wheel tire (removable), any type, any size, replacement only, each
E2384	Power wheelchair accessory, pneumatic caster tire, any size, replacement only, each
E2385	Power wheelchair accessory, tube for pneumatic caster tire, any size, replacement only, each
E2386	Power wheelchair accessory, foam filled drive wheel tire, any size, replacement only, each
E2387	Power wheelchair accessory, foam filled caster tire, any size, replacement only, each
E2388	Power wheelchair accessory, foam drive wheel tire, any size, replacement only, each
E2389	Power wheelchair accessory, foam caster tire, any size, replacement only, each
E2390	Power wheelchair accessory, solid (rubber/plastic) drive wheel tire, any size, replacement only, each
E2391	Power wheelchair accessory, solid (rubber/plastic) caster tire (removable), any size, replacement only, each
E2392	Power wheelchair accessory, solid (rubber/plastic) caster tire with integrated wheel, any size, replacement only, each
E2394	Power wheelchair accessory, drive wheel excludes tire, any size, replacement only, each
E2395	Power wheelchair accessory, caster wheel excludes tire, any size, replacement only, each
E2396	Power wheelchair accessory, caster fork, any size, replacement only, each
E2397	Power wheelchair accessory, lithium-based battery, each
E2398	Wheelchair accessory, dynamic positioning hardware for back
E2605	Positioning wheelchair seat cushion, width less than 22 in, any depth
E2606	Positioning wheelchair seat cushion, width 22 in or greater, any depth
E2607	Skin protection and positioning wheelchair seat cushion, width less than 22 in, any depth
E2608	Skin protection and positioning wheelchair seat cushion, width 22 in or greater, any depth
E2609	Custom fabricated wheelchair seat cushion, any size

HCPCS Code	Description
E2613	Positioning wheelchair back cushion, posterior, width less than 22 in, any height, including any type mounting hardware
E2614	Positioning wheelchair back cushion, posterior, width 22 in or greater, any height, including any type mounting hardware
E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 in, any height, including any type mounting hardware
E2616	Positioning wheelchair back cushion, posterior-lateral, width 22 in or greater, any height, including any type mounting hardware
E2617	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware
E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 in, any height, including any type mounting hardware
E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 in or greater, any height, including any type mounting hardware
E2622	Skin protection wheelchair seat cushion, adjustable, width less than 22 in, any depth
E2623	Skin protection wheelchair seat cushion, adjustable, width 22 in or greater, any depth
E2624	Skin protection and positioning wheelchair seat cushion, adjustable, width less than 22 in, any depth
E2625	Skin protection and positioning wheelchair seat cushion, adjustable, width 22 in or greater, any depth
E2626	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable
E2627	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable Rancho type
E2628	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, reclining
E2629	Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints)
E2630	Wheelchair accessory, shoulder elbow, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support
E2631	Wheelchair accessory, addition to mobile arm support, elevating proximal arm
E2633	Wheelchair accessory, addition to mobile arm support, supinator
K0001	Standard wheelchair
K0002	Standard hemi (low seat) wheelchair
K0003	Lightweight wheelchair
K0004	High strength, lightweight wheelchair
K0005	Ultralightweight wheelchair
K0006	Heavy-duty wheelchair
K0007	Extra heavy-duty wheelchair
K0009	Other manual wheelchair/base
K0015	Detachable, nonadjustable height armrest, each
K0017	Detachable, adjustable height armrest, base, replacement only, each
K0018	Detachable, adjustable height armrest, upper portion, replacement only, each
K0019	Arm pad, replacement only, each
K0020	Fixed, adjustable height armrest, pair
K0037	High mount flip-up footrest, each
K0038	Leg strap, each
K0039	Leg strap, H style, each

HCPCS Code	Description
K0040	Adjustable angle footplate, each
K0041	Large size footplate, each
K0042	Standard size footplate, replacement only, each
K0043	Footrest, lower extension tube, replacement only, each
K0044	Footrest, upper hanger bracket, replacement only, each
K0045	Footrest, complete assembly, replacement only, each
K0046	Elevating legrest, lower extension tube, replacement only, each
K0047	Elevating legrest, upper hanger bracket, replacement only, each
K0050	Ratchet assembly, replacement only
K0051	Cam release assembly, footrest or legrest, replacement only, each
K0052	Swingaway, detachable footrests, replacement only, each
K0053	Elevating footrests, articulating (telescoping), each
K0069	Rear wheel assembly, complete, with solid tire, spokes or molded, replacement only, each
K0070	Rear wheel assembly, complete, with pneumatic tire, spokes or molded, replacement only, each
K0071	Front caster assembly, complete, with pneumatic tire, replacement only, each
K0072	Front caster assembly, complete, with semipneumatic tire, replacement only, each
K0077	Front caster assembly, complete, with solid tire, replacement only, each
K0098	Drive belt for power wheelchair, replacement only
K0108	Wheelchair component or accessory, not otherwise specified
K0195	Elevating legrests, pair (for use with capped rental wheelchair base)
K0733	Power wheelchair accessory, 12 to 24 amp hour sealed lead acid battery, each (e.g., gel cell, absorbed glassmat)
K0800	Power operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds
K0801	Power operated vehicle, group 1 heavy-duty, patient weight capacity 301 to 450 pounds
K0802	Power operated vehicle, group 1 very heavy-duty, patient weight capacity 451 to 600 pounds
K0806	Power operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds
K0807	Power operated vehicle, group 2 heavy-duty, patient weight capacity 301 to 450 pounds
K0808	Power operated vehicle, group 2 very heavy-duty, patient weight capacity 451 to 600 pounds
K0812	Power operated vehicle, not otherwise classified
K0813	Power wheelchair, group 1 standard, portable, sling/solid seat and back, patient weight capacity up to and including 300 pounds
K0814	Power wheelchair, group 1 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds
K0815	Power wheelchair, group 1 standard, sling/solid seat and back, patient weight capacity up to and including 300 pounds
K0816	Power wheelchair, group 1 standard, captain's chair, patient weight capacity up to and including 300 pounds
K0820	Power wheelchair, group 2 standard, portable, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0821	Power wheelchair, group 2 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds
K0822	Power wheelchair, group 2 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds

HCPCS Code	Description
K0823	Power wheelchair, group 2 standard, captain's chair, patient weight capacity up to and including 300 pounds
K0824	Power wheelchair, group 2 heavy-duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0825	Power wheelchair, group 2 heavy-duty, captain's chair, patient weight capacity 301 to 450 pounds
K0826	Power wheelchair, group 2 very heavy-duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
K0827	Power wheelchair, group 2 very heavy-duty, captain's chair, patient weight capacity 451 to 600 pounds
K0828	Power wheelchair, group 2 extra heavy-duty, sling/solid seat/back, patient weight capacity 601 pounds or more
K0829	Power wheelchair, group 2 extra heavy-duty, captain's chair, patient weight 601 pounds or more
K0830	Power wheelchair, group 2 standard, seat elevator, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0831	Power wheelchair, group 2 standard, seat elevator, captain's chair, patient weight capacity up to and including 300 pounds
K0835	Power wheelchair, group 2 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0836	Power wheelchair, group 2 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds
K0837	Power wheelchair, group 2 heavy-duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0838	Power wheelchair, group 2 heavy-duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds
K0839	Power wheelchair, group 2 very heavy-duty, single power option sling/solid seat/back, patient weight capacity 451 to 600 pounds
K0840	Power wheelchair, group 2 extra heavy-duty, single power option, sling/solid seat/back, patient weight capacity 601 pounds or more
K0841	Power wheelchair, group 2 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0842	Power wheelchair, group 2 standard, multiple power option, captain's chair, patient weight capacity up to and including 300 pounds
K0843	Power wheelchair, group 2 heavy-duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0848	Power wheelchair, group 3 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0849	Power wheelchair, group 3 standard, captain's chair, patient weight capacity up to and including 300 pounds
K0850	Power wheelchair, group 3 heavy-duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0851	Power wheelchair, group 3 heavy-duty, captain's chair, patient weight capacity 301 to 450 pounds
K0852	Power wheelchair, group 3 very heavy-duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
K0853	Power wheelchair, group 3 very heavy-duty, captain's chair, patient weight capacity 451 to 600 pounds
K0854	Power wheelchair, group 3 extra heavy-duty, sling/solid seat/back, patient weight capacity 601 pounds or more
K0855	Power wheelchair, group 3 extra heavy-duty, captain's chair, patient weight capacity 601 pounds or more
K0856	Power wheelchair, group 3 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds

HCPCS Code	Description
K0857	Power wheelchair, group 3 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds
K0858	Power wheelchair, group 3 heavy-duty, single power option, sling/solid seat/back, patient weight 301 to 450 pounds
K0859	Power wheelchair, group 3 heavy-duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds
K0860	Power wheelchair, group 3 very heavy-duty, single power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
K0861	Power wheelchair, group 3 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0862	Power wheelchair, group 3 heavy-duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0863	Power wheelchair, group 3 very heavy-duty, multiple power option, sling/solid seat/back, patient weight capacity 451 to 600 pounds
K0864	Power wheelchair, group 3 extra heavy-duty, multiple power option, sling/solid seat/back, patient weight capacity 601 pounds or more
K0868	Power wheelchair, group 4 standard, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0869	Power wheelchair, group 4 standard, captain's chair, patient weight capacity up to and including 300 pounds
K0870	Power wheelchair, group 4 heavy-duty, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0871	Power wheelchair, group 4 very heavy-duty, sling/solid seat/back, patient weight capacity 451 to 600 pounds
K0877	Power wheelchair, group 4 standard, single power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0878	Power wheelchair, group 4 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds
K0879	Power wheelchair, group 4 heavy-duty, single power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0880	Power wheelchair, group 4 very heavy-duty, single power option, sling/solid seat/back, patient weight 451 to 600 pounds
K0884	Power wheelchair, group 4 standard, multiple power option, sling/solid seat/back, patient weight capacity up to and including 300 pounds
K0885	Power wheelchair, group 4 standard, multiple power option, captain's chair, patient weight capacity up to and including 300 pounds
K0886	Power wheelchair, group 4 heavy-duty, multiple power option, sling/solid seat/back, patient weight capacity 301 to 450 pounds
K0890	Power wheelchair, group 5 pediatric, single power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds
K0891	Power wheelchair, group 5 pediatric, multiple power option, sling/solid seat/back, patient weight capacity up to and including 125 pounds
K0900	Customized durable medical equipment, other than wheelchair

References

The foregoing Oxford policy has been adapted from an existing UnitedHealthcare national policy that was researched, developed and approved by UnitedHealthcare Coverage Determination Guidelines Committee. [CDG.034.01]

Policy History/Revision Information

Date	Summary of Changes
05/01/2021	<ul style="list-style-type: none"><li data-bbox="337 321 602 348">• New Clinical Policy

Instructions for Use

This Clinical Policy provides assistance in interpreting UnitedHealthcare Oxford standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this policy, please check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare Oxford reserves the right to modify its Policies as necessary. This Clinical Policy is provided for informational purposes. It does not constitute medical advice.

The term Oxford includes Oxford Health Plans, LLC and all of its subsidiaries as appropriate for these policies. Unless otherwise stated, Oxford policies do not apply to Medicare Advantage members.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual[®] criteria, to assist us in administering health benefits. UnitedHealthcare Oxford Clinical Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.