

UnitedHealthcare Pharmacy  
Clinical Pharmacy Programs

Program Number	2023 P 1146-13
Program	Prior Authorization/Notification
Medication	Harvoni® (ledipasvir/sofosbuvir)
P&T Approval Date	10/2014, 2/2015, 8/2015, 11/2015, 12/2016, 12/2017, 12/2018, 2/2019, 2/2020, 2/2021, 2/2022, 2/2023
Effective Date	5/1/2023; Oxford only: N/A

**1. Background:**

Harvoni® (ledipasvir/sofosbuvir) is a fixed-dose combination of ledipasvir, a hepatitis C virus (HCV) NS5A inhibitor, and sofosbuvir, an HCV nucleotide analog NS5B polymerase inhibitor, and is indicated for the treatment of chronic hepatitis C virus (HCV) in adults and pediatric patients 3 years of age or older<sup>1</sup>:

- Genotype 1, 4, 5, or 6 infection without cirrhosis or with compensated cirrhosis
- Genotype 1 infection with decompensated cirrhosis, in combination with ribavirin
- Genotype 1 or 4 infection who are liver transplant recipients without cirrhosis or with compensated cirrhosis, in combination with ribavirin.

**2. Coverage Criteria<sup>a</sup>:**

**A. Chronic Hepatitis C - Genotype 1 - Treatment-Naïve Patients without Cirrhosis and have a pre-treatment HCV RNA less than 6 million IU/mL:**

1. **Harvoni** will be approved based on **all** of the following criteria:

a. Diagnosis of chronic hepatitis C genotype 1 infection

**-AND-**

b. Patient has a pre-treatment HCV RNA less than 6 million IU/mL

**-AND-**

c. Patient is without cirrhosis.

**-AND-**

d. Patient is treatment naïve [patient has not experienced treatment failure (defined as viral relapse, breakthrough while on therapy, or non-responder to therapy) with peginterferon +/- ribavirin based regimen with or without an HCV protease inhibitor (e.g., Incivek, Olysio, Victrelis) or Sovaldi (sofosbuvir)]

**-AND-**

e. Patient is not receiving Harvoni in combination with another HCV direct acting

antiviral agent [e.g., Sovaldi (sofosbuvir)]

**Authorization will be issued for 8 weeks.**

**B. Chronic Hepatitis C - Genotype 1 - Treatment-Naïve Patients without Cirrhosis and have a pre-treatment HCV RNA equal to or greater than 6 million IU/mL:**

1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 1 infection

**-AND-**

- b. Patient has a pre-treatment HCV RNA equal to or greater than 6 million IU/mL

**-AND-**

- c. Patient is without cirrhosis.

**-AND-**

- d. Patient is treatment naïve [patient has not experienced treatment failure (defined as viral relapse, breakthrough while on therapy, or non-responder to therapy) with peginterferon +/- ribavirin based regimen with or without an HCV protease inhibitor (e.g., Incivek, Olysio, Victrelis) or Sovaldi (sofosbuvir)]

**-AND-**

- e. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**Authorization will be issued for 12 weeks.**

**C. Chronic Hepatitis C - Genotype 1 - Treatment-Naïve Patients with Compensated Cirrhosis:**

1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 1 infection

**-AND-**

- b. Patient has compensated cirrhosis (e.g., Child-Pugh A)

**-AND-**

- c. Patient is treatment naïve [patient has not experienced treatment failure (defined as viral relapse, breakthrough while on therapy, or non-responder to therapy) with

peginterferon +/- ribavirin based regimen with or without an HCV protease inhibitor (e.g., Incivek, Olysio, Victrelis) or Sovaldi (sofosbuvir)]

**-AND-**

- d. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**Authorization will be issued for 12 weeks.**

**D. Chronic Hepatitis C - Genotype 1 - Treatment-Experienced Patients without Cirrhosis:**

- 1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 1 infection

**-AND-**

- b. Patient has experienced failure with a previous treatment regimen that included either peginterferon alfa +/- ribavirin based regimen with or without an HCV protease inhibitor (e.g., Incivek, Olysio, Victrelis) or Sovaldi (sofosbuvir)

**-AND-**

- c. Patient is without cirrhosis

**-AND-**

- d. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**Authorization will be issued for 12 weeks.**

**E. Chronic Hepatitis C - Genotype 1 - Treatment-Experienced Patients with Compensated Cirrhosis:**

- 1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 1 infection

**-AND-**

- b. Patient has experienced failure with a previous treatment regimen that included either peginterferon alfa +/- ribavirin based regimen with or without an HCV protease inhibitor (e.g., Incivek, Olysio, Victrelis) or Sovaldi (sofosbuvir)

-AND-

- c. Patient has compensated cirrhosis (e.g., Child-Pugh A)

-AND-

- d. Patient is without decompensated liver disease (e.g., Child-Pugh B or C)

-AND-

- e. **One** of the following:

- (1) Patient will receive Harvoni in combination with ribavirin

-OR-

- (2) Patient is not eligible for ribavirin

-AND-

- f. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**In combination with ribavirin: Authorization will be issued for 12 weeks.**

**Ineligible for ribavirin: Authorization will be issued for 24 weeks.**

**F. Chronic Hepatitis C - Genotype 1 - Treatment-Naïve or Treatment-Experienced Patients with Decompensated Cirrhosis:**

- 1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 1 infection

-AND-

- b. Patient has decompensated liver disease (e.g., Child-Pugh B or C)

-AND-

- c. Patient will receive Harvoni in combination with ribavirin

-AND-

- d. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**Authorization will be issued for 12 weeks.**

**G. Chronic Hepatitis C - Genotype 4, 5 or 6 - Treatment-Naïve or Treatment-Experienced Patients without Cirrhosis or with Compensated Cirrhosis:**

1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 4, 5 or 6 infection

**-AND-**

- b. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**Authorization will be issued for 12 weeks.**

**H. Chronic Hepatitis C - Genotype 1 or 4 - Treatment-Naïve or Treatment-Experienced Liver Transplant Recipients without Cirrhosis or with Compensated Cirrhosis:**

1. **Harvoni** will be approved based on **all** of the following criteria:

- a. Diagnosis of chronic hepatitis C genotype 1 or 4 infection

**-AND-**

- b. Patient has previously received liver transplant

**-AND-**

- c. **One** of the following:

- (1) Patient is without cirrhosis

**-OR-**

- (2) **Both** of the following:

- (a) Patient has compensated cirrhosis (e.g., Child-Pugh A)

**-AND-**

- (b) Patient without decompensated liver disease (e.g., Child-Pugh B or C)

**-AND-**

- d. Patient is not receiving Harvoni in combination with another HCV direct acting antiviral agent [e.g., Sovaldi (sofosbuvir)]

**-AND-**

e. Patient will receive Harvoni in combination with ribavirin

**Authorization will be issued for 12 weeks.**

<sup>a</sup> State mandates may apply. Any federal regulatory requirements and the member specific benefit plan coverage may also impact coverage criteria. Other policies and utilization management programs may apply.

### 3. Additional Clinical Rules:

- Notwithstanding Coverage Criteria, UnitedHealthcare may approve initial and re-authorization based solely on previous claim/medication history, diagnosis codes (ICD-10) and/or claim logic. Use of automated approval and re-approval processes varies by program and/or therapeutic class.
- Supply limits may be in place.
- Medical necessity may be in place.

### 4. References:

1. Harvoni [package insert]. Foster City, CA: Gilead Sciences, Inc.; March 2020.
2. American Association for the Study of Liver Diseases and the Infectious Diseases Society of America. Recommendations for Testing, Managing, and Treating Hepatitis C. <http://www.hcvguidelines.org/full-report-view>. Accessed December 27, 2022.

Program	Prior Authorization/Notification - Harvoni™ (ledipasvir/sofosbuvir)
<b>Change Control</b>	
10/2014	New program.
10/2014	Separated criteria sections to address treatment-naïve patients without cirrhosis and pre-treatment HCV RNA equal to or greater than 6 million IU/mL from the treatment-naïve patients with cirrhosis separately.
2/2015	Added Sovaldi as part of prior treatment criterion. Added criterion to prevent combination therapy.
8/2015	Added criteria for genotype 4 infection.
11/2015	Added genotype 5 and 6 based updated FDA approval.
12/2016	Added criteria for genotype 1 patients with decompensated cirrhosis. Updated genotype 1 treatment experienced criteria to include compensated cirrhosis only. Added criteria for post liver transplant genotype 1 or 4 patients per updated FDA label. Updated references.
12/2017	Annual review with no change to clinical coverage criteria. Updated references.
12/2018	Annual review with no change to clinical coverage criteria. Updated references.
2/2019	Updated references and removed Olysio from examples.
2/2020	Annual review. Added additional background information. Updated genotype 1 treatment-naïve criteria to include compensated cirrhosis only. Updated genotype 1 treatment experienced criteria treatment regimen and duration. Updated references.
2/2021	Annual review. Removed Olysio from list of examples for HCV direct

	acting antiviral agent with no change to clinical intent. Updated references
2/2022	Annual review with no changes to coverage criteria. Updated references.
2/2023	Annual review. Revised coverage criteria for Genotype 1 treatment-experienced patients with compensated cirrhosis per FDA label. Added state mandate and updated references.