MASSACHUSETTS STANDARD FORM FOR HEPATITIS C MEDICATION PRIOR AUTHORIZATION REQUESTS

*Some plans might not accept this form for Medicare or Medicaid requests.

A. Destination	
Health Plan or Prescription Plan Name:	
Health Plan Phone:	Health Plan Fax:

Patient Name:	DOB:	Member ID #	
Sex assigned at birth: 🗆 Male (Female "X" or Intersex		

Current Gender:
Male Female Transgender Male Transgender Female Other
Plans do not discriminate based on race, color, national origin, age, disability, religion, creed, sexual orientation, or sex (including gender identity
and gender stereotyping).

C. Prescriber Information		
Prescribing Clinician:	Phone #:	
Specialty:	Secure Fax #:	
NPI #	DEA #:	
Prescriber Point of Contact Name (POC) (if di	erent than prescriber):	
POC Phone #:	POC Secure Fax #	
POC Email (not required):		
Prescribing Clinician or Authorized Repres	entative Signature:	
Date:		

D. Medication Information	
Check if Expedited Review/Urgent Request: (In checking this box, I attest to the fact that this request meets the definition and criteria for expedited review and is an urgent request as by the carrier.)	defined
🗇 Daklinza 🛛 Epclusa 💭 Harvoni 🗖 Olysio 🖓 Ribavirin Generic 🖓 Ribavirin Branded	
🗆 Sovaldi 🔲 Technivie 🔲 Viekira Pak 🗌 Viekira XR 🔲 Zepatier 🔲 Vosevi 🔲 Mavyret 💭 Other	_
Requested Duration of Treatment: weeks	
Type of Therapy: 🛛 Initial 🛛 Continuation — weeks remaining:	
Anticipated or actual start date:	
Is the medication prescribed by, or in consultation with, a gastroenterologist, infectious disease specialist, or hepatologist? 🗆 Yes 🛛 No	
<i>For Zepatier only:</i> Has there been confirmation that the patient does not have a genotype 1a with a baseline NS5A polymorphism?	
For Ribavirin only: Does the patient require a dosage form other than generic ribavirin 200 mg capsules or tablets? Yes IN o If yes, please specify the following:	
Dosage form requested:	
Clinical reason for use:	
Are any of the following statements true?	
□ Patient is pregnant or plans to become pregnant within 6 months of completing treatment	
D Patient is male with a female partner who is pregnant or plans to become pregnant within 6 months of completing treatment	
□ Patient has contraindications or intolerance to Ribavirin	

E. Patient Clinical Information		
*Please refer to plan-specific criteria for details	related to required informat	ion.
Diagnosis: 🗆 B18.2 Hepatitis C (chronic) 🛛 Or	ther:	
HCV Genotype: 🗆 I 🗆 Ia 🗆 Ib 🗀 2 🛛	□3 □4 □5 □6	Stage of Hepatic Fibrosis: F0 F1 F1 F2 F3 F4 If F4: Compensated Decompensated
Check all methods of assessment that apply a	ind include result:	
Method		Result
🗆 Liver biopsy		See above
🖵 Transient elastography (FibroScan)		kPa
□ Shear wave elastography		kPa
		kPa
□ FibroSure (FibroTest)		
🗆 Echosens Fibrometer		
🗆 Fib-4 —		
Hepascore		
Other:		
Does the patient have HIV coinfection?	□ No □ Unknown	
Is the patient status post liver transplant? 🗆 Yes	□ No	·····
Confirm the patient's GFR range: D 0–14] 15–29 🛛 30 or greater (Ple	ease specify.)
HCV RNA levels:		
Baseline (most recent):	IU/mL D	ate of lab work:
Week 8 of treatment (if continuation request):		IU/mL Date of lab work:
Previous Treatn		
Has the patient been previously treated for Hepa	titis C and failed treatment?	□ Yes □ No
Adverse Reaction? Yes No		
Drug Name	Date of treatment (MM/Y)	() Response to treatment
		 Relapsed Partial response Null response (<2 log reduction in HCV RNA at Week 12) Did not complete Briefly describe details:
		 Relapsed Partial response Null response (<2 log reduction in HCV RNA at Week 12) Did not complete Briefly describe details:
*		 Relapsed Partial response Null response (<2 log reduction in HCV RNA at Week 12) Did not complete Briefly describe details:
Additional information pertinent to this request:	•	·

F. Exceptions to Step The	гару
Please complete the applical	ble section(s).
Is the alternative drug require	ed under the step therapy protocol contraindicated, or will likely cause an adverse reaction in, or physical or
mental harm to the member?	□ Yes □ No
If yes, briefly describe details of	contraindication, adverse reaction, or harm:
- · ·	under the step therapy protocol expected to be ineffective based on the known clinical characteristics of the
member and the known charac	teristics of the alternative drug regiment? \square Yes \square No
If yes, briefly describe details of	f known clinical characteristics of member and alternative drug regimen.
÷	
Has the member previously tri	ed the alternative drug required under the step therapy protocol, or another alternative drug in the same
	e same mechanism of action, and such alternative drug was discontinued due to lack of efficacy or effectiveness,
diminished effect, or an adverse	e event? 🗆 Yes 📋 No
If yes, please provide details for	the previous trial.
Drug Name:	Dates/duration of use:
-	
	y of the following? Adverse reaction Inadequate response
Brieffy describe details of advers	se reaction or inadequate response:
Drug Name:	Dates/duration of use:
	y of the following? 🗆 Adverse reaction 👘 Inadequate response
· ·	se reaction or inadequate response:
briefy describe details of advert	ic reaction of madequate response.
	<u>8</u> .
Is the member stable on the re	quested prescription drug prescribed by the health care provider, and switching drugs will likely cause an adverse
reaction in or physical or ment	al harm to the member? 🗆 Yes 📮 No
If yes, briefly provide details on	the member's stability and the likely adverse reaction or physical or mental harm:

Providers should consult the health plan's coverage policies, member benefits, and medical necessity guidelines to complete this form. Providers may attach any additional data relevant to medical necessity criteria.