

Specialty Medication Prior Authorization Cover Sheet

(This cover sheet should be submitted along with a Pharmacy Prior Authorization Medication Fax Request Form. Please refer to www.uhcprovider.com for medication fax request forms.)

Patient Information

Patient's Name: _____

Insurance ID: _____ Date of Birth: _____ Height: _____ Weight: _____

Address: _____ Apartment #: _____

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Alternate Phone: _____ Sex: Male Female

Provider Information

Provider's Name: _____ Provider ID Number: _____

Address: _____ City: _____ State: _____ Zip Code: _____

Suite Number: _____ Building Number: _____

Phone Number: _____ Fax number: _____

Provider's Specialty: _____

Medication Information

Medication: _____ Quantity: _____ ICD10 Code: _____

Directions: _____ Diagnosis: _____ Refills: _____

Physician Signature:** _____ Initial here if DAW: _____

***Physician Signature**:** By signing above, the physician is providing the specialty pharmacy with a prescription that can be used to facilitate the dispensing and/or coordination of delivery for the requested medication.*

Medication Instructions

Has the patient been instructed on how to **Self-Administer**? Yes No

Is this medication a **New Start**? Yes No

If continuation please provide the following: Initiation Date: / / Date of Last Dose: / /

Is there documentation of positive clinical response to current therapy? Yes No

****Please attach any pertinent clinical information that would pertain to support stated diagnosis. Additional clinical information may be needed depending on your patients plan, including medication(s) previously tried and failed.**

Delivery Instructions

Note: Delivery coordination requires a **"Physician Signature"** above and complete **"Provider Information"** and **"Patient Information"**

Note: All necessary ancillary supplies are provided free of charge to the patient at the time of delivery

Ship to: Physician's Office Patient's Address Date medication is needed: / /

Medication Administered: Home Health Self-Administered LTC Physician's Office

Please complete this entire form and fax it to: **866-940-7328**. If you have questions, please call **800-310-6826**.
This form contains multiple pages. Please complete all pages to avoid a delay in our decision.
Allow at least 24 hours for review.

Section A – Member Information

First Name:	Last Name:	Member ID:
Address:		
City:	State:	ZIP Code:
Phone:	DOB:	Allergies:
Primary Insurance Information:		
Is the requested medication <input type="checkbox"/> New or <input type="checkbox"/> Continuation of Therapy? If continuation, list start date: _____		
Is this patient currently hospitalized? <input type="checkbox"/> Yes <input type="checkbox"/> No If recently discharged, list discharge date: _____		

Section B - Provider Information

First Name:	Last Name:	M.D./D.O.	
Address:	City:	State:	ZIP code:
Phone:	Fax:	NPI #:	Specialty:
Office Contact Name / Fax attention to:			

Section C - Medical Information

Medication:	Strength:
Directions for use:	Quantity:
Diagnosis (Please be specific & provide as much information as possible):	ICD-10 CODE:
Is this member pregnant? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, what is this member's due date? _____	

Section D – Previous Medication Trials

Medications	Strength	Directions	Dates of Therapy	Reason for failure / discontinuation

Section E – Additional information and Explanation of why preferred medications would not meet the patient's needs:
 Please refer to the patient's PDL at www.uhcprovider.com for a list of preferred alternatives

Member First name:	Member Last name:	Member DOB:
---------------------------	--------------------------	--------------------

Clinical and Drug Specific Information

ALL REQUESTS

<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have one of the following diagnoses? <i>(If yes, check which applies)</i> <input type="checkbox"/> Atopic dermatitis <input type="checkbox"/> Chronic rhinosinusitis with nasal polyposis (CRSwNP) <input type="checkbox"/> Moderate-to-severe asthma
<input type="checkbox"/> Yes <input type="checkbox"/> No	Is Dupixent prescribed by one of the following? <i>(If yes, check which applies)</i> <input type="checkbox"/> Allergist <input type="checkbox"/> Dermatologist <input type="checkbox"/> Immunologist <input type="checkbox"/> Otolaryngologist <input type="checkbox"/> Pulmonologist

ATOPIC DERMATITIS

<input type="checkbox"/> Yes <input type="checkbox"/> No	Does any of the following apply to the patient? <i>(If yes, check which applies)</i> <input type="checkbox"/> Moderate to severe chronic atopic dermatitis <input type="checkbox"/> Chronic atopic dermatitis that has been determined to be <u>severe</u> based on physician assessment
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have a history of failure, contraindication, or intolerance to any of the following topical therapies? <i>(If yes, check which applies and complete Section D above)</i> <input type="checkbox"/> Medium to very-high potency topical corticosteroid [e.g., Elocon (mometasone furoate), Synalar (fluocinolone acetonide), Lidex (fluocinonide)] <input type="checkbox"/> Topical calcineurin inhibitor [e.g., Elidel (pimecrolimus), Protopic (tacrolimus)] <input type="checkbox"/> Eucrisa (crisaborole)
<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient receiving Dupixent in combination with another biologic medication [e.g., Xolair (omalizumab), Rituxan (rituximab), Enbrel (etanercept), Remicade/Inflectra (infliximab)]?

CHRONIC RHINOSINUSITIS WITH NASAL POLYPOSIS (CRSWNP)

<input type="checkbox"/> Yes <input type="checkbox"/> No	Has the patient had any of the following symptoms for greater than or equal to 12 weeks duration? <i>(If yes, check which applies)</i> <input type="checkbox"/> Decreased or absent sense of smell <input type="checkbox"/> Facial pressure or pain <input type="checkbox"/> Mucopurulent discharge <input type="checkbox"/> Nasal obstruction and congestion
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have any of the following? <i>(If yes, check which applies)</i> <input type="checkbox"/> Evidence of inflammation on paranasal sinus examination or computed tomography (CT) <input type="checkbox"/> Evidence of purulence coming from paranasal sinuses or ostiomeatal complex
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have nasal polyps?
<input type="checkbox"/> Yes <input type="checkbox"/> No	Has the patient required any of the following? <i>(If yes, check which applies)</i> <input type="checkbox"/> Prior sinonasal surgery <input type="checkbox"/> Systemic corticosteroids in the previous 2 years
<input type="checkbox"/> Yes <input type="checkbox"/> No	Has the patient been unable to obtain symptom relief after a trial of any of the following agents/classes? <i>(If yes, check which applies and complete Section D above)</i> <input type="checkbox"/> Antileukotriene agents (e.g. montelukast, zafirlukast, zileuton) <input type="checkbox"/> Intranasal corticosteroids (e.g. fluticasone, mometasone, triamcinolone, etc.) <input type="checkbox"/> Nasal saline irrigations
<input type="checkbox"/> Yes <input type="checkbox"/> No	Will the patient receive Dupixent as add-on maintenance therapy in combination with intranasal corticosteroids?
<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient receiving Dupixent in combination with another biologic medication [e.g., Xolair (omalizumab), Nucala (mepolizumab), Cinqair (reslizumab), Fasentra (benralizumab)]?

Member First name:		Member Last name:		Member DOB:	
MODERATE TO SEVERE ASTHMA					
<input type="checkbox"/> Yes <input type="checkbox"/> No		Is the patient's asthma classified as uncontrolled or inadequately controlled as defined by any of the following? <i>(If yes, check which applies)</i> <ul style="list-style-type: none"> <input type="checkbox"/> Poor symptom control (e.g., Asthma Control Questionnaire [ACQ] score consistently greater than 1.5 or Asthma Control Test [ACT] score consistently less than 20) <input type="checkbox"/> Two or more bursts of systemic corticosteroids for at least 3 days each in the previous 12 months <input type="checkbox"/> Asthma-related emergency treatment (e.g., emergency room visit, hospital admission, or unscheduled physician's office visit for nebulizer or other urgent treatment) <input type="checkbox"/> Airflow limitation (e.g., after appropriate bronchodilator withhold forced expiratory volume in 1 second [FEV1] less than 80% predicted [in the face of reduced FEV1/forced vital capacity [FVC] defined as less than the lower limit of normal]) 			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Is the patient currently dependent on oral corticosteroids for the treatment of asthma?			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Will Dupixent be used in combination with one high dose (appropriately adjusted for age) combination inhaled corticosteroid (ICS)/long-acting beta2 agonist (LABA) [e.g., Advair/AirDuo Resplick (fluticasone propionate/salmeterol), Symbicort (budesonide/formoterol), Breo Ellipta (fluticasone furoate/vilanterol)]? <i>If yes, list ICS/LABA product:</i>			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Will the patient use Dupixent with combination therapy including <u>both</u> of the following? <ul style="list-style-type: none"> <input type="checkbox"/> One high-dose (appropriately adjusted for age) inhaled corticosteroid (ICS) product [e.g., ciclesonide (Alvesco), mometasone furoate (Asmanex), beclomethasone dipropionate (QVAR)] <input type="checkbox"/> One additional asthma controller medication [e.g., LABA - olodaterol (Striverdi) or indacaterol (Arcapta); leukotriene receptor antagonist – montelukast (Singulair); theophylline] <i>If yes, list combination therapy:</i>			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Will medical records (e.g., chart notes, laboratory values, etc.) documenting that asthma is an eosinophilic phenotype as defined by a baseline (pre-dupilumab treatment) peripheral blood eosinophil level \geq 150 cells/microliter within the past 6 weeks be submitted? <i>(DOCUMENTATION REQUIRED)</i>			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Will the patient receive Dupixent in combination with any of the following? <i>(If yes, check which applies)</i> <ul style="list-style-type: none"> <input type="checkbox"/> Anti-interleukin-5 therapy [e.g. Nucala (mepolizumab), Cinqair (reslizumab), Fasentra (benralizumab)] <input type="checkbox"/> Anti-IgE therapy [e.g. Xolair (omalizumab)] 			
CONTINUATION OF THERAPY - ATOPIC DERMATITIS					
<input type="checkbox"/> Yes <input type="checkbox"/> No		Is there documentation of positive clinical response to Dupixent therapy?			
CONTINUATION OF THERAPY - CHRONIC RHINOSINUSITIS WITH NASAL POLYPOSIS (CRSWNP)					
<input type="checkbox"/> Yes <input type="checkbox"/> No		Is there documentation of positive clinical response to Dupixent therapy?			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Will the patient continue to receive Dupixent as add-on maintenance therapy in combination with intranasal corticosteroids?			
CONTINUATION OF THERAPY - MODERATE TO SEVERE ASTHMA					
<input type="checkbox"/> Yes <input type="checkbox"/> No		Is there documentation of positive clinical response to Dupixent therapy as demonstrated by any of the following? <i>(If yes, check which applies)</i> <ul style="list-style-type: none"> <input type="checkbox"/> Reduction in the frequency of exacerbations <input type="checkbox"/> Decreased utilization of rescue medications <input type="checkbox"/> Increase in percent predicted forced expiratory volume in 1 second (FEV1) from pretreatment baseline <input type="checkbox"/> Reduction in severity or frequency of asthma-related symptoms (e.g., wheezing, shortness of breath, coughing, etc.) <input type="checkbox"/> Reduction in oral corticosteroid requirements 			
<input type="checkbox"/> Yes <input type="checkbox"/> No		Is Dupixent being used in combination with an inhaled corticosteroid (ICS)-containing controller medication?			

Provider Signature: _____ **Date:** _____

Confidentiality Notice: This transmission contains confidential information belonging to the sender and UnitedHealthcare. This information is intended only for the use of UnitedHealthcare. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action involving the contents of this document is prohibited. If you have received this telecopy in error, please notify the sender immediately.