PEDIATRIC (<18 YEARS OF AGE) GROWTH HORMONE PRIOR AUTHORIZATION REQUEST FORM



OptumRx
P.O. Box 25184
Santa Ana, CA, 92799
Phone: (800) 310-6826 Fax: (866) 940-7328





| Today's Date | | | | | | | |
|--|---|--|--|--|--|--|--|
| | | | | | | | |
| Note: This form must be completed by the prescribing provider. | | | | | | | |
| **All sections must be completed or the request will be returned** | | | | | | | |
| Patient's Medicaid # | Date of Birth | | | | | | |
| Patient's Name | Prescriber's Name | | | | | | |
| Prescriber's IN License # | Specialty | | | | | | |
| Prescriber's NPI# | Prescriber's Signature | | | | | | |
| Return Fax # | Return Phone # | | | | | | |
| Check box if requesting retro-active PA | Date(s) of service re retro-active eligibility | | | | | | |
| Note: Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward). | | | | | | | |
| Requested Medication and Strength | Requested Medication and Strength Dosage Treatment Duration | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| SOMATROPIN AGENTS – Initial Authorization | | | | | | | |
| Please select the member's diagnosis: | | | | | | | |
| | | Growth hormone deficiency | | | | | |
| □ Noonan syndrome (Norditropin only) | | | | | | | |
| | | | | | | | |
| ☐ Prader-Willi syndrome | h failure (Nutropin A | Q only) | | | | | |
| ☐ Prader-Willi syndrome☐ Renal function impairment associated with growth | | | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHOX) | | | | | | | |
| ☐ Prader-Willi syndrome☐ Renal function impairment associated with growth | | | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHOX □ Small for gestational age (SGA) □ Turner syndrome | | ope or Zomacton only) | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHO) □ Small for gestational age (SGA) □ Turner syndrome | () deficiency (Humatı | ope or Zomacton only) | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHOX □ Small for gestational age (SGA) □ Turner syndrome □ Other* (please provide diagnosis) □ N/A |) deficiency (Humatı | ope or Zomacton only) | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHO) □ Small for gestational age (SGA) □ Turner syndrome □ Other* (please provide diagnosis) |) deficiency (Humatı | ope or Zomacton only) | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHOX □ Small for gestational age (SGA) □ Turner syndrome □ Other* (please provide diagnosis) □ N/A | N/A | ope or Zomacton only) | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHO) □ Small for gestational age (SGA) □ Turner syndrome □ Other* (please provide diagnosis) □ N/A Diagnosis of Idiopathic short stature □ Yes □ No □ | N/A r the above diagno | ope or Zomacton only) | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHOX) □ Small for gestational age (SGA) □ Turner syndrome □ Other* (please provide diagnosis) □ N/A Diagnosis of Idiopathic short stature □ Yes □ No □ *The following documentation will be required for | N/A r the above diagno required illustrating | sis* poth of the following: | | | | | |
| □ Prader-Willi syndrome □ Renal function impairment associated with grown □ Short-stature homeobox-containing gene (SHO) □ Small for gestational age (SGA) □ Turner syndrome □ Other* (please provide diagnosis) □ N/A Diagnosis of Idiopathic short stature □ Yes □ No □ *The following documentation will be required for • Confirmatory growth chart documentation is | N/A r the above diagno required illustrating | sis* coth of the following: ns below population mean for given | | | | | |

| Please complete the following: |
|---|
| Current height: (inches) |
| Height 6 months prior:(inches) |
| Height 12 months prior:(inches) |
| Diagnosis of HIV-associated wasting or cachexia (Serostim only) ☐ Yes ☐ No ☐ N/A |
| *The following documentation will be required for the above diagnosis Quantitative measurement of lean body mass using DEXA (dual energy X-ray absorptiometry) or BIA (bioelectric impedance analysis) Documentation of involuntary weight loss of >10% of baseline total body weight OR body cell mass <30% for initial approval |
| Member's current AIDS/HIV anti-retroviral regimen: |
| Member has tried and failed the one other therapy for HIV-associated wasting or cachexia [e.g., anabolic steroids (include medication name, trial date, dose, frequency, duration, reason for failure)] |
| |
| The following documentation will be required for any of the above diagnoses (except for HIV-associated wasting or cachexia indication being treated by Serostim): Documentation of biochemical evidence or other applicable testing supporting the diagnosis is required Radiology report documenting a bone age of 14-15 or less in members assigned female at birth, 16-17 or less in members assigned male at birth Radiology report documenting open epiphyses (NOTE: documented evidence of open epiphyses is needed only if member is nearing or at puberty (estimate age range 10-17 years of age) Please select one of the following for ALL indications: Request is for a preferred agent |
| ☐ Request is for a non-preferred agent with a product-specific indication: List indication: |
| ☐ Prescriber would like to utilize a non-preferred agent over preferred agent based on the following medical justification: |
| *For All indications* Decoming attacks that the sub-sub-sub-sub-sub-sub-sub-sub-sub-sub- |
| *For ALL indications* – Prescriber attests that they have performed all necessary testing to ensure there are no expanding intracranial lesions or tumors prior to initiating growth hormone therapy Yes No |
| I,hereby attest that I have performed all necessary testing to ensure that this member does not have expanding intracranial lesions or tumors prior to initiating growth hormone therapy. |
| Prescriber Signature: |

| SUMATRUPIN AGEN | 115 – Reauthoriza | ation | | | |
|---------------------|---|---|---------------------|---------------------------|-------------|
| Please sel | _ | 9 | an HIV-assoc | iated wasting or cachexia | l |
| □ Re | | preferred agent with a pro | oduct-specific | indication: | |
| □ Pre | | to utilize a non-preferred stification: | agent over pr | eferred agent based on th | ne |
| | | | | | |
| or cachex | ia: | ion will be required for c | | | |
| | 0, . | menting a bone age of 14 pers assigned male at birtl | | members assigned fema | e at birth, |
| • Rad | iology report docu | menting open epiphyses ber is nearing or at puber | (NOTE: docum | • | |
| • Gro | wth rate of 2 to 2.5 | ion will be required for into the community of cm/year or more with grown and medical justification for | owth hormone | therapy ☐ Yes ☐ No | |
| | | | | | |
| | | | | | |
| continuing to m | onitor the membe formation of skin | n HIV-associated wasting r for intracranial tumor red esions, if appropriate | _ | | - |
| 1 | | her | hy attest tha | it I am continuing to mo | nitor the |
| | tracranial tumor n of skin lesions, | recurrence, progression | - | • | |
| Prescriber Sig | nature: | | | | _ |
| therapy | | -associated wasting or of HIV anti-retroviral regimen | | | |
| - Weins | er o darrent / (IDG) | The and redoviral regimen | | | |
| | er has demonstra ne (documentatic | ted an increase in total bo on required) | dy weight or le | ean body mass from treat | ment |
| The follow cache | _ | ion will be required for a | diagnosis o | f HIV-associated wastin | g or |
| Curre | ent: | height: | (inches) | weight: | (lbs) |
| 3 mo | nths prior: | height: | (inches) | weight: | (lbs) |
| 6 mo | nths prior: | height: | (inches) | weight: | (lbs) |

| Diagnosis of growth failure due to severe primary insulin-like growth factor-1 deficiency (primary IGFD) OR growth hormone (GH) gene deletion with acquired neutralizing antibodies to GH |
|--|
| *The following documentation will be required for the above diagnosis* Radiology report documenting open epiphyses Documentation of baseline height and weight Please complete the following: Baseline height: |
| Radiology report documenting open epiphyses Documentation of baseline height and weight Please complete the following: Baseline height: |
| Documentation of baseline height and weight Please complete the following: Baseline height: |
| Please complete the following: Baseline height: |
| Baseline height: |
| NCRELEX (MECASERMIN) - Reauthorization |
| INCRELEX (MECASERMIN) - Reauthorization Member is less than 18 years of age |
| Member is less than 18 years of age ☐ Yes ☐ No Improvement in annualized growth velocity (AGV) OR provider has submitted valid medical justification for continued use ☐ Yes ☐ No Please complete the following: |
| Member is less than 18 years of age ☐ Yes ☐ No Improvement in annualized growth velocity (AGV) OR provider has submitted valid medical justification for continued use ☐ Yes ☐ No Please complete the following: |
| Improvement in annualized growth velocity (AGV) OR provider has submitted valid medical justification for continued use |
| continued use \(\text{ Yes } \) No Please complete the following: \(\text{ Current height: } \) (inches) \(\text{ Height 6 months prior: } \) (inches) \(\text{ Height 12 months prior: } \) (inches) *The following documentation will be required for the above diagnosis* \(\text{ Radiology report documenting open epiphyses} \) NGENLA (SOMATROGON-GHLA) - Initial Authorization Diagnosis of growth failure due to growth hormone deficiency \(\text{ Yes } \) No Member is 3 years of age or older and less than 18 years of age \(\text{ Yes } \) No |
| Current height:(inches) Height 6 months prior:(inches) Height 12 months prior:(inches) *The following documentation will be required for the above diagnosis* Radiology report documenting open epiphyses NGENLA (SOMATROGON-GHLA) - Initial Authorization Diagnosis of growth failure due to growth hormone deficiency |
| Height 6 months prior:(inches) Height 12 months prior:(inches) *The following documentation will be required for the above diagnosis* Radiology report documenting open epiphyses NGENLA (SOMATROGON-GHLA) – Initial Authorization Diagnosis of growth failure due to growth hormone deficiency |
| Height 12 months prior:(inches) *The following documentation will be required for the above diagnosis* Radiology report documenting open epiphyses NGENLA (SOMATROGON-GHLA) – Initial Authorization Diagnosis of growth failure due to growth hormone deficiency |
| *The following documentation will be required for the above diagnosis* • Radiology report documenting open epiphyses NGENLA (SOMATROGON-GHLA) – Initial Authorization Diagnosis of growth failure due to growth hormone deficiency |
| Radiology report documenting open epiphyses NGENLA (SOMATROGON-GHLA) – Initial Authorization Diagnosis of growth failure due to growth hormone deficiency |
| NGENLA (SOMATROGON-GHLA) – Initial Authorization Diagnosis of growth failure due to growth hormone deficiency ☐ Yes ☐ No Member is 3 years of age or older and less than 18 years of age ☐ Yes ☐ No |
| Diagnosis of growth failure due to growth hormone deficiency ☐ Yes ☐ No Member is 3 years of age or older and less than 18 years of age ☐ Yes ☐ No |
| Diagnosis of growth failure due to growth hormone deficiency ☐ Yes ☐ No Member is 3 years of age or older and less than 18 years of age ☐ Yes ☐ No |
| Member is 3 years of age or older and less than 18 years of age ☐ Yes ☐ No |
| |
| |
| *The following documentation will be required for the above diagnosis* |
| Documentation of biochemical evidence or other applicable testing supporting the diagnosis is required |
| Radiology report documenting a bone age of 14-15 or less in females, 16-17 or less in males Radiology report documenting open epiphyses (<u>NOTE:</u> documented evidence of open epiphyses is |
| Radiology report documenting open epiphyses (<u>NOTE:</u> documented evidence of open epiphyses is needed only if member is nearing or at puberty (estimate age range 10-17 years of age)) |
| Previous trial and failure of Skytrofa (Ionapegsomatropin) |
| If yes, please provide chart documentation or dates of use |
| If no, please provide medical justification as to why Skytrofa (lonapegsomatropin) is unsuitable for use: |
| |

| Provider attests that they have performed all necessary testing to ensure there are no expanding intracranial lesions or tumors prior to initiating growth hormone therapy \square Yes \square No |
|---|
| I,hereby attest that I have performed all necessary testing to ensure that this member does not have expanding intracranial lesions or tumors that could be negatively impacted by growth hormone therapy. |
| Prescriber Signature: |
| NGENLA (SOMATROGON-GHLA) – Reauthorization |
| *The following documentation will be required for any of the indicated diagnoses* • Radiology report documenting a bone age of 14-15 or less in females, 16-17 or less in males • Radiology report documenting open epiphyses (NOTE: documented evidence of open epiphyses is needed only if member is nearing or at puberty (estimate age range 10-17 years of age)) |
| Member is less than 18 years of age ☐ Yes ☐ No |
| Provider attests that they are continuing to monitor the member for intracranial tumor recurrence, progression of underlying disease, or malignant transformation of skin lesions, if appropriate \Box Yes \Box No |
| I,hereby attest that I continue to monitor the member for intracranial tumor recurrence, progression of underlying disease, or malignant transformation of skin lesions, if appropriate. |
| Prescriber Signature: |
| |
| SKYTROFA (LONAPEGSOMATROPIN-TCGD) – Initial Authorization |
| SKYTROFA (LONAPEGSOMATROPIN-TCGD) – Initial Authorization Diagnosis of growth failure due to growth hormone deficiency |
| |
| Diagnosis of growth failure due to growth hormone deficiency ☐ Yes ☐ No Member is less than 18 years of age AND weighs 11.5 kg or greater ☐ Yes ☐ No |
| Diagnosis of growth failure due to growth hormone deficiency ☐ Yes ☐ No Member is less than 18 years of age AND weighs 11.5 kg or greater ☐ Yes ☐ No Weight: (kg or lb) *The following documentation will be required for the above diagnosis* Documentation of biochemical evidence or other applicable testing supporting the diagnosis is required Radiology report documenting a bone age of 14-15 or less in females, 16-17 or less in males Radiology report documenting open epiphyses (NOTE: documented evidence of open epiphyses is |
| Diagnosis of growth failure due to growth hormone deficiency |
| Diagnosis of growth failure due to growth hormone deficiency ☐ Yes ☐ No Member is less than 18 years of age AND weighs 11.5 kg or greater ☐ Yes ☐ No Weight: |
| Diagnosis of growth failure due to growth hormone deficiency |
| Diagnosis of growth failure due to growth hormone deficiency |

| I,hereby attest that I have performed all necessary testing |
|---|
| to ensure that this member does not have expanding intracranial lesions or tumors that could be negatively impacted by growth hormone therapy. |
| Prescriber Signature: |
| |
| SKYTROFA (LONAPEGSOMATROPIN-TCGD) – Reauthorization |
| *The following documentation will be required for any of the indicated diagnoses* Radiology report documenting a bone age of 14-15 or less in females, 16-17 or less in males Radiology report documenting open epiphyses (NOTE: documented evidence of open epiphyses is needed only if member is nearing or at puberty (estimate age range 10-17 years of age)) |
| Member is less than 18 years of age \square Yes \square No |
| Provider attests that they are continuing to monitor the member for intracranial tumor recurrence, progression of underlying disease, or malignant transformation of skin lesions, if appropriate \Box Yes \Box No |
| I,hereby attest that I continue to monitor the member for intracranial tumor recurrence, progression of underlying disease, or malignant transformation of skin lesions, if appropriate. |
| Prescriber Signature: |
| |
| SOGROYA (SOMAPACITAN) – Initial Authorization |
| Diagnosis of growth failure due to growth hormone deficiency $\ \square$ Yes $\ \square$ No |
| Member is 2.5 years of age or older and less than 18 years of age $\ \square$ Yes $\ \square$ No |
| *The following documentation will be required for the above diagnosis* • Documentation of biochemical evidence or other applicable testing supporting the diagnosis is required • Radiology report documenting a bone age of 14-15 or less in females, 16-17 or less in males • Radiology report documenting open epiphyses (NOTE: documented evidence of open epiphyses is needed only if member is nearing or at puberty (estimate age range 10-17 years of age)) Previous trial and failure of Skytrofa (lonapegsomatropin) □ Yes □ No |
| If yes, please provide chart documentation or dates of use |
| If no, please provide medical justification as to why Skytrofa (lonapegsomatropin) is unsuitable for use: ——————————————————————————————————— |
| |
| Provider attests that they have performed all necessary testing to ensure there are no expanding intracranial lesions or tumors prior to initiating growth hormone therapy \square Yes \square No |
| I,hereby attest that I have performed all necessary testing |
| to ensure that this member does not have expanding intracranial lesions or tumors that could be negatively impacted by growth hormone therapy. |
| Prescriber Signature: |

| SOGROYA (SOMAPACITAN) – Reauthorization | | |
|---|--|--|
| *The following documentation will be required for any of the indicated diagnoses* Radiology report documenting a bone age of 14-15 or less in females, 16-17 or less in males Radiology report documenting open epiphyses (NOTE: documented evidence of open epiphyses is needed only if member is nearing or at puberty (estimate age range 10-17 years of age)) | | |
| Member is less than 18 years of age \square Yes \square No | | |
| Provider attests that they are continuing to monitor the member for intracranial tumor recurrence, progression of underlying disease, or malignant transformation of skin lesions, if appropriate \Box Yes \Box No | | |
| I,hereby attest that I continue to monitor the member for intracranial tumor recurrence, progression of underlying disease, or malignant transformation of skin lesions, if appropriate. | | |
| Prescriber Signature: | | |
| VOVED CO (1000 DEED E) I WILL III II III | | |
| VOXZOGO (VOSORITIDE) – Initial Authorization | | |
| Diagnosis of achondroplasia ☐ Yes ☐ No | | |
| Member is less than 18 years of age \square Yes \square No | | |
| *The following documentation will be required for the above diagnosis* Radiology report documenting open epiphyses Documentation of baseline height and weight | | |
| Please complete the following: | | |
| o Baseline height: (inches) | | |
| o Baseline weight:(kg or lb) | | |
| VOXZOGO (VOSORITIDE) – Reauthorization | | |
| Member is less than 18 years of age ☐ Yes ☐ No | | |
| Improvement in annualized growth velocity (AGV) of 1.5 cm/year OR provider has submitted valid medical justification for continued use \Box Yes \Box No | | |
| Please complete the following: | | |
| o Current height: (inches) | | |
| Height 6 months prior:(inches) | | |
| o Height 12 months prior:(inches) | | |
| *The following documentation will be required for the above diagnosis* | | |

CONFIDENTIAL INFORMATION

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.