

Specialty Medication Prior Authorization Cover Sheet

(This cover sheet should be submitted along with a Pharmacy Prior Authorization Medication Fax Request Form. Please refer to www.uhcprovider.com for medication fax request forms.)

Patient Information

Patient's Name: _____

Insurance ID: _____ Date of Birth: _____ Height: _____ Weight: _____

Address: _____ Apartment #: _____

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Alternate Phone: _____ Sex: Male Female

Provider Information

Provider's Name: _____ Provider ID Number: _____

Address: _____ City: _____ State: _____ Zip Code: _____

Suite Number: _____ Building Number: _____

Phone Number: _____ Fax number: _____

Provider's Specialty: _____

Medication Information

Medication: _____ Quantity: _____ ICD10 Code: _____

Directions: _____ Diagnosis: _____ Refills: _____

Physician Signature:** _____ Initial here if DAW: _____

***Physician Signature**:** By signing above, the physician is providing the specialty pharmacy with a prescription that can be used to facilitate the dispensing and/or coordination of delivery for the requested medication.*

Medication Instructions

Has the patient been instructed on how to **Self-Administer**? Yes No

Is this medication a **New Start**? Yes No

If continuation please provide the following: Initiation Date: / / Date of Last Dose: / /

Is there documentation of positive clinical response to current therapy? Yes No

****Please attach any pertinent clinical information that would pertain to support stated diagnosis. Additional clinical information may be needed depending on your patients plan, including medication(s) previously tried and failed.**

Delivery Instructions

Note: Delivery coordination requires a "Physician Signature" above and complete "Provider Information" and "Patient Information"

Note: All necessary ancillary supplies are provided free of charge to the patient at the time of delivery

Ship to: Physician's Office Patient's Address Date medication is needed: / /

Medication Administered: Home Health Self-Administered LTC Physician's Office

Please complete this entire form and fax it to: **866-940-7328**. If you have questions, please call **800-310-6826**.

This form contains multiple pages. Please complete all pages to avoid a delay in our decision.
Allow at least 24 hours for review.

Section A – Member Information

First Name:	Last Name:	Member ID:
Address:		
City:	State:	ZIP Code:
Phone:	DOB:	Allergies:
Primary Insurance Information:		

Is the requested medication **New or** **Continuation of Therapy?** If continuation, list start date: _____
Is this patient currently hospitalized? **Yes** **No** If recently discharged, list discharge date: _____

Section B - Provider Information

First Name:	Last Name:	M.D./D.O.
Address:	City:	State: ZIP code:
Phone:	Fax:	NPI #: Specialty:
Office Contact Name / Fax attention to:		

Section C - Medical Information

Medication:	Strength:
Directions for use:	Quantity:
Diagnosis (Please be specific & provide as much information as possible):	ICD-10 CODE:

Is this member pregnant? **Yes** **No** If yes, what is this member's due date? _____

Section D – Previous Medication Trials

Medications	Strength	Directions	Dates of Therapy	Reason for failure / discontinuation

Section E – Additional information and Explanation of why preferred medications would not meet the patient's needs:
Please refer to the patient's PDL at www.uhcprovider.com for a list of preferred alternatives

Member First name:	Member Last name:	Member DOB:
--------------------	-------------------	-------------

Clinical and Drug Specific Information

ALL REQUESTS

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have one of the following diagnoses? <i>(If yes, check which applies)</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Active ankylosing spondylitis <input type="checkbox"/> Active psoriatic arthritis <input type="checkbox"/> Moderate to severe chronic plaque psoriasis <input type="checkbox"/> Moderate to severe hidradenitis suppurativa (i.e., Hurley Stage II or III) <input type="checkbox"/> Moderately to severely active Crohn's disease <input type="checkbox"/> Moderately to severely active polyarticular juvenile idiopathic arthritis <input type="checkbox"/> Moderately to severely active rheumatoid arthritis (RA) <input type="checkbox"/> Moderately to severely active ulcerative colitis <input type="checkbox"/> Non-infectious uveitis (UV)
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Is Humira prescribed by or in consultation with any of the following? <i>(If yes, check which applies)</i></p> <p><input type="checkbox"/> Dermatologist <input type="checkbox"/> Gastroenterologist <input type="checkbox"/> Ophthalmologist <input type="checkbox"/> Rheumatologist</p>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have a history of failure to a 3 month trial of methotrexate at up to the maximally indicated dose within the last 6 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, complete Section D above)</i></p>
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Will the patient receive Humira in combination with any of the following? <i>(If yes, check which applies)</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Biologic DMARD [e.g., Enbrel (etanercept), Cimzia (certolizumab), Simponi (golimumab)] <input type="checkbox"/> Janus kinase inhibitor [e.g., Xeljanz (tofacitinib)] <input type="checkbox"/> Phosphodiesterase 4 (PDE4) inhibitor [e.g. Otezla (apremilast)]
--	---

ANKYLOSING SPONDYLITIS

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have a history of failure to two NSAIDs (non-steroidal anti-inflammatory drugs) [e.g., ibuprofen, naproxen] at up to maximally indicated doses, each used for at least 4 weeks within the last 3 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, complete Section D above)</i></p>
--	---

CHROHN'S DISEASE

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have a history of failure to any of the following conventional therapies at up to maximally indicated doses within the last 3 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, check which applies and complete Section D above)</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> 6-mercaptopurine (Purinethol) <input type="checkbox"/> Corticosteroids (e.g., prednisone, methylprednisolone, budesonide) <input type="checkbox"/> Azathioprine (Imuran) <input type="checkbox"/> Methotrexate (Rheumatrex, Trexall)
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Has the patient lost response or is intolerant to infliximab (e.g., Remicade, Inflectra, Renflexis)? <i>(If yes, complete Section D above)</i></p>
--	--

HIDRADENITIS SUPPURATIVA

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have a history of failure to at least one oral antibiotic (e.g., doxycycline, clindamycin, rifampin) at up to maximally indicated doses within the last 3 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, complete Section D above)</i></p>
--	--

PLAQUE PSORIASIS

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have greater than or equal to 3% body surface area involvement, palmoplantar, facial, or genital involvement, or severe scalp psoriasis?</p>
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	<p>Does the patient have a history of failure to any of the following topical therapies unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, check which applies and complete Section D above)</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Anthralin <input type="checkbox"/> Calcineurin inhibitors (e.g., tacrolimus, pimecrolimus) <input type="checkbox"/> Coal tar <input type="checkbox"/> Corticosteroids (e.g., betamethasone, clobetasol, desonide) <input type="checkbox"/> Tazarotene <input type="checkbox"/> Vitamin D analogs (e.g., calcitriol, calcipotriene)
--	---



Member First name:		Member Last name:	Member DOB:
RHEUMATOID ARTHRITIS			
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have a history of failure to a 3 month trial of any non-biologic disease modifying anti-rheumatic drug (DMARD) [e.g., methotrexate, leflunomide, sulfasalazine, hydroxychloroquine] at up to maximally indicated doses within the last 6 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, complete Section D above)</i>		
ULCERATIVE COLITIS			
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have a history of failure to any of the following conventional therapies at up to maximally indicated doses within the last 3 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, check which applies and complete Section D above)</i>		
	<input type="checkbox"/> 6-mercaptopurine (Purinethol) <input type="checkbox"/> Aminosalicylates (e.g., mesalamine, sulfasalazine) <input type="checkbox"/> Azathioprine (Imuran) <input type="checkbox"/> Corticosteroids (e.g., prednisone, methylprednisolone, budesonide)		
UVEITIS			
<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's Uveitis classified as any of the following? <i>(If yes, check which applies)</i>		
	<input type="checkbox"/> Intermediate <input type="checkbox"/> Panuveitis <input type="checkbox"/> Posterior		
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have a history of failure to at least one corticosteroid (e.g., prednisolone, prednisone) at up to a maximally indicated dose within the last 3 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, complete Section D above)</i>		
<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have a history of failure to at least one systemic non-biologic immunosuppressant (e.g., methotrexate, cyclosporine, azathioprine, mycophenolate) at up to a maximally indicated dose within the last 3 months, unless contraindicated or clinically significant adverse effects are experienced? <i>(If yes, complete Section D above)</i>		
CONTINUATION OF THERAPY			
<input type="checkbox"/> Yes <input type="checkbox"/> No	Is there documentation of positive clinical response to Humira therapy?		

Provider Signature: _____ **Date:** _____

Confidentiality Notice: This transmission contains confidential information belonging to the sender and UnitedHealthcare. This information is intended only for the use of UnitedHealthcare. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action involving the contents of this document is prohibited. If you have received this telecopy in error, please notify the sender immediately.