

**Specialty Medication Prior Authorization Cover Sheet**

**(This cover sheet should be submitted along with a Pharmacy Prior Authorization Medication Fax Request Form. Please refer to [www.uhcprovider.com](http://www.uhcprovider.com) for medication fax request forms.)**

**Patient Information**

Patient's Name: \_\_\_\_\_

Insurance ID: \_\_\_\_\_ Date of Birth: \_\_\_\_\_ Height: \_\_\_\_\_ Weight: \_\_\_\_\_

Address: \_\_\_\_\_ Apartment #: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Alternate Phone: \_\_\_\_\_ Sex:  Male  Female

**Provider Information**

Provider's Name: \_\_\_\_\_ Provider ID Number: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Suite Number: \_\_\_\_\_ Building Number: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax number: \_\_\_\_\_

Provider's Specialty: \_\_\_\_\_

**Medication Information**

Medication: \_\_\_\_\_ Quantity: \_\_\_\_\_ ICD10 Code: \_\_\_\_\_

Directions: \_\_\_\_\_ Diagnosis: \_\_\_\_\_ Refills: \_\_\_\_\_

**Physician Signature\*\*:** \_\_\_\_\_ Initial here if DAW: \_\_\_\_\_

***Physician Signature\*\*:** By signing above, the physician is providing the specialty pharmacy with a prescription that can be used to facilitate the dispensing and/or coordination of delivery for the requested medication.*

**Medication Instructions**

Has the patient been instructed on how to **Self-Administer**?  Yes  No

Is this medication a **New Start**?  Yes  No

If continuation please provide the following: Initiation Date: / / Date of Last Dose: / /

Is there documentation of positive clinical response to current therapy?  Yes  No

**\*\*Please attach any pertinent clinical information that would pertain to support stated diagnosis. Additional clinical information may be needed depending on your patients plan, including medication(s) previously tried and failed.**

**Delivery Instructions**

**Note:** Delivery coordination requires a **"Physician Signature"** above and complete **"Provider Information"** and **"Patient Information"**

**Note:** All necessary ancillary supplies are provided free of charge to the patient at the time of delivery

**Ship to:** Physician's Office  Patient's Address  Date medication is needed: / /

Medication Administered: Home Health  Self-Administered  LTC  Physician's Office

Please complete this entire form and fax it to: **866-940-7328**. If you have questions, please call **800-310-6826**.  
**This form contains multiple pages. Please complete all pages to avoid a delay in our decision.**  
**Allow at least 24 hours for review.**

**Section A – Member Information**

First Name:	Last Name:	Member ID:
Address:		
City:	State:	ZIP Code:
Phone:	DOB:	Allergies:
Primary Insurance Information:		
Is the requested medication <input type="checkbox"/> New or <input type="checkbox"/> Continuation of Therapy? If continuation, list start date: _____		
Is this patient currently hospitalized? <input type="checkbox"/> Yes <input type="checkbox"/> No If recently discharged, list discharge date: _____		

**Section B - Provider Information**

First Name:	Last Name:	M.D./D.O.	
Address:	City:	State:	ZIP code:
Phone:	Fax:	NPI #:	Specialty:
Office Contact Name / Fax attention to:			

**Section C - Medical Information**

Medication:	Strength:
Directions for use:	Quantity:
Diagnosis (Please be specific & provide as much information as possible):	ICD-10 CODE:
Is this member pregnant? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, what is this member's due date? _____	

**Section D – Previous Medication Trials**

Medications	Strength	Directions	Dates of Therapy	Reason for failure / discontinuation

**Section E – Additional information and Explanation of why preferred medications would not meet the patient's needs:**  
Please refer to the patient's PDL at [www.uhcprovider.com](http://www.uhcprovider.com) for a list of preferred alternatives

Member First name:	Member Last name:	Member DOB:
--------------------	-------------------	-------------

**Clinical and Drug Specific Information**

**ALL REQUESTS**

<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Does the prescriber attest that the information provided below is true and accurate to the best of their knowledge and they understand that UnitedHealthcare may perform a routine audit and request the medical information necessary to verify the accuracy of the information provided?</b>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Does the patient have any of the following diagnoses?</b> <i>(If yes, check which applies)</i> <input type="checkbox"/> Atherosclerotic cardiovascular disease (ASCVD) <input type="checkbox"/> Heterozygous familial hypercholesterolemia (HeFH)
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical records (e.g., chart notes, laboratory values) documenting the patient has been receiving at least 12 consecutive weeks of high-intensity statin therapy [i.e. atorvastatin 40-80 mg, rosuvastatin 20-40 mg] and will continue to receive high intensity statin at maximally tolerated dose be submitted?</b> <i>DOCUMENTATION REQUIRED</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Is the patient is unable to tolerate <u>high-intensity statin</u> as evidenced by any of the following intolerable and persistent (i.e. more than 2 weeks) symptoms?</b> <i>(If yes, check which applies)</i> <input type="checkbox"/> Myalgia (muscle symptoms without creatine kinase [CK] elevations) <input type="checkbox"/> Myositis (muscle symptoms with CK elevations < 10 times upper limit of normal [ULN])
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical records (e.g., chart notes, laboratory values) documenting the patient has been receiving at least 12 consecutive weeks of moderate-intensity statin therapy [i.e. atorvastatin 10-20 mg, rosuvastatin 5- 10 mg, simvastatin ≥ 20 mg, pravastatin ≥ 40 mg, lovastatin 40 mg, Lescol XL (fluvastatin XL) 80 mg, fluvastatin 40 mg twice daily or Livalo (pitavastatin) ≥ 2 mg] and will continue to receive a moderate-intensity statin at maximally tolerated dose be submitted?</b> <i>DOCUMENTATION REQUIRED</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical records (e.g., chart notes, laboratory values) documenting the patient has been receiving at least 12 consecutive weeks of low-intensity statin therapy [i.e. simvastatin 10 mg, pravastatin 10-20 mg, lovastatin 20 mg, fluvastatin 20-40 mg, or Livalo (pitavastatin) 1 mg] and will continue to receive a low-intensity statin at maximally tolerated dose be submitted?</b> <i>DOCUMENTATION REQUIRED</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Is the patient is unable to tolerate <u>low- or moderate-, and high-intensity statins</u> as evidenced by any of the following intolerable and persistent (i.e. more than 2 weeks) symptoms for low- or moderate-, and high-intensity statins?</b> <i>(If yes, check which applies)</i> <input type="checkbox"/> Myalgia (muscle symptoms without CK elevations) <input type="checkbox"/> Myositis (muscle symptoms with CK elevations < 10 times upper limit of normal [ULN])
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical records (e.g., chart notes, laboratory values) documenting the patient has a labeled contraindication to all statins be submitted?</b> <i>DOCUMENTATION REQUIRED</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical records (e.g., chart notes, laboratory values) documenting the patient has experienced rhabdomyolysis or muscle symptoms with statin treatment with CK elevations &gt; 10 times the upper limit of normal (ULN) be submitted?</b> <i>DOCUMENTATION REQUIRED</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical record (e.g., laboratory values) documenting any of the following LDL-C values while on maximally tolerated lipid lowering therapy for a minimum of at least 12 weeks within the last 120 days be submitted?</b> <i>(If yes, check which applies. DOCUMENTATION REQUIRED)</i> <input type="checkbox"/> LDL-C ≥ 100 mg/dL with ASCVD <input type="checkbox"/> LDL-C between 70 mg/dL and 99 mg/dL with ASCVD <input type="checkbox"/> LDL-C ≥ 130 mg/dL without ASCVD <input type="checkbox"/> LDL-C between 100 mg/dL and 129 mg/dL without ASCVD
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will medical record (e.g., chart notes, laboratory values) documenting the patient has any of the following be submitted?</b> <i>(If yes, check which applies. DOCUMENTATION REQUIRED)</i> <input type="checkbox"/> Patient has been receiving at least 12 consecutive weeks of ezetimibe (Zetia) therapy as adjunct to maximally tolerated statin therapy <input type="checkbox"/> Patient has a history of contraindication or intolerance to ezetimibe
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will Praluent be used as an adjunct to a low-fat diet and exercise?</b>
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Is Praluent prescribed by any of the following?</b> <i>(If yes, check which applies)</i> <input type="checkbox"/> Cardiologist <input type="checkbox"/> Endocrinologist <input type="checkbox"/> Lipid specialist
<input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Will Praluent be used in combination with another proprotein convertase subtilisin/kexin type 9 (PCSK9) inhibitor [e.g., Repatha (evolocumab)]?</b>

<b>Member First name:</b>	<b>Member Last name:</b>	<b>Member DOB:</b>
---------------------------	--------------------------	--------------------

**ARTHEROSCLEROTIC CARDIOVASCULAR DISEASE (ASCVD)**

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Does the patient have ASCVD as confirmed by any of the following?</b> <i>(If yes, check which applies)</i></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Acute coronary syndromes</li> <li><input type="checkbox"/> Coronary or other arterial revascularization</li> <li><input type="checkbox"/> History of myocardial infarction</li> <li><input type="checkbox"/> Peripheral arterial disease presumed to be of atherosclerotic origin</li> <li><input type="checkbox"/> Stable or unstable angina</li> <li><input type="checkbox"/> Stroke</li> <li><input type="checkbox"/> Transient ischemic attack</li> </ul>
--	--

**HETEROZYGOUS FAMILIAL HYPERCHOLESTEROLEMIA (HeFH)**

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Was the patient's diagnosis of HeFH confirmed by a pre-treatment low-density lipoprotein cholesterol (LDL-C) of any of the following?</b> <i>(If yes, check which applies)</i></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Greater than 190 mg/dL</li> <li><input type="checkbox"/> Greater than 155 mg/dL if less than 16 years of age</li> </ul>
--	--

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Does the patient have any of the following?</b> <i>(If yes, check which applies)</i></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Family history of myocardial infarction in first-degree relative &lt; 60 years of age</li> <li><input type="checkbox"/> Family history of myocardial infarction in second-degree relative &lt; 50 years of age</li> <li><input type="checkbox"/> Family history of LDL-C greater than 190 mg/dL in first- or second-degree relative</li> <li><input type="checkbox"/> Family history of heterozygous or homozygous familial hypercholesterolemia in first- or second-degree relative</li> <li><input type="checkbox"/> Family history of tendinous xanthomata and/or arcus cornealis in first- or second degree relative</li> </ul>
--	--

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Will medical records (e.g., chart notes, laboratory values) documenting the patient has any of the following be submitted?</b> <i>(If yes, check which applies. DOCUMENTATION REQUIRED)</i></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Arcus cornealis before age 45</li> <li><input type="checkbox"/> Functional mutation in LDL (low density lipoprotein), apoB (apolipoprotein B), or PCSK9 (proprotein convertase subtilisin/kexin type 9) gene</li> <li><input type="checkbox"/> Tendinous xanthomata</li> </ul>
--	--

**CONTINUATION OF THERAPY**

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Does the patient continue to receive a statin at a maximally tolerated dose (unless patient has documented inability to take statins)?</b></p>
--	--

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Is the patient continuing a low-fat diet and exercise regimen?</b></p>
--	--

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Is Praluent prescribed by any of the following?</b> <i>(If yes, check which applies)</i></p> <p><input type="checkbox"/> Cardiologist      <input type="checkbox"/> Endocrinologist      <input type="checkbox"/> Lipid specialist</p>
--	--

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Will medical records (e.g. chart notes, laboratory values) documenting the patient has low density lipoprotein cholesterol (LDL-C) reduction while on Praluent therapy be submitted?</b></p> <p><i>DOCUMENTATION REQUIRED</i></p>
--	---

<input type="checkbox"/> <b>Yes</b> <input type="checkbox"/> <b>No</b>	<p><b>Will Praluent be used in combination with another proprotein convertase subtilisin/kexin type 9 (PCSK9) inhibitor [e.g., Repatha (evolocumab)]?</b></p>
--	---

**Provider Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Confidentiality Notice:** This transmission contains confidential information belonging to the sender and UnitedHealthcare. This information is intended only for the use of UnitedHealthcare. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action involving the contents of this document is prohibited. If you have received this telecopy in error, please notify the sender immediately.