INDIANA HEALTH COVERAGE PROGRAMS (IHCP) FEE FOR SERVICE (FFS) PHARMACY BENEFIT UTERINE DISORDERS PRIOR AUTHORIZATION REQUEST FORM



OptumRx P.O. Box 25184 Santa Ana, CA, 92799



Consol	Phone: (866) 21	5-5046 Fa	ax: (80	66) 940-7328				Un	ite	dHe	alth	
Today's Date												
Note: This form must be con	npleted by the p	rescribin	g pro	vider.								
**All sec	ctions must be co	ompleted	d or th	ne request v	vill be	retu	rned	**				
Patient's Medicaid #				of Birth		/		/				
Patient's Name		F	Prescr	riber's Name								
Prescriber's IN License #			Specia	alty								
Prescriber's NPI#			Prescr	riber's Signatu	ire							
Return Fax # -	-		Return	n Phone #			-		-			
Check box if requesting retro-ac	tive PA			s) of service reactive eligibility			le):					
Note: Submit PA requests for retro	active ciaillis (dates	s ot service	prior	to eligibility de	etermina	ation,	but v	vithin	esta	blishe	d	
Note: Submit PA requests for retroeligibility timelines) with dates of seservice 30 calendar days or less ar	ervice prior to 30 cal nd going forward).	lendar day:	s of su		arately	from	curre	ent PA	A requ			01
eligibility timelines) with dates of se	ervice prior to 30 cal		s of su		arately	from	curre		A requ			01
eligibility timelines) with dates of se service 30 calendar days or less ar	ervice prior to 30 cal nd going forward).	lendar day:	s of su		arately	from	curre	ent PA	A requ			01
eligibility timelines) with dates of se service 30 calendar days or less ar Requested Medication	ervice prior to 30 cal and going forward). Strength	Quanti	ity	ubmission sep	Do	psag	e Re	egime	A requ			01
eligibility timelines) with dates of se service 30 calendar days or less ar Requested Medication	ervice prior to 30 cal and going forward). Strength	Quanti	ity	ubmission sep	Do	psag	e Re	egime	A requ			01
eligibility timelines) with dates of se service 30 calendar days or less ar Requested Medication PA requirements for MYFE	Strength MBREE (reluge	Quanti	ity	ubmission sep	Do	psag	e Re	egime	A requ			0)
eligibility timelines) with dates of se service 30 calendar days or less ar Requested Medication PA requirements for MYFE 1. Member is 18 years of age of	Strength Strength MBREE (relugous agnoses: ated with uterine lo	Quanti Olix/estra No eiomyoma	adiol	/norethind	Do rone a	osag	e Re ate):	egime	en			0)
PA requirements for MYFE 1. Member is 18 years of age of Menorrhagia associated Medication Menorrhagia associated Medicate to severe processor in Menorrhagia associated Menorrhagia M	Strength Strength MBREE (reluge r older yes agnoses: ated with uterine le pain associated w	Quanti Olix/estra No eiomyoma	adiolass (fibration	/norethind	Do rone a	osag	e Re ate):	egime	en			0)
eligibility timelines) with dates of se service 30 calendar days or less ar Requested Medication PA requirements for MYFE 1. Member is 18 years of age of the following diagram of the member is associated to the member is definition.	Strength Strength MBREE (relugous agnoses: ated with uterine lepain associated when past 30 days*	Quanti Olix/estra No eiomyoma vith endon	adiol as (fib	/norethind proids) in presis in preme	rone a	osag acet	e Re ate):	egime	en			

07.01.2023 Page 1

If no , please specify contraindication and medical rationale for use:
Prescriber Signature:
6. Requested dose is 1 tablet (40/1/0.5 mg) per day □ Yes □ No
If no , please explain
7. Previous trial and failure of hormonal contraceptives/therapy (oral tablets, vaginal ring, patch, and intrauterine contraception) AND NSAIDs (required for endometriosis indication ONLY) \square Yes \square No
If no , please provide medical rationale:
8. Member will not be exceeding 24 months of therapy per lifetime with Myfembree (relugolix/estradiol/norethindrone acetate) □ Yes □ No
If yes , provide medical rationale for continued use beyond 24 months and date range or number of months member has received therapy thus far:
*Note: Chart documentation will need to be provided for questions indicated with asterisk
PA requirements for ORIAHNN (elagolix/estragiol/norethingrone acetate):
PA requirements for ORIAHNN (elagolix/estradiol/norethindrone acetate): 1. Member is 18 years of age or older Yes No
PA requirements for ORIAHNN (elagolix/estradiol/norethindrone acetate): 1. Member is 18 years of age or older □ Yes □ No 2. Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No
1. Member is 18 years of age or older □ Yes □ No 2. Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females
Nember is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No
 Member is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No Negative pregnancy test in the past 30 days* □ Yes □ No
 Member is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No Negative pregnancy test in the past 30 days* □ Yes □ No Laboratory tests confirming no hepatic disease in the past 30 days* □ Yes □ No Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil) Current diagnosis of, risk factors for, or previous history of thromboembolic disorders or vascular events Current diagnosis or history of breast cancer or other hormone-sensitive malignancies OR increased risk factors for hormone-sensitive malignancies Diagnosis of osteoporosis
 Member is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No Negative pregnancy test in the past 30 days* □ Yes □ No Laboratory tests confirming no hepatic disease in the past 30 days* □ Yes □ No Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil) Current diagnosis of, risk factors for, or previous history of thromboembolic disorders or vascular events Current diagnosis or history of breast cancer or other hormone-sensitive malignancies OR increased risk factors for hormone-sensitive malignancies Diagnosis of osteoporosis Undiagnosed abnormal uterine bleeding
 Member is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No Negative pregnancy test in the past 30 days* □ Yes □ No Laboratory tests confirming no hepatic disease in the past 30 days* □ Yes □ No Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil) Current diagnosis of, risk factors for, or previous history of thromboembolic disorders or vascular events Current diagnosis or history of breast cancer or other hormone-sensitive malignancies OR increased risk factors for hormone-sensitive malignancies Diagnosis of osteoporosis
 Member is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No Negative pregnancy test in the past 30 days* □ Yes □ No Laboratory tests confirming no hepatic disease in the past 30 days* □ Yes □ No Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil) Current diagnosis of, risk factors for, or previous history of thromboembolic disorders or vascular events Current diagnosis or history of breast cancer or other hormone-sensitive malignancies OR increased risk factors for hormone-sensitive malignancies Diagnosis of osteoporosis Undiagnosed abnormal uterine bleeding
 Member is 18 years of age or older □ Yes □ No Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No Negative pregnancy test in the past 30 days* □ Yes □ No Laboratory tests confirming no hepatic disease in the past 30 days* □ Yes □ No Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil) Current diagnosis of, risk factors for, or previous history of thromboembolic disorders or vascular events Current diagnosis or history of breast cancer or other hormone-sensitive malignancies OR increased risk factors for hormone-sensitive malignancies Diagnosis of osteoporosis Undiagnosed abnormal uterine bleeding
1. Member is 18 years of age or older □ Yes □ No 2. Diagnosis of menorrhagia associated with uterine leiomyomas (fibroids) in premenopausal females □ Yes □ No 3. Negative pregnancy test in the past 30 days* □ Yes □ No 4. Laboratory tests confirming no hepatic disease in the past 30 days* □ Yes □ No 5. Provider attests that member has none of the following contraindications to therapy: □ Yes □ No • Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil) • Current diagnosis of, risk factors for, or previous history of thromboembolic disorders or vascular events • Current diagnosis or history of breast cancer or other hormone-sensitive malignancies OR increased risk factors for hormone-sensitive malignancies • Diagnosis of osteoporosis • Undiagnosed abnormal uterine bleeding If no, please specify contraindication and medical rationale for use:

07.01.2023 Page 2

7. Previous trial and failure of hormonal contraceptives/therapy (oral tablets, vaginal ring, patch, and intrauterine contraception) □ Yes □ No
If no , please provide medical rationale:
8. Member will not be exceeding 24 months of therapy per lifetime with elagolix/estradiol/norethindrone acetate therapy No
If yes , provide medical rationale for continued use beyond 24 months and date range or number of months member has received therapy thus far:
*Note: Chart documentation will need to be provided for questions indicated with asterisk
PA requirements for ORILISSA (elagolix):
1. Member is 18 years of age or older □ Yes □ No
Select one of the following diagnoses:
3. Negative pregnancy test in the past 30 days* □ Yes □ No
 4. Laboratory tests confirming no hepatic disease worse than Child-Pugh class B in the past 30 days* Please indicate Child-Pugh classification if applicable: □ Child-Pugh class A □ Child-Pugh class B □ N/A Note: members with Child-Pugh class B will be limited to 150 mg daily dose for a maximum of 6 months irrespective of indication
 5. Provider attests that member has none of the following contraindications to therapy: Yes No Diagnosis of osteoporosis Concurrent use of organic anion transporting polypeptide (OATP)1B1 inhibitors that are known or expected to significantly increase elagolix plasma concentrations (e.g., cyclosporine, gemfibrozil)
If no , please specify contraindication and medical rationale for use:
Prescriber Signature:
6. Previous trial and failure of hormonal contraceptives/therapy (oral tablets, vaginal ring, patch, and intrauterine contraception) AND NSAID therapy □ Yes □ No
If no , please provide medical rationale:
7. Member will not be exceeding 24 months of therapy per lifetime with elagolix □ Yes □ No
If yes , provide medical rationale for continued use beyond 24 months and date range or number of months member has received therapy thus far:

07.01.2023 Page 3

*Note: Chart documentation will need to be provided for questions indicated with asterisk

CONFIDENTIAL INFORMATION

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.

07.01.2023 Page 4