

OUTPATIENT SURGICAL PROCEDURES – SITE OF SERVICE

Guideline Number: URG-11.05 Effective Date: November 1, 2019

<u>Instructions for Use</u> (i)

Table of Contents	Page
COVERAGE RATIONALE	1
DOCUMENTATION REQUIREMENTS	2
DEFINITIONS	2
APPLICABLE CODES	3
REFERENCES	
GUIDELINE HISTORY/REVISION INFORMATION	
INSTRUCTIONS FOR USE	

Related Commercial Policies

- Cosmetic and Reconstructive Procedures
- Femoroacetabular Impingement Syndrome
- Hysterectomy for Benign Conditions
- <u>Light and Laser Therapy</u>
- Manipulation Under Anesthesia
- Obstructive Sleep Apnea Treatment
- Occipital Neuralgia and Headache Treatment
- Oral Surgery: Non-Pathologic Excisional Procedures
- Percutaneous Vertebroplasty and Kyphoplasty
- Sodium Hyaluronate
- Temporomandibular Joint Disorders

Community Plan Policy

Outpatient Surgical Procedures – Site of Service

COVERAGE RATIONALE

UnitedHealthcare members may choose to receive surgical procedures in an ambulatory surgical center (ASC) or other locations. We are conducting site of service medical necessity reviews, however, to determine whether the outpatient hospital department is medically necessary, in accordance with the terms of the member's benefit plan. If the outpatient hospital department is not considered medically necessary, this location will not be covered under the member's plan.

Certain planned surgical procedures performed in a hospital outpatient department are considered medically necessary for an individual who meets ANY of the following criteria:

- Advanced liver disease (MELD Score > 8)
- Advance surgical planning determines an individual requires overnight recovery and care following a surgical procedure
- Anticipated need for transfusion
- Bleeding disorder requiring replacement factor or blood products or special infusion products to correct a coagulation defect
- Brittle Diabetes
- Cardiac arrhythmia (symptomatic arrhythmia despite medication)
- Chronic obstructive pulmonary disease (COPD) (FEV1 <50%)
- Coronary artery disease ([CAD]/peripheral vascular disease [PVD]) (ongoing cardiac ischemia requiring medical management recently placed [within 1 year] drug eluting stent)
- Developmental stage or cognitive status warranting use of a hospital outpatient department
- End stage renal disease ([hyperkalemia above reference range] peritoneal or hemodialysis)
- History of cerebrovascular accident (CVA) or transient ischemic attack (TIA) (recent event [< 3 months])
- History of myocardial infarction (MI) (recent event [< 3 months])
- Individuals with drug eluting stents (DES) placed within one year or bare metal stents (BMS) or plain angioplasty within 90 days unless acetylsalicylic acid and antiplatelet drugs will be continued by agreement of surgeon, cardiologist and anesthesia
- Less than 19 years of age
- Ongoing evidence of myocardial ischemia
- Poorly Controlled asthma (FEV1 < 80% despite medical management)
- Pregnancy
- Prolonged surgery (> 3 hours)
- Resistant hypertension (Poorly Controlled)

- Severe valvular heart disease
- Sleep apnea (moderate to severe Obstructive Sleep Apnea (OSA)
- Uncompensated chronic heart failure (CHF) (NYHA class III or IV)

A planned surgical procedure performed in a hospital outpatient department is considered medically necessary if there is an inability to access an ambulatory surgical center for the procedure due to ANY one of the following:

- There is no geographically accessible ambulatory surgical center that has the necessary equipment for the procedure; or
- There is no geographically accessible ambulatory surgical center available at which the individual's physician has privileges; or
- An ASC's specific guideline regarding the individual's weight or health conditions that prevents the use of an ASC

Planned Surgical Procedures List

Site of service medical necessity reviews will be conducted for surgical procedures on the <u>Applicable Codes List</u> only when performed in an outpatient hospital setting.

DOCUMENTATION REQUIREMENTS

Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The documentation requirements outlined below are used to assess whether the member meets the clinical criteria for coverage but do not guarantee coverage of the service requested.

CPT Codes* Required Clinical Information **Outpatient Surgical Procedures - Site of Service** Medical notes documenting **all** of the following: History Physical examination including patient weight and co-morbidities Surgical plan Physician privileging information related to the need for the use of the hospital outpatient department American Society of Anesthesiologists (ASA) score, as applicable In addition to the above, additional documentation requirements may apply for the following codes. Review the below listed policies in conjunction with the guidelines in this document. For 15576, refer to the Coverage Determination Guideline titled Cosmetic and **Reconstructive Procedures** Refer to the Applicable For 17106, 17107 and 17108, refer to the Medical Policy titled Light and Laser Codes section for a complete list of codes and their For 20551, 20552, 20553, 29800 and 29804, refer to the Medical Policy titled descriptions. Temporomandibular Joint Disorders For 20605, 20606, 20610, 201611, refer to the Medical Benefit Drug Policy titled Sodium Hyaluronate For 22513 and 22514, refer to the Medical Policy titled Percutaneous Vertebroplasty and Kyphoplasty For 23700 and 27570, refer to the Medical Policy titled Manipulation Under **Anesthesia** For 29914, 29915 and 29916, refer to the Medical Policy titled Femoroacetabular Impingement Syndrome For 42145, refer to the Medical Policy titled Obstructive Sleep Apnea Treatment For 58263, refer to the Medical Policy titled <u>Hysterectomy for Benign Conditions</u> For 62281, refer to the Medical Policy titled Occipital Neuralgia and Headache **Treatment**

DEFINITIONS

ASA Physical Status Classification System Risk Scoring Tool: While anesthesia providers use this scale to indicate one's overall physical health or "sickness" preoperatively, it is regarded by hospitals, law firms, accrediting boards and other healthcare groups as a scale to predict risk and thus decide if a patient should have or should have had an operation. To predict operative risk, age and obesity, the nature and severity of the operative procedure, selection of anesthetic techniques, the competency of the surgical team (surgeon, anesthesia providers and assisting)

staff), duration of surgery or anesthesia, availability of equipment, medicine, blood, implants and especially the level of post-operative care etc. are often far more important than multiple ASA classification.

Brittle Diabetes: Diabetes that is difficult to control due to symptoms such as (1) predominant hyperglycemia with recurrent ketoacidosis, (2) predominant hypoglycemia, and (3) mixed hyper- and hypoglycemia.

Obstructive Sleep Apnea (OSA): Severity is defined as: Moderate for AHI or RDI \geq 15 and \leq 30. Severe for AHI or RDI > 30/hr.

Poorly Controlled: Requiring three or more drugs to control blood pressure.

APPLICABLE CODES

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this guideline does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

CPT/HCPCS Codes

Outpatient Surgical Procedures - Site of Service: CPT/HCPCS Code List

REFERENCES

American Heart Association. Classes of Heart Failure. Available at:

http://www.heart.org/HEARTORG/Conditions/HeartFailure/AboutHeartFailure/Classes-of-Heart-Failure UCM 306328 Article.jsp. Accessed August 2, 2019.

American Society of Anesthesiologists (ASA) Physical Status Classification System.

American Society of Anesthesiologists. Guidelines for ambulatory anesthesia and surgery. October 17, 2018.

American Society of Anesthesiologists. Guidelines for patient care in anesthesiology. October 26, 2016.

Bilimoria K, Liu Y, Paruch J, et al. Development and evaluation of the Universal ACS NSQIP Surgical Risk Calculator: a decision aide and informed consent tool for patients and surgeons. J Am Coll Surg. 2013 November; 217(5): 833–842.e3.

Brolin TJ, Mulligan RP, Azar FM, et al. Neer Award 2016: Outpatient total shoulder arthroplasty in an ambulatory surgery center is a safe alternative to inpatient total shoulder arthroplasty in a hospital: a matched cohort study. J Shoulder Elbow Surg. 2017;26(2):204-8.

Cancienne JM, Brockmeier SF, Gulotta LV, et al. Ambulatory total shoulder arthroplasty: a comprehensive analysis of current trends, complications, readmissions, and costs. J Bone Joint Surg Am. 2017;99(8):629-37.

Epstein LJ, Kristo D, Strollo PJ Jr, et al. Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults. J Clin Sleep Med. 2009 Jun 15; 5(3):263-76.

Friedman L S. Surgery in the patient with liver disease. Trans Am Clin Climatol Assoc. 2010; 121: 192-205.

Goyal N, Chen AF, Padgett SE, et al. Otto Aufranc Award: a multicenter, randomized study of outpatient versus inpatient total hip arthroplasty. Clin Orthop. 2017;475(2):364-7.

Joshi G, Ahmad S; Riad W. et al. Selection of obese patients undergoing ambulatory surgery: a systematic review of the literature. Anesthesia & Analgesia. November 2013; 117(5): 1082–1091.

Joshi G, Ankichetty P, Gan T, and Chung F. Society for Ambulatory Anesthesia Consensus Statement on preoperative selection of adult patients with obstructive sleep apnea scheduled for ambulatory surgery. Anesthesia & Analgesia: November 2012; 115(5): 1060–1068.

Joshi G; Chung F; Vann Mary Ann, et al. Society for Ambulatory Anesthesia Consensus Statement on perioperative blood glucose management in diabetic patients undergoing ambulatory surgery. Anesthesia & Analgesia. December 2010; 111(6): 1378–1387.

Lovald S, Ong K, Lau E, et al. Patient selection in outpatient and short-stay total knee arthroplasty. J Surg Orthop Adv. 2014 Spring;23(1):2-8.

Maganti K, Rigolin VH, Sarano ME, Bonow RO. Valvular heart disease: diagnosis and management. Mayo Clin Proc. 2010 May;85(5):483-500.

Mathis MR, Naughton NN, Shanks AM, et al. Patient selection for day case-eligible surgery: identifying those at high risk for major complications. Anesthesiology. 2013 Dec;119(6):1310-21.

National Kidney Foundation. Clinical update on hyperkalemia. A chronic risk for CKD patients and a potential barrier to recommended CKD treatment. https://www.kidney.org/sites/default/files/02-10-6785 HBE Hyperkalemia Bulletin.pdf. Accessed August 2, 2019.

Neighborhood Health Plan (NHP). Prior Authorization Requirements.

https://www.uhcprovider.com/content/dam/provider/docs/public/prior-auth/pa-requirements/nhp/UHC-NHP-Advance-Notification-Guide-Effective-10012019.pdf. Accessed October 15, 2019.

Orthopedic Certification. Pathways to excellence in patient care. Joint Commission.

Sankar A, Johnson SR, Beattie WS, et al. Reliability of the American Society of Anesthesiologists physical status scale in clinical practice. Br J Anaesth. 2014 Sep;113(3):424-32.

United HealthCare Advance Notification List. To view the most current and complete Advance Notification List, including procedure codes and associated services. https://www.uhcprovider.com/en/prior-auth-advance-notification-plan-regs.html. Accessed August 2, 2019.

GUIDELINE HISTORY/REVISION INFORMATION

Date	Action/Description
11/01/2019	Notice of Revision: The following summary of changes has been modified. Revisions to the previous policy update announcement are outlined in red below. Please take note of the amended guidelines to be applied on Nov. 1, 2019. Related Policies • Updated list of related policies Coverage Rationale • Replaced language indicating "certain elective procedures performed in a hospital outpatient department are considered medically necessary for an individual who meets any of the criteria [listed in the policy]" with "certain planned surgical procedures performed in a hospital outpatient department are considered medically necessary for an individual who meets any of the criteria [listed in the
	 policy]" Revised medical necessity criteria; added criterion requiring "[the individual is] less than 19 years of age" Revised language pertaining to the inability to access an ambulatory surgical center: Replaced reference to "elective surgical procedure" with "planned surgical procedure" Added language to clarify any one of the listed situations are considered medically necessary Revised language pertaining to the Planned Surgical Procedures List to indicate site of service medical necessity reviews will be conducted for the surgical procedures [listed in the policy] only when performed in an outpatient hospital setting
	 Documentation Requirements Added requirement for medical notes documenting physician privileging information related to the need for the use of the hospital outpatient department Applicable Codes Reformatted content Added 1,105 919 CPT/HCPCS codes (see list for details; revised Nov. 1, 2019) Supporting Information Updated References section to reflect the most current information Archived previous policy version URG-11.04

INSTRUCTIONS FOR USE

This Utilization Review Guideline provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this guideline, please check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare reserves the right to modify its Policies and Guidelines as

necessary. This Utilization Review Guideline is provided for informational purposes. It does not constitute medical advice.

UnitedHealthcare may also use tools developed by third parties, such as the MCG[™] Care Guidelines, to assist us in administering health benefits. UnitedHealthcare Utilization Review Guidelines are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.